GOVERNMENT OF KARNATAKA

CONSTRUCTION OF EIGHT LANE

# BENGALURU BUSINESS CORRIDOR

# (BBC)

## TYPICAL CROSS SECTION, PLAN AND PROFILE DRAWING

**MARCH 2026**

BANGALORE DEVELOPMENT AUTHORITY

T.CHOWDAIAH ROAD, KUMARA PARK WEST, BANGALORE-560 020.

# INDEX

| SL NO. | DWG NO. | TITLE |
|---|---|---|
| | -- | INDEX |
| | -- | BBC KEYPLAN |
| | -- | BBC STRUCTURAL KEYPLAN |
| **TYPICAL CROSS SECTION** | | |
| 1 | RD-01 | TYPICAL CROSS SECTION TYPE 1,2 & 3 |
| 2 | RD-02 | TYPICAL CROSS SECTION TYPE 4,5 & 6 |
| 3 | RD-03 | TYPICAL CROSS SECTION TYPE 7,8 & 9 |
| 4 | RD-04 | TYPICAL CROSS SECTION TYPE 10,11 & 12 |
| 5 | RD-05 | TYPICAL CROSS SECTION TYPE 13,14 & 15 |
| 6 | RD-06 | TYPICAL CROSS SECTION AT TOLL PLAZA |
| 7 | RD-07 | TYPICAL CROSS SECTION SCHEDULE |
| 8 | RD-08 | LEGENDS GENERAL NOTES & PAVEMENT COMPOSITION |
| 9 | RD-09 | TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS |
| 10 | RD-10 | HORIZONTAL ALIGNMENT REPORT MAIN CARRIAGEWAY |
| 11 | RD-11 | VERTICAL ALIGNMENT REPORT MAIN CARRIAGEWAY |
| **PLAN AND PROFILE** | | |
| 12 | RD-321 | MAIN ROAD PLAN AND PROFILE CH: 0 TO CH:700 |
| 13 | RD-322 | MAIN ROAD PLAN AND PROFILE CH: 700 TO CH:1400 |
| 14 | RD-323 | MAIN ROAD PLAN AND PROFILE CH: 1400 TO CH:2100 |
| 15 | RD-324 | MAIN ROAD PLAN AND PROFILE CH: 2100 TO CH:2800 |
| 16 | RD-325 | MAIN ROAD PLAN AND PROFILE CH: 2800 TO CH:3500 |
| 17 | RD-326 | MAIN ROAD PLAN AND PROFILE CH: 3500 TO CH:4200 |
| 18 | RD-327 | MAIN ROAD PLAN AND PROFILE CH: 4200 TO CH:4900 |
| 19 | RD-328 | MAIN ROAD PLAN AND PROFILE CH: 4900 TO CH:5600 |
| 20 | RD-329 | MAIN ROAD PLAN AND PROFILE CH: 5600 TO CH:6300 |
| 21 | RD-330 | MAIN ROAD PLAN AND PROFILE CH: 6300 TO CH:7000 |
| 22 | RD-331 | MAIN ROAD PLAN AND PROFILE CH: 7000 TO CH:7700 |
| 23 | RD-332 | MAIN ROAD PLAN AND PROFILE CH: 7700 TO CH:8400 |
| 24 | RD-333 | MAIN ROAD PLAN AND PROFILE CH: 8400 TO CH:9100 |
| 25 | RD-334 | MAIN ROAD PLAN AND PROFILE CH: 9100 TO CH:9800 |
| 26 | RD-335 | MAIN ROAD PLAN AND PROFILE CH: 9800 TO CH:10500 |
| 27 | RD-336 | MAIN ROAD PLAN AND PROFILE CH: 10500 TO CH:11200 |
| 28 | RD-337 | MAIN ROAD PLAN AND PROFILE CH: 11200 TO CH:11900 |
| 29 | RD-338 | MAIN ROAD PLAN AND PROFILE CH: 11900 TO CH:12600 |
| 30 | RD-339 | MAIN ROAD PLAN AND PROFILE CH: 12600 TO CH:13300 |
| 31 | RD-340 | MAIN ROAD PLAN AND PROFILE CH: 13300 TO CH:14000 |
| 32 | RD-341 | MAIN ROAD PLAN AND PROFILE CH: 14000 TO CH:14700 |
| 33 | RD-342 | MAIN ROAD PLAN AND PROFILE CH: 14700 TO CH:15400 |
| 34 | RD-343 | MAIN ROAD PLAN AND PROFILE CH: 15400 TO CH:16100 |
| 35 | RD-344 | MAIN ROAD PLAN AND PROFILE CH: 16100 TO CH:16800 |
| 36 | RD-345 | MAIN ROAD PLAN AND PROFILE CH: 16800 TO CH:17500 |
| 37 | RD-346 | MAIN ROAD PLAN AND PROFILE CH: 17500 TO CH:18200 |
| 38 | RD-347 | MAIN ROAD PLAN AND PROFILE CH: 18200 TO CH:18900 |
| 39 | RD-348 | MAIN ROAD PLAN AND PROFILE CH: 18900 TO CH:19600 |
| 40 | RD-349 | MAIN ROAD PLAN AND PROFILE CH: 19600 TO CH:20300 |
| 41 | RD-350 | MAIN ROAD PLAN AND PROFILE CH: 20300 TO CH:21000 |

STUP Consultants Pvt. Ltd.
assystem stup

BANGALORE DEVELOPMENT AUTHORITY
T.CHOWDAIAH ROAD, KUMARA PARK WEST, BANGALORE-560 020.

# KEY PLAN OF BANGALORE BUSINESS CORRIDOR

**GOVERNMENT OF KARNATAKA**

**BANGALORE DEVELOPMENT AUTHORITY**
T.CHOWDAIAH ROAD, KUMARA PARK WEST, BANGALORE-560 020




**LEGEND:**

- ■■■■■ : SECTION 1 - LENGTH= 21000 (FROM TUMKUR ROAD JN TO BELLARY ROAD JN)
- ■■■■■ : SECTION 2 - LENGTH= 16100.000m (FROM BELLARY ROAD JN TO OLD MADRAS ROAD JN)
- ■■■■■ : SECTION 3 - LENGTH= 28180 + ELEVATED RD L=3084 = 31264 m (FROM OLD MADRAS ROAD JN TO HOSUR ROAD JN)

} TOTAL LENGTH = 68364 m




## LEGEND :

| | Sl.no | DESCRIPTION | SECTION I<br>0 TO 21000.00 | SECTION II<br>21000.00 TO 37100.00 | SECTION III<br>37100.00 TO 65280,<br>Elevated Rd =3084 | Total |
|---|---|---|---|---|---|---|
| | 1 | PROJECT LENGTH (M) | 21000 | 16100 | 31264 | 68364 |
| | 2 | GRADE SEPARATORS | 1 | - | - | 1 |
| | 3 | INTER CHANGES | 3 | 2 | 5 | 10 |
| | 4 | RAILWAY CROSSING STRUCTURES | 3 | 0 | 2 | 5 |
| | 5 | VEHICULAR UNDERPASS | 7 | 4 | 11 | 22 |
| | 6 | VEHICULAR OVERPASS | 2 | 3 | 2 | 7 |
| | 7 | FOREST CROSSING | 1 | 0 | 0 | 1 |
| | 8 | LAKE CROSSINGS | 1 | 0 | 3 | 4 |
| | 9 | TOLL LOCATIONS | 6 | 3 | 6 | 15 |

# BBC STRUCTURAL KEYPLAN

SCALE = 1: 200000

# TYPICAL CROSS SECTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

# TYPICAL CROSS SECTION SCHEDULE

**CROSS SECTION SCHEDULES**

| Sl No | Design Chainage | | Length (m) | Package | TCS TYPE | Remarks | | | |
|---|---|---|---|---|---|---|---|---|---|
| | From | To | | | | PRR Structure Type | Str. Chainage (m) | Junction Name | Nos of TOLL |
| 1 | 0.000 | 37.500 | 37.500 | I | Existing | Flyover (+1) | 0.000 | Tumkur Road | |
| 2 | 37.500 | 60.000 | 22.500 | I | Existing | | | | |
| 3 | 60.000 | 155.000 | 95.000 | I | Jn Structure | | | | |
| 4 | 155.000 | 225.000 | 70.000 | I | Jn Structure | VUP | 190.000 | | |
| 5 | 225.000 | 560.000 | 335.000 | I | Jn Structure | | | | |
| 6 | 560.000 | 930.000 | 370.000 | I | Jn Structure | | 860.000 | Toll Plaza | 8+8 |
| 7 | 930.000 | 1110.000 | 180.000 | I | Taper portion | | | | |
| 8 | 1110.000 | 1250.000 | 140.000 | I | 1 | | | | |
| 9 | 1250.000 | 1585.000 | 335.000 | I | 2 | | | | |
| 10 | 1585.000 | 1655.000 | 70.000 | I | 3 | VUP | 1620.000 | | |
| 11 | 1655.000 | 1880.000 | 225.000 | I | 2 | | | | |
| 12 | 1880.000 | 3300.000 | 1420.000 | I | 1 | | | | |
| 13 | 3300.000 | 3545.000 | 245.000 | I | 4 | | | | |
| 14 | 3545.000 | 3575.000 | 30.000 | I | 5 | Underpass (-1) | 3560.000 | | |
| 15 | 3575.000 | 3820.000 | 245.000 | I | 4 | | | | |
| 16 | 3820.000 | 3860.000 | 40.000 | I | 1 | | | | |
| 17 | 3860.000 | 4160.000 | 300.000 | I | Jn Structure | | | | |
| 18 | 4160.000 | 4400.000 | 240.000 | I | Jn Structure | ROB (4215) Flyover (+1) | 4355.000 | Hesarghatta Road | |
| 19 | 4400.000 | 4860.000 | 460.000 | I | Jn Structure | | | | |
| 20 | 4860.000 | 4925.000 | 65.000 | I | 2 | | | | |
| 21 | 4925.000 | 4995.000 | 70.000 | I | 3 | VUP | 4960 | | |
| 22 | 4995.000 | 5240.000 | 245.000 | I | 2 | | 5150.000 | Toll Plaza | 4+2 |
| 23 | 5240.000 | 6000.000 | 760.000 | I | 1 | | | | |
| 24 | 6000.000 | 6725.000 | 725.000 | I | 2 | | | | |
| 25 | 6725.000 | 6795.000 | 70.000 | I | 3 | VUP | 6760.000 | | |
| 26 | 6795.000 | 7210.000 | 415.000 | I | 2 | **MRPL Crossing CH: 6875 - 30M Structure** | 6875.000 | | |
| 27 | 7210.000 | 7900.000 | 690.000 | I | 1 | | | | |
| 28 | 7900.000 | 8159.000 | 259.000 | I | 4 | | | | |
| 29 | 8159.000 | 8189.000 | 30.000 | I | 5 | Underpass (-1) | 8175.000 | | |
| 30 | 8189.000 | 8480.000 | 291.000 | I | 4 | | | | |
| 31 | 8480.000 | 8540.000 | 60.000 | I | 1 | | | | |
| 32 | 8540.000 | 8865.000 | 325.000 | I | 2 | | | | |
| 33 | 8865.000 | 8935.000 | 70.000 | I | 3 | VUP | 8900.000 | IIHR Road | |
| 34 | 8935.000 | 9440.000 | 505.000 | I | 2 | | | | |
| 35 | 9440.000 | 10150.000 | 710.000 | I | 1 | | | | |
| 36 | 10150.000 | 10665.000 | 515.000 | I | 2 | | | | |
| 37 | 10665.000 | 10735.000 | 70.000 | I | 3 | VUP | 10700.000 | | |
| 38 | 10735.000 | 10930.000 | 195.000 | I | 2 | | | | |
| 39 | 10930.000 | 11240.000 | 310.000 | I | 1 | | | | |
| 40 | 11240.000 | 11660.000 | 420.000 | I | 9 | **Lake 14 span x 30** | | | |
| 41 | 11660.000 | 12440.000 | 780.000 | I | 9 | **JARAKABANDE KAVALU & STATE GOVT. FOREST AREA** | | | |

**CROSS SECTION SCHEDULES**

| Sl No | Design Chainage | | Length (m) | Package | TCS TYPE | Remarks | | | |
|---|---|---|---|---|---|---|---|---|---|
| | From | To | | | | PRR Structure Type | Str. Chainage (m) | Junction Name | Nos of TOLL |
| 42 | 12440.000 | 12640.000 | 200.000 | I | 8 | | | | |
| 43 | 12640.000 | 12900.000 | 260.000 | I | 2 | | | | |
| 44 | 12900.000 | 13950.000 | 1050.000 | I | 1 | | | | |
| 45 | 13950.000 | 14270.000 | 320.000 | I | Jn Structure | | 13750.000 | Toll Plaza | 7+4 |
| 46 | 14270.000 | 14700.000 | 430.000 | I | Jn Structure | Flyover (+1) | 14454.000 | Doddaballapur Road | |
| 47 | 14700.000 | 14800.000 | 100.000 | I | Jn Structure | | | | |
| 48 | 14800.000 | 15120.000 | 320.000 | I | Jn Structure | | 15100.000 | Toll Plaza | 7+4 |
| 49 | 15120.000 | 15196.000 | 76.000 | I | Jn Structure | ROB | 15168.000 | | |
| 50 | 15196.000 | 16050.000 | 854.000 | I | Jn Structure | | | | |
| 51 | 16050.000 | 16086.900 | 36.900 | I | Jn Structure | ROB | 16066.000 | | |
| 52 | 16086.900 | 16470.000 | 383.100 | I | Jn Structure | | | | |
| 53 | 16470.000 | 18313.000 | 1843.000 | I | 1 | | 18050.000 | Toll Plaza | 7+4 |
| 54 | 18313.000 | 18615.000 | 302.000 | I | Jn Structure | | | | |
| 55 | 18615.000 | 18725.000 | 110.000 | I | Jn Structure | Underpass | 18670.000 | Bellary Road | |
| 56 | 18725.000 | 18943.000 | 218.000 | I | Jn Structure | | | | |
| 57 | 18943.000 | 19800.000 | 857.000 | I | 1 | | 19330.000 | Toll Plaza | 7+4 |
| 58 | 19800.000 | 20010.000 | 210.000 | I | 1 | | | | |
| 59 | 20010.000 | 20252.000 | 242.000 | I | 2 | | | | |
| 60 | 20252.000 | 20342.000 | 90.000 | I | 9 | VUP | 20297.000 | | |
| 61 | 20342.000 | 20590.000 | 248.000 | I | 2 | | | | |
| 62 | 20590.000 | 21000.000 | 410.000 | I | 1 | | | | |

NOTES :

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705. Tel: +91 (022) 68067777, E-mail: mumbai@asysstem.com
OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@asysstem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: TYPICAL CROSS SECTION SCHEDULE

DRG.NO.: N0533/E/HWY/RD-07(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: N.T.S

A2

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

# LEGEND FOR FEATURES

| | |
|---|---|
| COMPOUND WALL, WIRE FENCE | |
| TELEPHONE LINE | |
| POWER LINE, HIGH TENSION LINE | |
| ELECTRIC POWER POLE | FP |
| ROAD BOUNDARY STONE | KB |
| HIGH TENSION TOWER | |
| RAILWAY TRACK | |
| ROAD: METALLED, UNMETALLED, CART TRACK | |
| BUILDING: PERMANENT, TEMPORARY, HUT | RCC ACS HUT |
| TEMPLE, MOSQUE, CHURCH, PUMP HOUSE | PH |
| CULVERT/BRIDGE, WEIR | |
| STREAM: DEFINED, UNDEFINED, DRAIN/CANAL | |
| EMBANKMENT, CUTTING, CULTIVATION LIMIT | |
| TREES: JUNGLE,MANGO, NEEM,TAMARINDS, OTHERS | |
| WELL, BOREWELL, WATER TANK | BW |
| SHEET ROCK, CONTOUR LEVEL | |
| VILLAGE BOUNDARY LIMIT | |
| HEIGHTS: T.B.M, TRAVERSE POINT | TBM4⊕(563.695)⊕A1 |
| SPOT LEVEL, TANK | 560.664 |

# NOTES:

1. REFERENCE LINE FOR HORIZONTAL ALIGNMENT SET OUT IS DESIGNED ALONG CENTRE LINE OF PROPOSED MEDIAN.
2. CHAINAGES INDICATED IN PLAN & PROFILE DRAWINGS FOR CROSS SECTION IS W.R.T. CENTRE LINE OF PROPOSED MEDIAN.
3. ROAD LEVELS INDICATED FOR THE RIGHT & LEFT MAIN CARRIAGEWAY IN THE PLAN & PROFILE DWG ARE TAKEN ALONG THE KERB BOTTOM OF THE CENTRAL MEDIAN
4. SUPERELEVATION INDICATED IN PLAN AND PROFILE DRAWINGS IS ROTATED W.R.T. MEDIAN KERB EDGES OF RESPECTIVE CARRIAGEWAYS.
5. FINISHED ROAD TOP LEVELS ARE CONSIDERED AS FOLLOWS:
   PROPOSED LEFT CARRIAGEWAY : EDGE OF LEFT MEDIAN KERB.
   PROPOSED RIGHT CARRIAGEWAY : EDGE OF RIGHT MEDIAN KERB.
6. CHAINAGES FOR CROSS DRAINAGE STRUCTURES INDICATED IN PLAN AND PROFILE DRAWINGS FOR NORMAL CROSS SECTION ARE REDUCED FROM REFERENCE LINE CHAINAGES. W.R.T CENTRE LINE OF PROPOSED MEDIAN.

# GENERAL NOTES:

1. MATERIAL SPECIFICATIONS AND WORK SPECIFICATIONS SHALL BE IN ACCORDANCE WITH "MORT&H SPECIFICATIONS FOR ROAD AND BRIDGE WORKS" – V REVISION AND IRC:37–2018 FOR COMPLETE ROAD CONSTRUCTURE UNLESS OTHERWISE SPECIFIED.
2. FOLLOWING SPECIFICATIONS OF MORT&H SHALL BE FOLLOWED FOR MATERIAL SELECTION AND CONSTRUCTURE FOR DIFFERENT PAVEMENT LAYERS:
   - EARTHWORK IN EMBANKMENT : CLAUSE 305
   - EARTHWORK IN CUTTING : CLAUSE 301
   - SUBGRADE & EARTHEN SHOULDER : CLAUSE 305
   - STONE MATRIX ASPHALT : CLAUSE 515 & IRC:SP: 079
   - DENSE BITUMINOUS MACADAM (DBM) : CLAUSE 505
   - BITUMINOUS CONCRETE (BC) : CLAUSE 507 & IRC:SP: 053 (WITH MODIFIED BINDER)
   - PAVEMENT QUALITY CONCRETE : CLAUSE 602
   - DRY LEAN CONCRETE : CLAUSE 601
3. COMPACTION REQUIREMENTS FOR EARTHWORKS SHALL BE AS FOLLOWS:
   - EMBANKMENT : 95%
   - SUBGRADE : 97%
   - EARTHEN SHOULDER / GRANULAR SHOULDER / MEDIAN FILL / CORRIDOR : 97%
4. SUBGRADE CBR SHALL NOT BE LESS THAN 10% (MIN)
5. IF THE DIFFERENCE BETWEEN NATURAL GROUND LEVEL AND FINISHED ROAD LEVEL IS LESS THAN 500MM, THEN THE GROUND SHALL BE LOOSENED AND RE COMPACTED TO ACHIEVE 97% OF DRY DENSITY.
6. UNSUITABLE MATERIAL / SOIL ENCOUNTERED DURING PAVEMENT FORMATION SHALL BE REMOVED AND REFILLED WITH SELECT FILL MATERIAL AND COMPACTED IN LAYERS.
7. FINISHED ROAD LEVEL (FRL) IS MEASURED ON KERB EDGES OF RESPECTIVE CARRIAGEWAYS OF MAIN ROAD, CENTERLINE OF CARRIAGEWAY FOR SERVICE ROADS.
8. PAVEMENT COMPOSITION FOR MAIN ROAD AND SERVICE ROAD ARE FURNISHED IN TABLE–1

## PAVEMENT COMPOSITION

| PAVEMENT LAYERS | SECTION I 0.00 TO 21000 | SECTION II 21000 TO 37100 | SECTION III 37100 TO 66518.219 | SERVICE ROAD |
|---|---|---|---|---|
| **MAIN ROAD** | **FLEXIBLE** | | | |
| BITUMINOUS CONCRETE | 50 | 50 | 50 | 40 |
| DENSE BITUMINOUS MACADAM | 100 | 100 | 110 | 70 |
| WET MIX MACADAM | 250 | 250 | 250 | 250 |
| GRANULAR SUBBASE | 200 | 200 | 200 | 300 |
| CBR FOR SUBGRADE 10% minimum | 500 | 500 | 500 | 500 |
| **TOTAL CRUST** | **1100** | **1100** | **1110** | **1160** |

NOTES :

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D–33 & D–207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra–400705. Tel: +91 (022) 69067777, E–mail: mumbai@assystem.com
OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: LEGENDS GENERAL NOTES & PAVEMENT COMPOSITION

DRG.NO.: N0533/E/HWY/RD–08 (R0)

DATE: 13–01–2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: N.T.S

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.




TYPE 1
NORMAL SECTION




TYPE 2
APPROACH PORTION- VUP




TYPE 3
STRUCTURAL PORTION- VUP

## NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETERS, UNLESS OTHERWISE SPECIFIED.
2. DETAILS OF STRUCTURE, DRAIN, CRASH BARRIER, MISCELLANEOUS DETAILS & PAVEMENT LAYERS SHOWN IN THE DRAWING ARE INDICATIVE, WHICH SHALL BE AS PER RELEVANT DRAWINGS / DESIGNS.
3. RETAINING WALL (RCC WALL/RE WALL) WILL BE REQUIRED AT FOLLOWING LOCATIONS OF
   * HIGH EMBANKMENT / CUTTING
   * WHERE SLOPE LINE OF ROAD SPILLS BEYOND ROW.

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | | |
|---|---|---|---|---|---|---|
| ☑ APPROVAL | | ☐ CONSTRUCTION | | | | |
| ☐ INFORMATION | | ☐ TENDER | | | | |
| ☐ DRAFT | | ☐ PRELIMNARY | | | | |
| RELEASED FOR | | | | | | |
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |
| FOR INTERNAL OFFICE ONLY | | | | | | |

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :
Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705.
Tel: +91 (022) 68067777,
E-mail: mumbai@assystem.com
OFFICE OF ORIGIN :
#69, JP & Devi Jambulesheer Arcade 4th Floor, Millers Road Bengaluru - 560 052
Tel.: 080 - 40 39 79 79
Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: TYPICAL CROSS SECTIONS TYPE 1, 2 & 3

DRG.NO.: N0533/E/HWY/RD-01 (R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: 1:250

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.




TYPE 4
APPROACH PORTION- UNDERPASS




TYPE 5
STRUCTURE PORTION- UNDERPASS




TYPE 6
APPROACH PORTION - ROB / WATER BODY

## NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETERS, UNLESS OTHERWISE SPECIFIED.
2. DETAILS OF STRUCTURE, DRAIN, CRASH BARRIER, MISCELLANEOUS DETAILS & PAVEMENT LAYERS SHOWN IN THE DRAWING ARE INDICATIVE, WHICH SHALL BE AS PER RELEVANT DRAWINGS / DESIGNS.
3. RETAINING WALL (RCC WALL/RE WALL) WILL BE REQUIRED AT FOLLOWING LOCATIONS OF
   * HIGH EMBANKMENT / CUTTING
   * WHERE SLOPE LINE OF ROAD SPILLS BEYOND ROW.

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | |
|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | | | | |
| ☐ INFORMATION | ☐ TENDER | | | | |
| ☐ DRAFT | ☐ PRELIMNARY | | | | |
| RELEASED FOR | | | | | |
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |
| FOR INTERNAL OFFICE ONLY | | | | | |

CONSULTANT: STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.G-33 & G-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705. Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com

OFFICE OF ORIGIN : #69, JP & Devi Jambulashwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: TYPICAL CROSS SECTIONS TYPE 4, 5 & 6

DRG.NO.: N0533/E/HWY/RD-02 (R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: 1:250

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.




TYPE 7

STRUCTURE PORTION - ROB / WATER BODY




TYPE 8

APPROACH PORTION - WATER BODY / FOREST AREA




TYPE 9

STRUCTURE PORTION - WATER BODY / FOREST AREA

## NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETERS, UNLESS OTHERWISE SPECIFIED.
2. DETAILS OF STRUCTURE, DRAIN, CRASH BARRIER, MISCELLANEOUS DETAILS & PAVEMENT LAYERS SHOWN IN THE DRAWING ARE INDICATIVE, WHICH SHALL BE AS PER RELEVANT DRAWINGS / DESIGNS.
3. RETAINING WALL (RCC WALL/RE WALL) WILL BE REQUIRED AT FOLLOWING LOCATIONS OF
   * HIGH EMBANKMENT / CUTTING
   * WHERE SLOPE LINE OF ROAD SPILLS BEYOND ROW.

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | | |
|---|---|---|---|---|---|---|
| ☑ APPROVAL | | ☐ CONSTRUCTION | | | | |
| ☐ INFORMATION | | ☐ TENDER | | | | |
| ☐ DRAFT | | ☐ PRELIMNARY | | | | |
| RELEASED FOR | | | | | | |
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |
| FOR INTERNAL OFFICE ONLY | | | | | | |

CONSULTANT: STUP Consultants Pvt. Ltd.

REGISTERED OFFICE :
Unit No.2702, 27th Floor,
Rupa Renaissance, P.No.G–33 & D–207,
Juinagar, MIDC TTC Industrial Area,
Turbhe, Navi Mumbai, Thane,
Maharashtra–400705.
Tel: +91 (022) 68567777,
E–mail: mumbai@assystem.com

OFFICE OF ORIGIN :
#69, JP & Devi Jambulaeshwar Arcade
4th Floor, Millers Road
Bengaluru – 560 052
Tel.: 080 – 40 39 79 79
Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: TYPICAL CROSS SECTIONS TYPE 7, 8 & 9

DRG.NO.: N0533/E/HWY/RD–03 (R0)

DATE: 13–01–2026

DRAWN: NRG

PREPARED: ADJ

CHECKED: SP

APPROVED: AC

SCALE: 1:250

A2

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.




TYPE 10

FLYOVER APPROACH PORTION AT JUNCTION




TYPE 11

FLYOVER STRUCTURE PORTION AT JUNCTION (TYPE -01)




TYPE 12

FLYOVER STRUCTURE PORTION AT JUNCTION (TYPE -02)

(CLOVER LEAF LOCATION)

## NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETERS, UNLESS OTHERWISE SPECIFIED.
2. DETAILS OF STRUCTURE, DRAIN, CRASH BARRIER, MISCELLANEOUS DETAILS & PAVEMENT LAYERS SHOWN IN THE DRAWING ARE INDICATIVE, WHICH SHALL BE AS PER RELEVANT DRAWINGS / DESIGNS.
3. RETAINING WALL (RCC WALL/RE WALL) WILL BE REQUIRED AT FOLLOWING LOCATIONS OF
   * HIGH EMBANKMENT / CUTTING
   * WHERE SLOPE LINE OF ROAD SPILLS BEYOND ROW.

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | | |
|---|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | | | | | |
| ☐ INFORMATION | ☐ TENDER | | | | | |
| ☐ DRAFT | ☐ PRELIMNARY | | | | | |
| RELEASED FOR | | | | | | |
| GIS | | | MAJOR STRUCTURES | | | |
| HIGHWAYS | | | IRRIGATION/ WATER RESOURCES | | | |
| ELECTRICAL | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| BUILDINGS | | | MECHANICAL / HVAC | | | |
| ARCHITECTURE | | | | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |
| FOR INTERNAL OFFICE ONLY | | | | | | |

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :
Unit No.2702, 27th Floor, Rupa Renaissance, P.No.G-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705.
Tel: +91 (022) 68067777,
E-mail: mumbai@asysstem.com
OFFICE OF ORIGIN :
#89, JP & Devi Ambulleshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052
Tel.: 080 - 40 39 79 79
Email : bangalore@asysstem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: TYPICAL CROSS SECTIONS TYPE 10, 11 & 12

DRG.NO.: N0533/E/HWY/RD-04 (R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: 1:250

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.




TYPE 13

UNDERPASS APPROACH PORTION AT JUNCTION (TYPE -01)




TYPE 14

UNDERPASS APPROACH PORTION AT JUNCTION (TYPE -02)




TYPE 15

UNDERPASS BOX PORTION AT JUNCTION

## NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETERS, UNLESS OTHERWISE SPECIFIED.
2. DETAILS OF STRUCTURE, DRAIN, CRASH BARRIER, MISCELLANEOUS DETAILS & PAVEMENT LAYERS SHOWN IN THE DRAWING ARE INDICATIVE, WHICH SHALL BE AS PER RELEVANT DRAWINGS / DESIGNS.
3. RETAINING WALL (RCC WALL/RE WALL) WILL BE REQUIRED AT FOLLOWING LOCATIONS OF
   * HIGH EMBANKMENT / CUTTING
   * WHERE SLOPE LINE OF ROAD SPILLS BEYOND ROW.

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | MAJOR STRUCTURES | | |
| HIGHWAYS | | | IRRIGATION/ WATER RESOURCES | | |
| ELECTRICAL | | | PHE / PLUMBING/ FIREFIGHTING | | |
| BUILDINGS | | | MECHANICAL / HVAC | | |
| ARCHITECTURE | | | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705. Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com
OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: TYPICAL CROSS SECTIONS TYPE 13, 14 & 15

DRG.NO.: N0533/E/HWY/RD-05 (R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: 1:250

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.







NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETERS, UNLESS OTHERWISE SPECIFIED.
2. DETAILS OF STRUCTURE, DRAIN, CRASH BARRIER, MISCELLANEOUS DETAILS & PAVEMENT LAYERS SHOWN IN THE DRAWING ARE INDICATIVE, WHICH SHALL BE AS PER RELEVANT DRAWINGS / DESIGNS.
3. RETAINING WALL (RCC WALL/RE WALL) WILL BE REQUIRED AT FOLLOWING LOCATIONS OF
   * HIGH EMBANKMENT / CUTTING
   * WHERE SLOPE LINE OF ROAD SPILLS BEYOND ROW.

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705. Tel: +91 (022) 68067777, E-mail: mumbai@asystem.com
OFFICE OF ORIGIN : #88, JP & Devi Jambulashwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@asystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: TYPICAL CROSS SECTIONS AT TOLL PLAZA

DRG.NO.: N0533/E/HWY/RD-06 (R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: 1:250

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

## ABBREVIATIONS

| | |
|---|---|
| AC :– | BUILDIING–ACS |
| AR :– | ARECANUT TREE |
| AT :– | ASHOKA TREE |
| ATPL :– | ARECANUT PLANTAION |
| BBT :– | BAMBOO TREE |
| BE :– | BITUMINOS ROAD |
| BL :– | BUILDING–RCC |
| BR :– | BRIDGE |
| BSS :– | BUS STOP |
| BTPL :– | BANANA PLANTAION |
| BT:– | BANANA TREE |
| BW:– | BOREWELL |
| CE :– | CUTTING TOP |
| CH :– | CHAMBER |
| CL :– | CULVERT |
| CTPL :– | COCONUT PLANTAION |
| CW :– | COMPOUND WALL |
| DR :– | DRIAN |
| EP :– | ELECTRIC SWITCH BOX |
| EPB :– | ELECTRIC POWER POLE |
| ET :– | EUCALYPTUS TREE |
| ETPL :– | EUCALYPTUS PLANTAION |
| FB :– | FIELD BUND |
| FE :– | FENCE |
| FP :– | FLAG POST |
| GA :– | GATE |
| GL :– | GAS LINE |
| GPL :– | GRAPES PLANTAION |
| GR :– | GRILL |
| GRY :– | GRAVEYARD |
| HP :– | HANDPUMP |
| HT :– | HITENSION LINE |
| JFT :– | JACKFRUIT TREE |
| KM :– | KILOMETER STONE |
| L :– | SPOT LEVEL |
| LP :– | LAMP POST |
| MD :– | MEDIAN |

## ABBREVIATIONS

| | |
|---|---|
| MH :– | MAN HOLES |
| MR :– | MUD ROAD |
| MT :– | MANGO TREE |
| MTPL :– | MANGO PLANTATION |
| NB :– | NAME BOARD |
| NL :– | NALA |
| NT :– | NEEM TREE |
| OFC :– | OPTIC FIBER CABEL |
| OT :– | OTHER TREE |
| PO :– | POND |
| PF:– | PLATFORM |
| PH:– | BUILDIN–PUMPHOUSE |
| PIT :– | PIT |
| PT :– | PALM TREE |
| RC :– | ROCK |
| RD :– | ROAD |
| RE :– | ROAD EDGE |
| RT :– | RAILWAY TRACK |
| RV :– | RIVER |
| RW :– | RETAINING WALL |
| ROW :– | RAILWAY BOUNDRY |
| SB :– | SIGN BOARD |
| SD :– | SILVER WOOD TREE |
| SDPL :– | SILVER WOOD PLANTATION |
| SL :– | SLAB |
| SS :– | SURVEY STONE |
| ST :– | SAPOTA TREE |
| STPL :– | SAPOTA PLANTATION |
| STR :– | STEMPS |
| SU :– | SUMP |
| SW :– | STONEWALL |
| SWB :– | SWITCH BOX |
| SYT :– | SURVEY TREE |
| TB :– | BUND TOP |
| TEM :– | TEMPLE |
| TF :– | TRANSFORMER |
| TH :– | BUILDING–TILED |

## ABBREVIATIONS

| | |
|---|---|
| TOMB :– | TOMB |
| TP :– | TELEPHONE POLE |
| TBP :– | TELEPHONE BOX |
| TT :– | TAMARIND TREE |
| TW :– | TEAK WOOD TREE |
| TWPL :– | TEAK WOOD PLANTATION |
| UC :– | BUILDING–UNDERCONSTRUCTURE |
| VT :– | VENT |
| WELL :– | WELL |
| WL :– | WATER LIMIT |
| WR :– | WEIR |
| WT :– | WATER TANK |
| WV :– | WATER VALVE |
| XT :– | CHRISTMAS TREE |

## LEGEND FOR FEATURES

| | |
|---|---|
| COMPOUND WALL, WIRE FENCE | |
| TELEPHONE LINE | |
| POWER LINE, HIGH TENSION LINE | |
| ELECTRIC POWER POLE | EP |
| ROAD BOUNDARY STONE | RB |
| HIGH TENSION TOWER | |
| RAILWAY TRACK | |
| ROAD: METALLED, UNMETALLED, CART TRACK | |
| BUILDING: PERMANENT, TEMPORARY, HUT | RCC ACS HUT |
| TEMPLE, MOSQUE, CHURCH, PUMP HOUSE | PH |
| CULVERT/BRIDGE, WEIR | |
| STREAM: DEFINED, UNDEFINED, DRAIN/CANAL | |
| EMBANKMENT, CUTTING, CULTIVATION LIMIT | |
| TREES: JUNGLE,MANGO, NEEM,TAMARINDS, OTHERS | |
| WELL, BOREWELL, WATER TANK | BW |
| SHEET ROCK, CONTOUR LEVEL | |
| VILLAGE BOUNDARY LIMIT | |
| HEIGHTS: T.B.M, TRAVERSE POINT | TBM4⊞(563.695)⊞A1 |
| SPOT LEVEL, TANK | 560.664 |

## NOTES:

1. REFERENCE LINE FOR HORIZONTAL ALIGNMENT SET OUT IS DESIGNED ALONG CENTRE LINE OF PROPOSED MEDIAN.
2. CHAINAGES INDICATED IN PLAN & PROFILE DRAWINGS FOR CROSS SECTION IS W.R.T. CENTRE LINE OF PROPOSED MEDIAN.
3. ROAD LEVELS INDICATED FOR THE RIGHT & LEFT MAIN CARRIAGEWAY IN THE PLAN & PROFILE DWG ARE TAKEN ALONG THE KERB BOTTOM OF THE CENTRAL MEDIAN
4. SUPERELEVATION INDICATED IN PLAN AND PROFILE DRAWINGS IS ROTATED W.R.T. MEDIAN KERB EDGES OF RESPECTIVE CARRIAGEWAYS.
5. FINISHED ROAD TOP LEVELS ARE CONSIDERED AS FOLLOWS:
   PROPOSED LEFT CARRIAGEWAY : EDGE OF LEFT MEDIAN KERB.
   PROPOSED RIGHT CARRIAGEWAY : EDGE OF RIGHT MEDIAN KERB.
6. CHAINAGES FOR CROSS DRAINAGE STRUCTURES INDICATED IN PLAN AND PROFILE DRAWINGS FOR NORMAL CROSS SECTION ARE DEDUCED FROM REFERENCE LINE CHAINAGES. W.R.T CENTRE LINE OF PROPOSED MEDIAN.

## GENERAL NOTES:

1. MATERIAL SPECIFICATIONS AND WORK SPECIFICATIONS SHALL BE IN ACCORDANCE WITH "MORT&H SPECIFICATIONS FOR ROAD AND BRIDGE WORKS" – V REVISION AND IRC:37–2018 FOR COMPLETE ROAD CONSTRUCTURE UNLESS OTHERWISE SPECIFIED.
2. FOLLOWING SPECIFICATIONS OF MORT&H SHALL BE FOLLOWED FOR MATERIAL SELECTION AND CONSTRUCTURE FOR DIFFERENT PAVEMENT LAYERS:
   - EARTHWORK IN EMBANKMENT : CLAUSE 305
   - EARTHWORK IN CUTTING : CLAUSE 301
   - SUBGRADE & EARTHEN SHOULDER : CLAUSE 305
   - STONE MATRIX ASPHALT : CLAUSE 515 & IRC:SP: 079
   - DENSE BITUMINOUS MACADAM (DBM) : CLAUSE 505
   - BITUMINOUS CONCRETE (BC) : CLAUSE 507 & IRC:SP: 053 (WITH MODIFIED BINDER)
   - PAVEMENT QUALITY CONCRETE : CLAUSE 602
   - DRY LEAN CONCRETE : CLAUSE 601
3. COMPACTION REQUIREMENTS FOR EARTHWORKS SHALL BE AS FOLLOWS:
   - EMBANKMENT : 95%
   - SUBGRADE : 97%
   - EARTHEN SHOULDER / GRANULAR SHOULDER / MEDIAN FILL / CORRIDOR : 97%
4. SUBGRADE CBR SHALL NOT BE LESS THAN 10% (MIN)
5. IF THE DIFFERENCE BETWEEN NATURAL GROUND LEVEL AND FINIHSED ROAD LEVEL IS LESS THAN 500MM, THEN THE GROUND SHALL BE LOOSENED AND RECOMPACTED TO ACHIEVE 97% OF DRY DENSITY.
6. UNSUITABLE MATERIAL / SOIL ENCOUNTERED DURING PAVEMENT FOMRATION SHALL BE REMOVED AND REFILLED WITH SELECT FILL MATERIAL AND COMPACTED IN LAYERS.
7. FINISHED ROAD LEVEL (FRL) IS MEASURED ON KERB EDGES OF RESPECTIVE CARRIAGEWAYS OF MAIN ROAD, CENTERLINE OF CARRIAGEWAY FOR SERVICE ROADS.
8. PAVEMENT COMPOSITION FOR MAIN ROAD AND SERVICE ROAD ARE FURNISHED IN TABLE–1

## TABLE-1 : PAVEMENT COMPOSITION

| PAVEMENT LAYERS | SECTION I 0.00 TO 19800 | SECTION II 19800 TO 37100 | SECTION III 37100 TO 66518.219 | SERVICE ROAD |
|---|---|---|---|---|
| **MAIN ROAD** | **FLEXIBLE** | | | |
| BITUMINOUS CONCRETE | 50 | 50 | 50 | 40 |
| DENSE BITUMINOUS MACADAM | 85 | 100 | 110 | 70 |
| WET MIX MACADAM | 250 | 250 | 250 | 250 |
| GRANULAR SUBBASE | 200 | 200 | 200 | 300 |
| CBR FOR SUBGRADE 10% minimum | 500 | 500 | 500 | 500 |
| **TOTAL CRUST** | **1085** | **1100** | **1110** | **1160** |

NOTES :

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE ONLY

CONSULTANT: STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D–33 & D–207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra–400705. Tel: +91 (022) 68067777, E–mail: mumbai@asssystem.com
OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052. Tel.: 080 – 40 39 79 79 Email : bangalore@asssystem.com
OWNER: BANGALORE DEVELOPMENT AUTHORITY
CONTRACTOR:
PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)
TITLE: GENERAL NOTES, LEGENDS & ABBREVIATIONS
DRG.NO.: N0533/E/HWY/RD–08 (R0)

| | |
|---|---|
| DATE | 13–01–2026 |
| DRAWN | NRG |
| PREPARED | ADJ |
| CHECKED | SP |
| APPROVED | AC |
| SCALE: | 1:250 |

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.




ELEMENTS OF COMBINED CIRCULAR AND TRANSITION CURVE




ATTAINMENT OF SUPERELEVATION – MAIN CARRIAGEWAY PAVEMENT ROTATED ABOUT MEDIAN KERB EDGES)

(RIGHT HAND CURVE)




(SCHEMATIC DIAGRAM OF ATTAINMENT OF SUPERELEVATION PAVEMENT ROTATED ABOUT MEDIAN KERB EDGES RIGHT HAND CURVE)

NOTES :

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705. Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com
OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS

DRG.NO.: N0533/E/HWY/RD–09 (R0)

DATE: 13–01–2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: 1:250

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

## Horizontal Alignment Report

| HIP/Curve No. | HIP | | Deflection | Element | Start | | | End | | | Length | Chord Length | Bearing | Radius | Hand Of Arc |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Easting | Northing | | | Chainage | Easting | Northing | Chainage | Easting | Northing | | | | | |
| | | | | Straight | 0.000 | 768635.643 | 1444623.711 | 394.433 | 768689.131 | 1445014.5 | 394.433 | | N 07° 47' 37.0826" E | | |
| 1 | 768689.631 | 1445018.155 | 01° 03' 23.7763" | Arc | 394.433 | 768689.131 | 1445014.5 | 401.809 | 768690.198 | 1445021.799 | 7.376 | | | 400 | RIGHT |
| | | | | Straight | 401.809 | 768690.198 | 1445021.799 | 1120.887 | 768800.83 | 1445732.315 | 719.078 | | N 08° 51' 00.8588" E | | |
| 2 | 768822.148 | 1445869.231 | 08° 48' 14.3675" | Arc | 1120.887 | 768800.83 | 1445732.315 | 1397.472 | 768864.172 | 1446001.271 | 276.586 | | | 1800 | RIGHT |
| | | | | Straight | 1397.472 | 768864.172 | 1446001.271 | 1523.049 | 768902.255 | 1446120.933 | 125.576 | | N 17° 39' 15.2264" E | | |
| | | | | Transition | 1523.049 | 768902.255 | 1446120.933 | 1613.049 | 768928.628 | 1446206.978 | 90 | 89.996 | | | |
| 3 | 768946.219 | 1446269.09 | 05° 16' 48.5332" | Arc | 1613.049 | 768928.628 | 1446206.978 | 1742.067 | 768958.019 | 1446332.557 | 129.018 | | | 1400 | LEFT |
| | | | | Transition | 1742.067 | 768958.019 | 1446332.557 | 1832.067 | 768972.57 | 1446421.369 | 90 | 89.996 | | | |
| | | | | Straight | 1832.067 | 768972.57 | 1446421.369 | 2151.639 | 769020.858 | 1446737.272 | 319.572 | | N 08° 41' 26.8128" E | | |
| | | | | Transition | 2151.639 | 769020.858 | 1446737.272 | 2286.639 | 769044.837 | 1446870.085 | 135 | 134.961 | | | |
| 4 | 769096.37 | 1447087.703 | 29° 59' 13.1810" | Arc | 2286.639 | 769044.837 | 1446870.085 | 2723.655 | 769249.771 | 1447250.434 | 437.015 | | | 835 | RIGHT |
| | | | | Transition | 2723.655 | 769249.771 | 1447250.434 | 2858.655 | 769347.501 | 1447343.51 | 135 | 134.961 | | | |
| | | | | Straight | 2858.655 | 769347.501 | 1447343.51 | 3009.235 | 769459.301 | 1447444.383 | 150.581 | | N 47° 56' 28.1960" E | | |
| 5 | 769517.663 | 1447497.041 | 07° 29' 44.4236" | Arc | 3009.235 | 769459.301 | 1447444.383 | 3166.224 | 769582.396 | 1447541.635 | 156.989 | | | 1200 | RIGHT |
| | | | | Straight | 3166.224 | 769582.396 | 1447541.635 | 3385.509 | 769762.977 | 1447666.039 | 219.285 | | N 55° 26' 12.6196" E | | |
| 6 | 769879.3 | 1447746.174 | 25° 59' 35.7813" | Arc | 3385.509 | 769762.977 | 1447666.039 | 3663.154 | 769948.735 | 1447869.183 | 277.645 | | | 612 | LEFT |
| | | | | Straight | 3663.154 | 769948.735 | 1447869.183 | 4250.259 | 770237.336 | 1448380.457 | 587.104 | | N 29° 26' 36.8383" E | | |
| | | | | Transition | 4250.259 | 770237.336 | 1448380.457 | 4355.259 | 770292.091 | 1448469.99 | 105 | 104.949 | | | |
| 7 | 770293.458 | 1448471.909 | 00° 32' 23.7356" | Arc | 4355.259 | 770292.091 | 1448469.99 | 4359.970 | 770294.843 | 1448473.815 | 4.712 | | | 500 | RIGHT |
| | | | | Transition | 4359.970 | 770294.843 | 1448473.815 | 4464.970 | 770362.317 | 1448554.198 | 105 | 104.949 | | | |
| | | | | Straight | 4464.970 | 770362.317 | 1448554.198 | 5400.178 | 770988.282 | 1449249.022 | 935.208 | | N 42° 00' 56.1832" E | | |
| | | | | Transition | 5400.178 | 770988.282 | 1449249.022 | 5450.178 | 771021.594 | 1449286.309 | 50 | 50 | | | |
| 8 | 771033.598 | 1449299.973 | 01° 02' 31.3812" | Arc | 5450.178 | 771021.594 | 1449286.309 | 5486.553 | 771045.351 | 1449313.853 | 36.374 | | | 2000 | LEFT |
| | | | | Transition | 5486.553 | 771045.351 | 1449313.853 | 5536.553 | 771077.343 | 1449352.278 | 50 | 50 | | | |
| | | | | Straight | 5536.553 | 771077.343 | 1449352.278 | 5668.435 | 771161.303 | 1449453.981 | 131.882 | | N 39° 32' 28.1818" E | | |
| | | | | Transition | 5668.435 | 771161.303 | 1449453.981 | 5718.435 | 771193.263 | 1449492.433 | 50 | 50 | | | |
| 9 | 771211.214 | 1449513.74 | 01° 16' 37.0587" | Arc | 5718.435 | 771193.263 | 1449492.433 | 5774.153 | 771229.635 | 1449534.641 | 55.718 | | | 2500 | RIGHT |
| | | | | Transition | 5774.153 | 771229.635 | 1449534.641 | 5824.153 | 771262.944 | 1449571.93 | 50 | 50 | | | |
| | | | | Straight | 5824.153 | 771262.944 | 1449571.93 | 6493.021 | 771710.191 | 1450069.276 | 668.868 | | N 41° 57' 50.5366" E | | |
| | | | | Transition | 6493.021 | 771710.191 | 1450069.276 | 6603.021 | 771785.152 | 1450149.762 | 110 | 109.987 | | | |
| 10 | 771800.932 | 1450165.561 | 02° 26' 11.7480" | Arc | 6603.021 | 771785.152 | 1450149.762 | 6647.673 | 771817.369 | 1450180.675 | 44.653 | | | 1050 | RIGHT |
| | | | | Transition | 6647.673 | 771817.369 | 1450180.675 | 6757.673 | 771900.882 | 1450252.248 | 110 | 109.987 | | | |
| | | | | Straight | 6757.673 | 771900.882 | 1450252.248 | 8595.404 | 773316.94 | 1451423.586 | 1837.73 | | N 50° 24' 10.9787" E | | |
| 11 | 773395.871 | 1451488.876 | 04° 39' 19.5783" | Arc | 8595.404 | 773316.94 | 1451423.586 | 8800.160 | 773479.841 | 1451547.544 | 204.757 | | | 2520 | RIGHT |
| | | | | Straight | 8800.160 | 773479.841 | 1451547.544 | 9331.790 | 773915.637 | 1451852.029 | 531.629 | | N 55° 03' 30.5570" E | | |
| 12 | 774008.425 | 1451916.859 | 02° 53' 29.2214" | Arc | 9331.790 | 773915.637 | 1451852.029 | 9558.127 | 774097.825 | 1451986.287 | 226.337 | | | 4485 | LEFT |
| | | | | Straight | 9558.127 | 774097.825 | 1451986.287 | 9763.167 | 774259.766 | 1452112.051 | 205.041 | | N 52° 10' 01.3356" E | | |
| | | | | Transition | 9763.167 | 774259.766 | 1452112.051 | 9893.167 | 774364.238 | 1452189.371 | 130 | 129.972 | | | |
| 13 | 774412.37 | 1452221.654 | 07° 05' 37.6622" | Arc | 9893.167 | 774364.238 | 1452189.371 | 10008.930 | 774464.12 | 1452247.745 | 115.762 | | | 935 | RIGHT |
| | | | | Transition | 10008.930 | 774464.12 | 1452247.745 | 10138.930 | 774582.762 | 1452300.817 | 130 | 129.972 | | | |
| | | | | Straight | 10138.930 | 774582.762 | 1452300.817 | 10344.869 | 774772.648 | 1452380.532 | 205.939 | | N 67° 13' 37.5270" E | | |
| 14 | 774902.451 | 1452435.024 | 08° 03' 09.5836" | Arc | 10344.869 | 774772.648 | 1452380.532 | 10625.960 | 775038.607 | 1452470.796 | 281.091 | | | 2000 | RIGHT |
| | | | | Straight | 10625.960 | 775038.607 | 1452470.796 | 11291.438 | 775682.244 | 1452639.894 | 665.479 | | N 75° 16' 47.1105" E | | |
| | | | | Transition | 11291.438 | 775682.244 | 1452639.894 | 11376.438 | 775764.658 | 1452660.687 | 85 | 84.997 | | | |
| 15 | 775819.553 | 1452673.402 | 04° 27' 03.1885" | Arc | 11376.438 | 775764.658 | 1452660.687 | 11489.078 | 775875.269 | 1452681.818 | 112.64 | | | 1450 | RIGHT |
| | | | | Transition | 11489.078 | 775875.269 | 1452681.818 | 11574.078 | 775959.544 | 1452692.869 | 85 | 84.997 | | | |
| | | | | Straight | 11574.078 | 775959.544 | 1452692.869 | 13306.567 | 777679.446 | 1452901.324 | 1732.488 | | N 83° 05' 21.6843" E | | |
| 16 | 777823.554 | 1452918.79 | 08° 18' 09.4760" | Arc | 13306.567 | 777679.446 | 1452901.324 | 13596.383 | 777968.674 | 1452915.264 | 289.817 | | | 2000 | RIGHT |
| | | | | Straight | 13596.383 | 777968.674 | 1452915.264 | 14198.072 | 778570.184 | 1452900.647 | 601.689 | | S 88° 36' 28.8397" E | | |
| | | | | Transition | 14198.072 | 778570.184 | 1452900.647 | 14328.072 | 778700.005 | 1452894.398 | 130 | 129.971 | | | |
| 17 | 778752.811 | 1452889.328 | 06° 40' 21.4589" | Arc | 14328.072 | 778700.005 | 1452894.398 | 14434.050 | 778804.67 | 1452878.156 | 105.978 | | | 910 | RIGHT |
| | | | | Transition | 14434.050 | 778804.67 | 1452878.156 | 14564.050 | 778930.279 | 1452844.768 | 130 | 129.971 | | | |
| | | | | Straight | 14564.050 | 778930.279 | 1452844.768 | 15347.833 | 779682.751 | 1452625.446 | 783.784 | | S 73° 45' 00.9799" E | | |
| 18 | 779814.29 | 1452587.106 | 07° 50' 16.7855" | Arc | 15347.833 | 779682.751 | 1452625.446 | 15621.431 | 779939.372 | 1452531.187 | 273.598 | | | 2000 | RIGHT |
| | | | | Straight | 15621.431 | 779939.372 | 1452531.187 | 16884.049 | 781092.043 | 1452015.868 | 1262.618 | | S 65° 54' 44.1944" E | | |
| 19 | 781308.96 | 1451918.893 | 10° 56' 43.8227" | Arc | 16884.049 | 781092.043 | 1452015.868 | 17357.816 | 781540.343 | 1451864.868 | 473.767 | | | 2480 | LEFT |
| | | | | Straight | 17357.816 | 781540.343 | 1451864.868 | 18396.796 | 782552.11 | 1451628.637 | 1038.98 | | S 76° 51' 28.0171" E | | |
| | | | | Transition | 18396.796 | 782552.11 | 1451628.637 | 18531.796 | 782682.611 | 1451594.245 | 135 | 134.957 | | | |
| 20 | 783088.36 | 1451462.355 | 56° 26' 29.3967" | Arc | 18531.796 | 782682.611 | 1451594.245 | 19314.942 | 783202.746 | 1451051.329 | 783.147 | | | 795 | RIGHT |
| | | | | Transition | 19314.942 | 783202.746 | 1451051.329 | 19449.942 | 783231.515 | 1450919.474 | 135 | 134.957 | | | |
| | | | | Straight | 19449.942 | 783231.515 | 1450919.474 | 19970.061 | 783327.966 | 1450408.377 | 520.119 | | S 10° 41' 12.5212" E | | |

NOTES :

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

- [x] APPROVAL
- [ ] CONSTRUCTION
- [ ] INFORMATION
- [ ] TENDER
- [ ] DRAFT
- [ ] PRELIMNARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.G-33 & D-207, Juinagar, MIDC,TTC Industrial Area, Turbhe, Navi Mumbai-400705, Maharashtra, India. Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com
OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

DATE: 13–01–2026

CONTRACTOR

DRAWN: NRG

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

PREPARED: ADJ

CHECKED: SP

TITLE: HORIZONTAL ALIGNMENT REPORT MAIN CARRIAGEWAY FROM CH: 0+000 TO 19+800

APPROVED: AC

DRG.NO.: N0533/E/HWY/RD–10 (R0)

SCALE: 1:250

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

**Vertical Alignment: PRR Centre**

| PVI No. | PVI | | Element | Start | | End | | Length | Grade In | Grade Out | Type | K-Value | A-Value |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Chainage | RL | | Chainage | RL | Chainage | RL | | | | | | |
| | | | | 0 | 865.408 | | | | | | | | |
| 1 | 95.032 | 867.631 | Curve | 60.577 | 866.825 | 129.487 | 867.708 | 68.91 | | | Summit | 32.6 | 2.114 |
| | | | Grade | 129.487 | 867.708 | 830.030 | 869.284 | 700.543 | 2.34% | 0.23% | | | |
| 2 | 860.030 | 869.352 | Curve | 830.030 | 869.284 | 890.030 | 869.262 | 60 | | | Summit | 114.287 | 0.525 |
| | | | Grade | 890.030 | 869.262 | 1152.503 | 868.474 | 262.473 | 0.23% | -0.30% | | | |
| 3 | 1185.282 | 868.376 | Curve | 1152.503 | 868.474 | 1218.061 | 869.578 | 65.558 | | | Valley | 16.529 | 3.966 |
| | | | Grade | 1218.061 | 869.578 | 1476.457 | 879.051 | 258.396 | -0.30% | 3.67% | | | |
| 4 | 1520.000 | 880.647 | Curve | 1476.457 | 879.051 | 1563.543 | 880.647 | 87.086 | | | Summit | 23.754 | 3.666 |
| | | | Grade | 1563.543 | 880.647 | 1662.115 | 880.647 | 98.572 | 3.67% | 0.00% | | | |
| 5 | 1726.370 | 880.647 | Curve | 1662.115 | 880.647 | 1790.624 | 878.454 | 128.51 | | | Summit | 37.647 | 3.414 |
| | | | Grade | 1790.624 | 878.454 | 2022.383 | 870.543 | 231.759 | 0.00% | -3.41% | | | |
| 6 | 2043.133 | 869.834 | Curve | 2022.383 | 870.543 | 2063.883 | 869.624 | 41.5 | | | Valley | 17.295 | 2.4 |
| | | | Grade | 2063.883 | 869.624 | 2207.749 | 868.165 | 143.866 | -3.41% | -1.01% | | | |
| 7 | 2290.293 | 867.328 | Curve | 2207.749 | 868.165 | 2372.837 | 867.891 | 165.087 | | | Valley | 97.352 | 1.696 |
| | | | Grade | 2372.837 | 867.891 | 2407.022 | 868.124 | 34.185 | -1.01% | 0.68% | | | |
| 8 | 2464.328 | 868.515 | Curve | 2407.022 | 868.124 | 2521.633 | 868.515 | 114.612 | | | Summit | 168.112 | 0.682 |
| | | | Grade | 2521.633 | 868.515 | 2645.454 | 868.515 | 123.821 | 0.68% | 0.00% | | | |
| 9 | 2740.000 | 868.515 | Curve | 2645.454 | 868.515 | 2834.546 | 867.515 | 189.091 | | | Summit | 178.856 | 1.057 |
| | | | Grade | 2834.546 | 867.515 | 2877.593 | 867.06 | 43.048 | 0.00% | -1.06% | | | |
| 10 | 2957.161 | 866.219 | Curve | 2877.593 | 867.060 | 3036.728 | 869.044 | 159.135 | | | Valley | 34.533 | 4.608 |
| | | | Grade | 3036.728 | 869.044 | 3189.303 | 874.462 | 152.575 | -1.06% | 3.55% | | | |
| 11 | 3300.000 | 878.393 | Curve | 3189.303 | 874.462 | 3410.697 | 874.806 | 221.393 | | | Summit | 32.6 | 6.791 |
| | | | Grade | 3410.697 | 874.806 | 3440.197 | 873.85 | 29.5 | 3.55% | -3.24% | | | |
| 12 | 3483.942 | 872.433 | Curve | 3440.197 | 873.850 | 3527.687 | 872.433 | 87.49 | | | Valley | 27.002 | 3.24 |
| | | | Grade | 3527.687 | 872.433 | 3606.100 | 872.433 | 78.413 | -3.24% | 0.00% | | | |
| 13 | 3610.000 | 872.433 | Curve | 3606.100 | 872.433 | 3613.900 | 872.445 | 7.8 | | | Valley | 26 | 0.3 |
| | | | Grade | 3613.900 | 872.445 | 3768.332 | 872.908 | 154.432 | 0.00% | 0.30% | | | |
| 14 | 3783.781 | 872.954 | Curve | 3768.332 | 872.908 | 3799.231 | 873.189 | 30.899 | | | Valley | 25.3 | 1.221 |
| | | | Grade | 3799.231 | 873.189 | 4071.101 | 877.325 | 271.87 | 0.30% | 1.52% | | | |
| 15 | 4096.202 | 877.707 | Curve | 4071.101 | 877.325 | 4121.304 | 877.707 | 50.203 | | | Summit | 33 | 1.521 |
| | | | Grade | 4121.304 | 877.707 | 4397.745 | 877.707 | 276.442 | 1.52% | 0.00% | | | |
| 16 | 4450.000 | 877.707 | Curve | 4397.745 | 877.707 | 4502.255 | 876.521 | 104.509 | | | Summit | 46.033 | 2.27 |
| | | | Grade | 4502.255 | 876.521 | 4788.976 | 870.011 | 286.721 | 0.00% | -2.27% | | | |
| 17 | 4820.000 | 869.307 | Curve | 4788.976 | 870.011 | 4851.024 | 869.307 | 62.048 | | | Valley | 27.33 | 2.27 |
| | | | Grade | 4851.024 | 869.307 | 5060.950 | 869.307 | 209.927 | -2.27% | 0.00% | | | |
| 18 | 5100.000 | 869.307 | Curve | 5060.950 | 869.307 | 5139.050 | 869.07 | 78.099 | | | Summit | 128.827 | 0.606 |
| | | | Grade | 5139.050 | 869.070 | 5534.830 | 866.671 | 395.781 | 0.00% | -0.61% | | | |
| 19 | 5570.000 | 866.458 | Curve | 5534.830 | 866.671 | 5605.170 | 866.603 | 70.34 | | | Valley | 68.94 | 1.02 |
| | | | Grade | 5605.170 | 866.603 | 5717.878 | 867.07 | 112.708 | -0.61% | 0.41% | | | |
| 20 | 5810.000 | 867.451 | Curve | 5717.878 | 867.070 | 5902.122 | 868.36 | 184.245 | | | Valley | 322.11 | 0.572 |
| | | | Grade | 5902.122 | 868.360 | 5990.647 | 869.233 | 88.525 | 0.41% | 0.99% | | | |
| 21 | 6029.233 | 869.613 | Curve | 5990.647 | 869.233 | 6067.820 | 871.128 | 77.173 | | | Valley | 26.252 | 2.94 |
| | | | Grade | 6067.820 | 871.128 | 6372.104 | 883.073 | 304.284 | 0.99% | 3.93% | | | |
| 22 | 6525.525 | 889.096 | Curve | 6372.104 | 883.073 | 6678.945 | 889.165 | 306.841 | | | Summit | 79.069 | 3.881 |
| | | | Grade | 6678.945 | 889.165 | 6865.030 | 889.249 | 186.085 | 3.93% | 0.05% | | | |
| 23 | 7000.373 | 889.31 | Curve | 6865.030 | 889.249 | 7135.716 | 884.394 | 270.686 | | | Summit | 73.6 | 3.678 |
| | | | Grade | 7135.716 | 884.394 | 7138.851 | 884.28 | 3.135 | 0.05% | -3.63% | | | |
| 24 | 7330.015 | 877.335 | Curve | 7138.851 | 884.280 | 7521.179 | 881.635 | 382.328 | | | Valley | 65 | 5.882 |
| | | | Grade | 7521.179 | 881.635 | 7818.710 | 888.327 | 297.531 | -3.63% | 2.25% | | | |
| 25 | 7970.534 | 891.742 | Curve | 7818.710 | 888.327 | 8122.358 | 891.742 | 303.648 | | | Summit | 135 | 2.249 |
| | | | Grade | 8122.358 | 891.742 | 8205.440 | 891.742 | 83.082 | 2.25% | 0.00% | | | |
| 26 | 8283.111 | 891.742 | Curve | 8205.440 | 891.742 | 8360.782 | 891.433 | 155.342 | | | Summit | 390.809 | 0.397 |
| | | | Grade | 8360.782 | 891.433 | 8705.931 | 890.061 | 345.149 | 0.00% | -0.40% | | | |
| 27 | 8747.725 | 889.895 | Curve | 8705.931 | 890.061 | 8789.519 | 889.895 | 83.588 | | | Valley | 210.291 | 0.397 |

**Vertical Alignment: PRR Centre**

| PVI No. | PVI | | Element | Start | | End | | Length | Grade In | Grade Out | Type | K-Value | A-Value |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Chainage | RL | | Chainage | RL | Chainage | RL | | | | | | |
| 27 | 8747.725 | 889.895 | Curve | 8705.931 | 890.061 | 8789.519 | 889.895 | 83.588 | | | Valley | 210.291 | 0.397 |
| | | | Grade | 8789.519 | 889.895 | 8968.442 | 889.895 | 178.923 | -0.40% | 0.00% | | | |
| 28 | 9054.011 | 889.895 | Curve | 8968.442 | 889.895 | 9139.581 | 888.023 | 171.139 | | | Summit | 78.195 | 2.189 |
| | | | Grade | 9139.581 | 888.023 | 9209.605 | 886.49 | 70.025 | 0.00% | -2.19% | | | |
| 29 | 9260.000 | 885.387 | Curve | 9209.605 | 886.490 | 9310.395 | 885.508 | 100.789 | | | Valley | 41.5 | 2.429 |
| | | | Grade | 9310.395 | 885.508 | 9480.955 | 885.917 | 170.56 | -2.19% | 0.24% | | | |
| 30 | 9536.485 | 886.051 | Curve | 9480.955 | 885.917 | 9592.014 | 886.833 | 111.059 | | | Valley | 95.054 | 1.168 |
| | | | Grade | 9592.014 | 886.833 | 9621.278 | 887.245 | 29.264 | 0.24% | 1.41% | | | |
| 31 | 9761.496 | 889.22 | Curve | 9621.278 | 887.245 | 9901.715 | 888.428 | 280.436 | | | Summit | 142.109 | 1.973 |
| | | | Grade | 9901.715 | 888.428 | 10079.875 | 887.421 | 178.16 | 1.41% | -0.57% | | | |
| 32 | 10219.875 | 886.63 | Curve | 10079.875 | 887.421 | 10359.875 | 892.23 | 280 | | | Valley | 61.337 | 4.565 |
| | | | Grade | 10359.875 | 892.230 | 10514.800 | 898.427 | 154.925 | -0.57% | 4.00% | | | |
| 33 | 10580.000 | 901.035 | Curve | 10514.800 | 898.427 | 10645.200 | 901.035 | 130.4 | | | Summit | 32.6 | 4 |
| | | | Grade | 10645.200 | 901.035 | 10815.825 | 901.035 | 170.625 | 4.00% | 0.00% | | | |
| 34 | 10878.325 | 901.035 | Curve | 10815.825 | 901.035 | 10940.825 | 902.504 | 125 | | | Valley | 53.179 | 2.351 |
| | | | Grade | 10940.825 | 902.504 | 11687.807 | 920.062 | 746.982 | 0.00% | 2.35% | | | |
| 35 | 11747.807 | 921.473 | Curve | 11687.807 | 920.062 | 11807.807 | 923.603 | 120 | | | Valley | 99.998 | 1.2 |
| | | | Grade | 11807.807 | 923.603 | 12005.350 | 930.617 | 197.543 | 2.35% | 3.55% | | | |
| 36 | 12322.850 | 941.89 | Curve | 12005.350 | 930.617 | 12640.350 | 931.344 | 635 | | | Summit | 92.403 | 6.872 |
| | | | Grade | 12640.350 | 931.344 | 12811.342 | 925.665 | 170.992 | 3.55% | -3.32% | | | |
| 37 | 12919.663 | 922.067 | Curve | 12811.342 | 925.665 | 13027.984 | 924.124 | 216.641 | | | Valley | 41.5 | 5.22 |
| | | | Grade | 13027.984 | 924.124 | 13141.764 | 926.284 | 113.78 | -3.32% | 1.90% | | | |
| 38 | 13229.626 | 927.952 | Curve | 13141.764 | 926.284 | 13317.488 | 927.523 | 175.724 | | | Summit | 73.6 | 2.388 |
| | | | Grade | 13317.488 | 927.523 | 13917.300 | 924.591 | 599.813 | 1.90% | -0.49% | | | |
| 39 | 13980.548 | 924.282 | Curve | 13917.300 | 924.591 | 14043.795 | 926.534 | 126.495 | | | Valley | 31.231 | 4.05 |
| | | | Grade | 14043.795 | 926.534 | 14055.213 | 926.941 | 11.417 | -0.49% | 3.56% | | | |
| 40 | 14230.213 | 933.174 | Curve | 14055.213 | 926.941 | 14405.213 | 933.173 | 350 | | | Summit | 98.271 | 3.562 |
| | | | Grade | 14405.213 | 933.173 | 14475.511 | 933.173 | 70.298 | 3.56% | 0.00% | | | |
| 41 | 14740.966 | 933.173 | Curve | 14475.511 | 933.173 | 15006.422 | 922.859 | 530.911 | | | Summit | 136.635 | 3.886 |
| | | | Grade | 15006.422 | 922.859 | 15019.123 | 922.365 | 12.701 | 0.00% | -3.89% | | | |
| 42 | 15068.872 | 920.432 | Curve | 15019.123 | 922.365 | 15118.621 | 920.432 | 99.498 | | | Valley | 25.606 | 3.886 |
| | | | Grade | 15118.621 | 920.432 | 15294.826 | 920.432 | 176.205 | -3.89% | 0.00% | | | |
| 43 | 15409.404 | 920.432 | Curve | 15294.826 | 920.432 | 15523.981 | 916.865 | 229.155 | | | Summit | 73.6 | 3.114 |
| | | | Grade | 15523.981 | 916.865 | 15812.399 | 907.885 | 288.418 | 0.00% | -3.11% | | | |
| 44 | 15877.005 | 905.873 | Curve | 15812.399 | 907.885 | 15941.611 | 905.873 | 129.211 | | | Valley | 41.5 | 3.114 |
| | | | Grade | 15941.611 | 905.873 | 16097.552 | 905.873 | 155.941 | -3.11% | 0.00% | | | |
| 45 | 16257.017 | 905.873 | Curve | 16097.552 | 905.873 | 16416.482 | 901.844 | 318.93 | | | Summit | 126.219 | 2.527 |
| | | | Grade | 16416.482 | 901.844 | 16422.300 | 901.697 | 5.818 | 0.00% | -2.53% | | | |
| 46 | 16501.611 | 899.693 | Curve | 16422.300 | 901.697 | 16580.922 | 900.72 | 158.622 | | | Valley | 41.5 | 3.822 |
| | | | Grade | 16580.922 | 900.720 | 16842.610 | 904.11 | 261.687 | -2.53% | 1.30% | | | |
| 47 | 17067.610 | 907.025 | Curve | 16842.610 | 904.110 | 17292.610 | 906.445 | 450 | | | Summit | 289.787 | 1.553 |
| | | | Grade | 17292.610 | 906.445 | 17781.409 | 905.187 | 488.799 | 1.30% | -0.26% | | | |
| 48 | 17857.958 | 904.99 | Curve | 17781.409 | 905.187 | 17934.507 | 905.571 | 153.098 | | | Valley | 150.625 | 1.016 |
| | | | Grade | 17934.507 | 905.571 | 18092.005 | 906.766 | 157.497 | -0.26% | 0.76% | | | |
| 49 | 18307.867 | 908.405 | Curve | 18092.005 | 906.766 | 18523.730 | 906.816 | 431.725 | | | Summit | 288.817 | 1.495 |
| | | | Grade | 18523.730 | 906.816 | 18567.243 | 906.496 | 43.514 | 0.76% | -0.74% | | | |
| 50 | 18597.243 | 906.275 | Curve | 18567.243 | 906.496 | 18627.243 | 906.275 | 60 | | | Valley | 81.54 | 0.736 |
| | | | Grade | 18627.243 | 906.275 | 18718.519 | 906.275 | 91.276 | -0.74% | 0.00% | | | |
| 51 | 18769.119 | 906.275 | Curve | 18718.519 | 906.275 | 18819.719 | 908.299 | 101.2 | | | Valley | 25.3 | 4 |
| | | | Grade | 18819.719 | 908.299 | 18828.552 | 908.653 | 8.833 | 0.00% | 4.00% | | | |
| 52 | 18915.826 | 912.144 | Curve | 18828.552 | 908.653 | 19003.100 | 910.962 | 174.548 | | | Summit | 32.6 | 5.354 |
| | | | Grade | 19003.100 | 910.962 | 19123.288 | 909.334 | 120.188 | 4.00% | -1.35% | | | |
| 53 | 19216.569 | 908.071 | Curve | 19123.288 | 909.334 | 19309.851 | 907.61 | 186.562 | | | Valley | 216.81 | 0.86 |
| | | | Grade | 19309.851 | 907.610 | 19898.650 | 904.703 | 588.8 | -1.35% | -0.49% | | | |

NOTES :

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
assystem stup
REGISTERED OFFICE :
Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705.
Tel: +91 (022) 68067777,
E-mail: mumbai@assystem.com
OFFICE OF ORIGIN :
#69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052
Tel.: 080 - 40 39 79 79
Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: VERTICAL ALIGNMENT REPORT MAIN CARRIAGEWAY FROM CH: 0+000 TO 19+800

DRG.NO.: N0533/E/HWY/RD-11 (R0)

SCALE: 1:250

A2

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

# PLAN AND PROFILE

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

MEDIAN TAPER FROM 9M TO 0.6 M
260.00

| PROPOSED 1/1 | |
|---|---|
| Proposal | New construction |
| Chainage | 0+000 |
| Type of Str | JUNCTION -01 Tumkur Jn |
| Nos/Span | - |

| PROPOSED 1/2 | |
|---|---|
| Proposal | New construction |
| Chainage | 0+190 |
| Type of Str | FLYOVER |
| Nos/Span | 2x35+1x40 +7x35+3x40+7x35 |

| PROPOSED 1/3 | |
|---|---|
| Proposal | New construction |
| Chainage | 0+570 |
| Type of Str | MINOR BRIDGE (Only RSR) |
| Nos/Span | 4X10 |

PLAN




| PROPOSED 1/1 | |
|---|---|
| Proposal | New construction |
| Chainage | 0+000 |
| Type of Str | JUNCTION -01 Tumkur Jn |
| Nos/Span | - |

| PROPOSED 1/2 | |
|---|---|
| Proposal | New construction |
| Chainage | 0+120 TO 0+840 |
| Type of Str | FLYOVER |
| Nos/Span | 2x35+1x40 +7x35+3x40+7x35 |

| PROPOSED 1/3 | |
|---|---|
| Proposal | New construction |
| Chainage | 0+570 |
| Type of Str | MINOR BRIDGE (Only RSR) |
| Nos/Span | 4X10 |




| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 857.790 855.408 860.979 855.642 857.216 856.876 857.521 856.110 863.534 856.344 862.801 856.577 865.309 856.811 864.855 857.032 864.556 857.221 864.604 857.380 864.322 857.508 864.346 857.606 862.740 857.673 860.152 857.709 859.407 857.732 859.229 857.754 858.960 857.777 858.909 857.799 858.850 857.822 858.794 857.844 858.608 857.867 858.461 857.889 858.319 857.912 858.214 857.934 858.057 857.957 857.906 857.979 857.492 858.002 857.096 858.024 856.797 858.047 856.466 858.069 856.104 858.092 855.840 858.114 855.507 858.137 855.122 858.159 854.775 858.182 854.783 858.204 854.132 858.227 853.610 858.249 853.264 858.272 853.260 858.294 852.874 858.317 852.419 858.339 852.133 858.362 851.972 858.384 852.137 858.407 852.029 858.429 851.993 858.452 851.619 858.474 851.213 858.497 851.090 858.519 851.365 858.542 851.647 858.564 851.942 858.587 851.821 858.609 851.524 858.632 851.409 858.654 851.999 858.677 852.430 858.699 852.807 858.722 853.409 858.744 854.296 858.767 854.686 858.789 855.387 858.812 855.874 858.834 856.317 858.857 856.724 858.879 857.149 858.902 857.539 858.924 857.789 858.947 858.025 858.969 858.550 858.992 |
| Main Road @ EXISTING GROUND LEVEL | |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | L:394.43; PI STA: 0+295.12, D: 10°23'.78", R: 400.80, L: 7.34 |
| SUPERELEVATION | e:5.00% e:-5.00% |
| Main Road @ VERTICAL SCHEMATIC | G: 2.3% L: 60.577; R: 3260.0 K: 32.6 L: 68.910; G: 0.2% L: 700.543 |
| FORMATION LEVEL LEFT SERVICE ROAD | |
| GROUND LEVEL LEFT SERVICE ROAD | 859.840 860.126 856.637 856.616 858.501 862.054 863.317 862.986 862.649 863.022 863.134 863.233 863.337 863.233 859.657 858.852 858.517 858.363 858.291 858.210 858.055 857.952 857.847 857.874 857.408 857.151 856.732 856.267 856.099 855.742 855.500 855.372 854.897 854.526 854.431 854.027 853.603 853.145 853.098 852.900 852.821 852.692 852.485 852.276 852.175 852.169 852.077 851.910 851.607 850.830 850.704 851.513 852.161 851.581 852.052 852.110 852.270 852.354 852.725 853.441 854.075 854.665 855.347 856.714 856.831 857.233 857.891 858.202 858.481 858.737 858.985 |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | |
| FORMATION LEVEL RIGHT SERVICE ROAD | |
| GROUND LEVEL RIGHT SERVICE ROAD | 858.179 857.922 857.951 858.278 859.914 861.532 862.596 862.299 863.050 862.051 860.832 860.301 860.332 860.018 859.871 859.962 860.051 859.689 859.696 859.673 859.487 859.345 859.238 859.003 858.723 858.445 858.081 857.898 857.730 857.319 856.941 856.563 856.289 856.060 855.639 855.454 855.236 854.564 853.882 853.633 853.492 852.865 852.166 851.828 851.807 851.814 851.850 851.870 851.761 851.574 851.696 851.812 851.993 852.051 852.085 852.053 852.219 852.460 852.721 852.982 853.224 853.911 854.561 855.122 855.822 856.215 856.432 856.943 857.270 857.501 858.110 |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | |
| PROJECT CHAINAGE (m) | 0+000 0+010 0+020 0+030 0+040 0+050 0+060 0+070 0+080 0+090 0+100 0+110 0+120 0+130 0+140 0+150 0+160 0+170 0+180 0+190 0+200 0+210 0+220 0+230 0+240 0+250 0+260 0+270 0+280 0+290 0+300 0+310 0+320 0+330 0+340 0+350 0+360 0+370 0+380 0+390 0+400 0+410 0+420 0+430 0+440 0+450 0+460 0+470 0+480 0+490 0+500 0+510 0+520 0+530 0+540 0+550 0+560 0+570 0+580 0+590 0+600 0+610 0+620 0+630 0+640 0+650 0+660 0+670 0+680 0+690 0+700 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | |
|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | | | | |
| ☐ INFORMATION | ☐ TENDER | | | | |
| ☐ DRAFT | ☐ PRELIMNARY | | | | |
| RELEASED FOR | | | | | |
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |
| FOR INTERNAL OFFICE ONLY | | | | | |

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Commercial Tower-2, Block-13 & D-207, Raheja MIDC TC, Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705
Tel: +91 (022) 66067777,
E-mail: mumbai@stupin.com

OFFICE OF ORIGIN :
#88, 2nd & 3rd Jambulekhar Arcade 4th Floor, Millers Road Bengaluru - 560 052
Tel.: 080 - 40 30 79 79
Email : bangalore@stupin.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 0.000 TO CH: 700.000

DRG.NO.: NO533/E/HWY/RD-321(R0)

| | |
|---|---|
| DATE | 13-01-2026 |
| DRAWN | NRG |
| PREPARED | ADJ |
| CHECKED | SP |
| APPROVED | AC |
| SCALE: | HOR= 1:1000 VER= 1:100 |

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD




PLAN

| PROPOSED | 2/1 |
|---|---|
| Proposal | New construction |
| Chainage | 1+120 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |




| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 858.550 868.992 859.096 869.014 859.412 869.037 859.646 869.059 860.588 869.082 861.291 869.104 861.923 869.127 861.632 869.149 861.830 869.172 862.497 869.194 863.278 869.217 863.203 869.239 863.941 869.262 864.777 869.284 864.959 869.302 864.960 869.312 865.681 869.312 866.388 869.304 866.342 869.287 866.474 869.262 866.998 869.242 867.312 869.202 867.657 869.172 867.913 869.142 868.263 869.112 868.355 869.082 868.333 869.052 868.339 869.022 868.350 868.992 868.266 868.962 868.138 868.932 867.995 868.902 867.930 868.872 867.666 868.842 867.848 868.812 867.699 868.782 868.625 868.752 868.446 868.722 868.185 868.692 868.385 868.662 868.498 868.632 868.485 868.602 868.441 868.572 868.273 868.542 868.121 868.512 868.294 868.482 868.306 868.469 869.293 868.514 869.480 868.621 869.732 868.787 870.340 869.014 870.595 869.302 871.112 869.649 871.787 870.015 872.159 870.382 872.231 870.749 872.794 871.115 873.097 871.482 873.484 871.849 873.881 872.215 874.041 872.582 874.030 872.948 874.215 873.315 874.227 873.682 873.908 874.048 873.700 874.415 873.380 874.781 873.271 875.148 872.554 875.515 872.049 875.881 871.423 876.248
| Main Road @ EXISTING GROUND LEVEL | 858.550 868.992 859.096 869.014 859.412 869.037 859.646 869.059 860.588 869.082 861.291 869.104 861.923 869.127 861.632 869.149 861.830 869.172 862.497 869.194 863.278 869.217 863.203 869.239 863.941 869.262 864.777 869.284 864.959 869.302 864.960 869.312 865.681 869.312 866.388 869.304 866.342 869.287 866.474 869.262 866.998 869.242 867.312 869.202 867.657 869.172 867.913 869.142 868.263 869.112 868.355 869.082 868.333 869.052 868.339 869.022 868.350 868.992 868.266 868.962 868.138 868.932 867.995 868.902 867.930 868.872 867.666 868.842 867.848 868.812 867.699 868.782 868.625 868.752 868.446 868.722 868.185 868.692 868.385 868.662 868.498 868.632 868.485 868.602 868.441 868.572 868.273 868.542 868.121 868.512 868.294 868.482 868.306 868.469 869.293 868.514 869.480 868.621 869.732 868.787 870.340 869.014 870.595 869.302 871.112 869.649 871.787 870.015 872.159 870.382 872.231 870.749 872.794 871.115 873.097 871.482 873.484 871.849 873.881 872.215 874.041 872.582 874.030 872.948 874.215 873.315 874.227 873.682 873.908 874.048 873.700 874.415 873.380 874.781 873.271 875.148 872.554 875.515 872.049 875.881 871.423 876.248
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | L:719.08 — PI STA: 1+250.45, D: 8°48'14.37, R: 1800.00, L: 276.59 |
| SUPERELEVATION | e:-2.00% e:-2.00% e:-2.00% e:-2.00% |
| Main Road @ VERTICAL SCHEMATIC | R: 11428.7 K: 114.3 L: 60.000 — G: -0.3% L: 262.473 — R: 1652.9 K: 16.5 L: 65.558 — G: 3.7% L: 258.396 |
| FORMATION LEVEL LEFT SERVICE ROAD | 859.085 859.553 860.067 860.669 861.209 861.805 861.974 861.994 862.102 862.977 863.544 863.795 863.893 865.540 865.403 865.371 865.282 866.447 866.649 866.427 866.429 866.371 869.073 869.756 869.819 869.540 869.215 869.133 869.086 868.964 868.715 866.589 868.514 868.412 868.231 868.302 868.466 868.473 868.639 868.705 868.800 868.750 868.143 868.375 868.126 868.337 868.127 868.387 868.145 868.770 868.182 869.396 868.234 869.863 868.394 870.153 868.387 870.702 868.477 871.439 868.555 871.670 868.639 872.311 868.723 872.765 868.807 872.865 868.891 873.321 868.974 873.774 869.058 874.099 869.142 874.424 869.226 874.645 869.310 874.739 869.394 874.728 869.478 874.647 869.562 874.523 869.646 874.437 869.730 874.567 869.813 874.245 869.897 873.855 869.981 873.229 870.065 872.409 870.149 871.474 870.232
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | R: 5755.7 K: 57.6 L: 65.558 — G: 0.8% L: 219.991 |
| FORMATION LEVEL RIGHT SERVICE ROAD | |
| GROUND LEVEL RIGHT SERVICE ROAD | 858.110 858.646 858.629 858.859 860.580 861.063 861.094 861.032 861.372 862.114 862.927 862.960 863.274 864.029 864.823 864.860 865.030 866.358 866.358 866.377 866.558 866.995 867.101 867.230 867.415 867.435 867.505 867.423 867.477 867.341 867.210 867.107 866.944 866.978 866.827 866.884 867.136 867.104 867.294 867.445 867.696 868.265 868.013 868.000 867.997 867.794 868.019 867.925 868.057 868.031 868.113 868.369 868.189 868.911 868.276 869.049 868.364 869.207 868.452 869.520 868.541 869.976 868.629 870.442 868.718 870.707 868.806 871.024 868.895 871.429 868.983 871.868 869.072 872.222 869.160 872.459 869.249 872.650 869.337 872.815 869.426 872.845 869.514 872.762 869.603 872.667 869.691 872.507 869.780 872.241 869.868 872.169 869.957 871.828 870.045 871.377 870.134 871.020 870.221
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | R: 5532.8 K: 55.3 L: 65.558 — G: 0.9% L: 219.991 |
| PROJECT CHAINAGE (m) | 0+700 0+710 0+720 0+730 0+740 0+750 0+760 0+770 0+780 0+790 0+800 0+810 0+820 0+830 0+840 0+850 0+860 0+870 0+880 0+890 0+900 0+910 0+920 0+930 0+940 0+950 0+960 0+970 0+980 0+990 1+000 1+010 1+020 1+030 1+040 1+050 1+060 1+070 1+080 1+090 1+100 1+110 1+120 1+130 1+140 1+150 1+160 1+170 1+180 1+190 1+200 1+210 1+220 1+230 1+240 1+250 1+260 1+270 1+280 1+290 1+300 1+310 1+320 1+330 1+340 1+350 1+360 1+370 1+380 1+390 1+400 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL –1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | |
|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | | | | |
| ☐ INFORMATION | ☐ TENDER | | | | |
| ☐ DRAFT | ☐ PRELIMINARY | | | | |
| RELEASED FOR | | | | | |
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |
| FOR INTERNAL OFFICE USE ONLY | | | | | |

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :
Unit No.2702, 27th Floor, Raja Ramanuja, F.No.2-13 & 2-207, Junagar, MDC ITC Industrial Area, Sy.No.51, Kolshet Road, Mahim, Thane, Maharashtra - 400 607.
Tel: +91 (022) 68067777,
E-mail: mumbai@stupkam.com
OFFICE OF ORIGIN :
#65, 3rd & 2nd Jaladarshan Arcade 4th Floor, Millers Road Bengaluru – 560 052
Tel: 080 – 40 39 79 79
Email : bangalore@stupkam.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 700.000 TO CH: 1400.000

DRG.NO.: NO533/E/HWY/RD–322(R0)

| | |
|---|---|
| DATE | 13–01–2026 |
| DRAWN | NRG |
| PREPARED | ADJ |
| CHECKED | SP |
| APPROVED | AC |
| SCALE: | HOR= 1:1000 VER= 1:100 |

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

| PROPOSED 2/2 | |
|---|---|
| Proposal | New construction |
| Chainage | 1+620 |
| Type of Str | VUP |
| Nos/Span | 2X35 |

| PROPOSED 3/1 | |
|---|---|
| Proposal | New construction |
| Chainage | 2+050 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |




PLAN

APPROACH PORTION LENGTH = 335

APPROACH PORTION LENGTH = 225

| PROPOSED 2/2 | |
|---|---|
| Proposal | New construction |
| Chainage | 1+620 |
| Type of Str | VUP |
| Nos/Span | 2X35 |

| PROPOSED 3/1 | |
|---|---|
| Proposal | New construction |
| Chainage | 2+050 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |




## LONGITUDINAL SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Main Road @ FINISHED ROAD LEVEL | 871.423 876.248 / 870.867 876.615 / 870.819 876.981 / 870.630 877.348 / 870.525 877.714 / 870.440 878.081 / 870.622 878.448 / 870.923 878.814 / 869.088 879.178 / 867.599 879.509 / 867.305 879.797 / 867.897 880.044 / 869.046 880.248 / 869.203 880.410 / 869.177 880.531 / 869.950 880.609 / 870.414 880.645 / 870.700 880.647 / 870.879 880.647 / 870.982 880.647 / 871.033 880.647 / 871.137 880.647 / 871.307 880.647 / 871.508 880.647 / 871.668 880.647 / 871.791 880.647 / 872.047 880.647 / 872.311 880.639 / 872.587 880.605 / 872.809 880.544 / 873.189 880.457 / 873.507 880.343 / 873.814 880.202 / 874.226 880.035 / 874.427 879.842 / 874.711 879.621 / 875.158 879.375 / 875.283 879.101 / 875.483 878.802 / 875.591 878.475 / 875.587 878.134 / 875.518 877.793 / 875.397 877.451 / 875.179 877.110 / 875.095 876.768 / 874.768 876.427 / 874.625 876.086 / 874.449 875.744 / 874.292 875.403 / 874.166 875.062 / 873.947 874.720 / 873.678 874.379 / 873.572 874.038 / 873.500 873.696 / 873.115 873.355 / 872.843 873.013 / 872.626 872.672 / 872.250 872.331 / 871.739 871.989 / 871.456 871.648 / 871.180 871.307 / 870.815 870.965 / 870.517 870.624 / 870.217 870.299 / 870.011 870.031 / 869.634 869.820 / 869.356 869.868 / 868.825 869.562 / 868.528 869.460 / 868.166 869.359 / 867.805 869.258 |
| Main Road @ EXISTING GROUND LEVEL | 871.423 876.248 / 870.867 876.615 / 870.819 876.981 / 870.630 877.348 / 870.525 877.714 / 870.440 878.081 / 870.622 878.448 / 870.923 878.814 / 869.088 879.178 / 867.599 879.509 / 867.305 879.797 / 867.897 880.044 / 869.046 880.248 / 869.203 880.410 / 869.177 880.531 / 869.950 880.609 / 870.414 880.645 / 870.700 880.647 / 870.879 880.647 / 870.982 880.647 / 871.033 880.647 / 871.137 880.647 / 871.307 880.647 / 871.508 880.647 / 871.668 880.647 / 871.791 880.647 / 872.047 880.647 / 872.311 880.639 / 872.587 880.605 / 872.809 880.544 / 873.189 880.457 / 873.507 880.343 / 873.814 880.202 / 874.226 880.035 / 874.427 879.842 / 874.711 879.621 / 875.158 879.375 / 875.283 879.101 / 875.483 878.802 / 875.591 878.475 / 875.587 878.134 / 875.518 877.793 / 875.397 877.451 / 875.179 877.110 / 875.095 876.768 / 874.768 876.427 / 874.625 876.086 / 874.449 875.744 / 874.292 875.403 / 874.166 875.062 / 873.947 874.720 / 873.678 874.379 / 873.572 874.038 / 873.500 873.696 / 873.115 873.355 / 872.843 873.013 / 872.626 872.672 / 872.250 872.331 / 871.739 871.989 / 871.456 871.648 / 871.180 871.307 / 870.815 870.965 / 870.517 870.624 / 870.217 870.299 / 870.011 870.031 / 869.634 869.820 / 869.356 869.868 / 868.825 869.562 / 868.528 869.460 / 868.166 869.359 / 867.805 869.258 |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | L:125.58 / Ls: 90.000 LT: 60.003 ST: 30.003 K: 44.998 / PI STA: 1+677.60 D: 5°16'48.53" R: 1450.00 L: 129.02 / Ls: 90.000 LT: 60.003 ST: 30.003 K: 44.998 / L:319.57 | | | | | | |
| SUPERELEVATION | e-2.0% e-2.0% / e-2.0% e-2.0% | | | | | | |
| Main Road @ VERTICAL SCHEMATIC | R: 2375.4 K: 23.8 L: 87.086 / G: -0.0% L: 98.572 / R: 3764.7 K: 37.6 L: 128.510 / G: -3.4% L: 231.759 / R: 1729.5 K: 17.3 L: 41.500 | | | | | | |
| FORMATION LEVEL LEFT SERVICE ROAD | 871.474 870.232 / 870.807 870.310 / 870.733 870.383 / 870.547 870.452 / 870.429 870.518 / 870.857 870.576 / 870.109 870.632 / 868.176 870.687 / 866.892 870.743 / 866.427 870.799 / 866.379 870.854 / 866.580 870.910 / 866.858 870.966 / 867.159 871.021 / 867.460 871.077 / 867.292 871.133 / 870.465 871.189 / 870.450 871.244 / 870.622 871.300 / 870.633 871.356 / 870.715 871.411 / 870.697 871.467 / 870.800 871.523 / 871.070 871.579 / 871.286 871.634 / 871.533 871.683 / 871.833 871.708 / 872.069 871.709 / 872.333 871.686 / 872.649 871.657 / 872.895 871.627 / 873.191 871.599 / 873.558 871.568 / 873.856 871.538 / 874.450 871.509 / 874.784 871.479 / 875.229 871.450 / 875.355 871.420 / 875.451 871.390 / 875.585 871.361 / 875.687 871.331 / 875.579 871.302 / 875.518 871.272 / 875.543 871.242 / 875.446 871.213 / 875.295 871.183 / 875.104 871.154 / 874.839 871.124 / 874.771 871.094 / 874.624 871.065 / 874.453 871.035 / 874.382 871.005 / 874.039 870.976 / 873.952 870.946 / 873.657 870.917 / 873.345 870.887 / 873.014 870.857 / 872.635 870.828 / 872.070 870.798 / 871.727 870.732 / 871.517 870.592 / 871.129 870.379 / 870.856 870.093 / 870.558 869.759 / 870.371 869.424 / 870.090 869.090 / 869.797 868.755 / 869.435 868.421 / 869.096 868.086 / 868.646 867.751 / 868.302 867.417 |
| GROUND LEVEL LEFT SERVICE ROAD | 871.474 870.232 / 870.807 870.310 / 870.733 870.383 / 870.547 870.452 / 870.429 870.518 / 870.857 870.576 / 870.109 870.632 / 868.176 870.687 / 866.892 870.743 / 866.427 870.799 / 866.379 870.854 / 866.580 870.910 / 866.858 870.966 / 867.159 871.021 / 867.460 871.077 / 867.292 871.133 / 870.465 871.189 / 870.450 871.244 / 870.622 871.300 / 870.633 871.356 / 870.715 871.411 / 870.697 871.467 / 870.800 871.523 / 871.070 871.579 / 871.286 871.634 / 871.533 871.683 / 871.833 871.708 / 872.069 871.709 / 872.333 871.686 / 872.649 871.657 / 872.895 871.627 / 873.191 871.599 / 873.558 871.568 / 873.856 871.538 / 874.450 871.509 / 874.784 871.479 / 875.229 871.450 / 875.355 871.420 / 875.451 871.390 / 875.585 871.361 / 875.687 871.331 / 875.579 871.302 / 875.518 871.272 / 875.543 871.242 / 875.446 871.213 / 875.295 871.183 / 875.104 871.154 / 874.839 871.124 / 874.771 871.094 / 874.624 871.065 / 874.453 871.035 / 874.382 871.005 / 874.039 870.976 / 873.952 870.946 / 873.657 870.917 / 873.345 870.887 / 873.014 870.857 / 872.635 870.828 / 872.070 870.798 / 871.727 870.732 / 871.517 870.592 / 871.129 870.379 / 870.856 870.093 / 870.558 869.759 / 870.371 869.424 / 870.090 869.090 / 869.797 868.755 / 869.435 868.421 / 869.096 868.086 / 868.646 867.751 / 868.302 867.417 |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | R: 21282.9 K: 212.8 L: 60.000 / G: 0.6% L: 189.570 / R: 4133.3 K: 41.3 L: 35.265 / G: -0.3% L: 302.402 / R: 1360.6 K: 13.6 L: 41.500 | | | | | | |
| FORMATION LEVEL RIGHT SERVICE ROAD | 871.020 870.221 / 870.964 870.303 / 870.783 870.379 / 870.573 870.450 / 870.385 870.515 / 870.608 870.576 / 870.615 870.637 / 870.612 870.687 / 870.874 870.743 / 870.983 870.799 / 870.901 870.854 / 871.080 870.910 / 871.111 870.966 / 870.740 871.021 / 870.631 871.077 / 870.992 871.133 / 871.097 871.189 / 871.194 871.244 / 871.327 871.300 / 871.424 871.356 / 871.586 871.412 / 871.708 871.467 / 871.756 871.523 / 871.923 871.579 / 872.145 871.635 / 872.302 871.683 / 872.531 871.708 / 872.765 871.707 / 872.957 871.653 / 873.277 871.652 / 873.643 871.620 / 873.814 871.589 / 874.029 871.557 / 874.316 871.526 / 874.658 871.495 / 874.954 871.463 / 875.029 871.432 / 875.108 871.400 / 875.242 871.369 / 875.268 871.337 / 875.185 871.306 / 875.015 871.275 / 874.902 871.243 / 874.845 871.212 / 874.527 871.180 / 874.196 871.149 / 874.096 871.117 / 873.925 871.086 / 873.799 871.055 / 873.650 871.023 / 873.222 870.992 / 872.871 870.960 / 872.504 870.929 / 872.177 870.897 / 872.036 870.866 / 871.697 870.835 / 871.446 870.803 / 871.388 870.772 / 871.067 870.740 / 870.749 870.672 / 870.443 870.538 / 870.242 870.315 / 869.850 870.025 / 869.515 869.688 / 869.264 869.350 / 869.108 869.012 / 868.730 868.675 / 868.207 868.337 / 867.883 867.999 / 867.559 867.661 / 867.216 867.323 |
| GROUND LEVEL RIGHT SERVICE ROAD | 871.020 870.221 / 870.964 870.303 / 870.783 870.379 / 870.573 870.450 / 870.385 870.515 / 870.608 870.576 / 870.615 870.637 / 870.612 870.687 / 870.874 870.743 / 870.983 870.799 / 870.901 870.854 / 871.080 870.910 / 871.111 870.966 / 870.740 871.021 / 870.631 871.077 / 870.992 871.133 / 871.097 871.189 / 871.194 871.244 / 871.327 871.300 / 871.424 871.356 / 871.586 871.412 / 871.708 871.467 / 871.756 871.523 / 871.923 871.579 / 872.145 871.635 / 872.302 871.683 / 872.531 871.708 / 872.765 871.707 / 872.957 871.653 / 873.277 871.652 / 873.643 871.620 / 873.814 871.589 / 874.029 871.557 / 874.316 871.526 / 874.658 871.495 / 874.954 871.463 / 875.029 871.432 / 875.108 871.400 / 875.242 871.369 / 875.268 871.337 / 875.185 871.306 / 875.015 871.275 / 874.902 871.243 / 874.845 871.212 / 874.527 871.180 / 874.196 871.149 / 874.096 871.117 / 873.925 871.086 / 873.799 871.055 / 873.650 871.023 / 873.222 870.992 / 872.871 870.960 / 872.504 870.929 / 872.177 870.897 / 872.036 870.866 / 871.697 870.835 / 871.446 870.803 / 871.388 870.772 / 871.067 870.740 / 870.749 870.672 / 870.443 870.538 / 870.242 870.315 / 869.850 870.025 / 869.515 869.688 / 869.264 869.350 / 869.108 869.012 / 868.730 868.675 / 868.207 868.337 / 867.883 867.999 / 867.559 867.661 / 867.216 867.323 |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | R: 18317.4 K: 183.2 L: 60.000 / G: 0.6% L: 189.570 / R: 4045.9 K: 40.5 L: 35.265 / G: -0.3% L: 302.402 / R: 1354.5 K: 13.5 L: 41.500 | | | | | | |
| PROJECT CHAINAGE (m) | 1+400 1+410 1+420 1+430 1+440 1+450 1+460 1+470 1+480 1+490 1+500 1+510 1+520 1+530 1+540 1+550 1+560 1+570 1+580 1+590 1+600 1+610 1+620 1+630 1+640 1+650 1+660 1+670 1+680 1+690 1+700 1+710 1+720 1+730 1+740 1+750 1+760 1+770 1+780 1+790 1+800 1+810 1+820 1+830 1+840 1+850 1+860 1+870 1+880 1+890 1+900 1+910 1+920 1+930 1+940 1+950 1+960 1+970 1+980 1+990 2+000 2+010 2+020 2+030 2+040 2+050 2+060 2+070 2+080 2+090 2+100 | | | | | | | |

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | | | | | | | | | | |
| ☐ INFORMATION | ☐ TENDER | | | | | | | | | | |
| ☐ DRAFT | ☐ PRELIMNARY | | | | | | | | | | |
| RELEASED FOR | | | | | | | | | | | |
| GIS | | | | MAJOR STRUCTURES | | | | | | | |
| HIGHWAYS | | | | IRRIGATION/ WATER RESOURCES | | | | | | | |
| ELECTRICAL | | | | PHE / PLUMBING/ FIREFIGHTING | | | | | | | |
| BUILDINGS | | | | MECHANICAL / HVAC | | | | | | | |
| ARCHITECTURE | | | | | | | | | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | | | | | | |
| FOR INTERNAL OFFICE ONLY | | | | | | | | | | | |

CONSULTANT: STUP Consultants Pvt. Ltd.

REGISTERED OFFICE : Unit No.2702, 27th Floor, Rajvi Renaissance, P.No.2–33 & D–207, Road No.34, TTC Industrial Area, Turbhe, Navi Mumbai, Maharashtra–400705. Tel: +91 (022) 68047770, E-mail: mumbai@stupsystem.com

OFFICE OF ORIGIN : #16, 4th F & 2nd Jambudeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@stupsystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 1400.000 TO CH: 2100.000

DRG.NO.: NO533/E/HWY/RD–323(R0)

| | |
|---|---|
| DATE | 13–01–2026 |
| DRAWN | NRG |
| PREPARED | ADJ |
| CHECKED | SP |
| APPROVED | AC |
| SCALE: | HOR= 1:1000 VER= 1:100 |

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

THE CLOUDED PORTION OF THE STRUCTURE IN THE ABOVE PLAN & PROFILE TO BE IGNORED/ DISREGARDED.
NORMAL CROSS SECTION 1 OF THE ROAD, AT GRADE HAS TO BE CONSIDERED FROM CHAINAGE 2+100 TO 2+980.




| PROPOSED 3/2 | |
|---|---|
| Proposal | New construction |
| Chainage | 2+266 |
| Type of Str | BOX CULVERT |
| Nos/Span | 1X2 |

| PROPOSED 3/3 | |
|---|---|
| Proposal | New construction |
| Chainage | 2+602 |
| Type of Str | BOX CULVERT |
| Nos/Span | 2X2 |

## PLAN

APPROACH PORTION
LENGTH = 303

| PROPOSED 3/2 | |
|---|---|
| Proposal | New construction |
| Chainage | 2+266 |
| Type of Str | BOX CULVERT |
| Nos/Span | 1X2 |

| PROPOSED 3/3 | |
|---|---|
| Proposal | New construction |
| Chainage | 2+575 |
| Type of Str | VUP |
| Nos/Span | 3X35 + 2X60 + 4X35 |

| PROPOSED | |
|---|---|
| Proposal | New construction |
| Chainage | 2+602 |
| Type of Str | BOX CULVERT |
| Nos/Span | 2X2 |

CH: 2+207.75 LVL: 868.17
CH: 2+377.84 LVL: 867.89
CH: 2+407.02 LVL: 868.12
CH: 2+621.63 LVL: 868.51
CH: 2+645.45 LVL: 868.51

Road-1 Profile
CHAINAGE=0.000
ELEVATION= 865.408

RD-323

RD-325

DATUM

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 867.805 869.258 867.469 869.156 867.144 869.055 866.833 868.853 866.198 868.852 865.749 868.751 865.386 868.849 864.887 868.548 864.409 868.446 864.049 868.345 863.445 868.244 863.115 868.143 862.579 868.049 862.144 867.965 861.576 867.891 861.020 867.828 860.668 867.775 860.504 867.733 860.481 867.701 860.245 867.679 859.726 867.667 859.254 867.665 858.623 867.674 859.074 867.693 858.940 867.722 858.737 867.762 858.490 867.812 858.395 867.872 858.358 867.940 858.268 868.008 858.247 868.076 858.145 868.144 858.074 868.207 857.869 868.265 856.830 868.316 856.114 868.360 856.848 868.402 857.154 868.435 857.049 868.463 856.989 868.485 856.898 868.501 856.733 868.511 856.719 868.514 856.764 868.515 856.757 868.515 856.732 868.515 856.820 868.515 857.168 868.515 857.333 868.515 857.362 868.515 857.415 868.515 857.521 868.515 857.612 868.515 857.371 868.515 856.994 868.515 857.341 868.514 857.939 868.509 857.885 868.498 857.956 868.481 858.109 868.459 858.298 868.431 858.414 868.398 858.706 868.359 858.855 868.315 858.897 868.265 858.798 868.209 858.661 868.148 859.211 868.081 859.650 868.009 859.748 867.930 859.775 867.847
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | LT: 130.000 LT: 90.031 ST: 45.028 K: 67.485 — PI STA: 2+510.28 D: 29°09'13.18" R: 835.00 L: 437.02 — LT: 125.000 LT: 90.031 ST: 45.028 K: 67.485 |
|---|---|
| SUPERELEVATION | e:3.83% e:-3.83% — e:3.83% e:-3.83% |
| Main Road @ VERTICAL SCHEMATIC | G: -1.0% L: 143.866 — R: 9735.2 K: 97.4 L: 165.087 — G: 0.3% L: 34.185 — R: 16811.2 K: 168.1 L: 114.612 — G: 0.0% L: 123.821 — R: 17885.6 K: 178.9 L: 189.091 |
| FORMATION LEVEL LEFT SERVICE ROAD | 868.302 867.417 867.995 867.082 867.495 866.747 867.142 866.413 866.624 866.070 866.117 865.744 865.502 865.409 865.082 865.074 864.416 864.740 864.094 864.405 863.684 864.099 863.205 863.954 862.798 863.671 862.372 863.550 861.936 863.490 861.503 863.418 861.186 863.271 860.836 863.049 860.587 862.799 860.631 862.377 860.362 861.929 860.329 861.439 860.134 860.918 859.112 860.518 858.900 860.158 858.859 859.872 858.776 859.659 858.576 859.510 858.341 859.370 858.383 859.231 858.174 859.091 858.051 858.951 857.945 858.811 857.267 858.672 857.474 858.532 857.377 858.392 856.657 858.252 856.622 858.143 857.016 858.100 856.930 858.115 856.834 858.192 856.698 858.330 856.572 858.530 856.472 858.758 856.551 858.986 856.840 859.214 856.953 859.442 857.151 859.670 857.123 859.872 857.373 860.033 857.362 860.149 857.425 860.223 857.388 860.254 857.624 860.242 858.529 860.212 856.840 860.152 857.714 860.152 857.791 860.122 857.950 860.092 858.109 860.062 858.031 860.036 858.229 860.029 858.556 860.041 858.851 860.075 859.021 860.120 859.130 860.203 859.317 860.297 859.590 860.412 859.836 860.543 860.079 860.703 860.273 860.879
| GROUND LEVEL LEFT SERVICE ROAD | |
|---|---|
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | G: -3.3% L: 168.895 — R: 1619.1 K: 16.2 L: 47.866 — G: 0.4% L: 13.338 — R: 1328.3 K: 13.3 L: 60.000 — G: -4.9% L: 16.341 — R: 1361.0 K: 13.6 L: 47.766 — G: -1.4% L: 94.720 — R: 1631.3 K: 16.3 L: 60.000 — G: 2.3% L: 49.474 — R: 2325.1 K: 23.3 L: 60.000 — G: -0.3% L: 64.736 — R: 4910.1 K: 49.1 L: 189.091 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 867.210 867.323 866.961 866.985 866.649 866.648 866.204 866.310 865.583 865.972 865.162 865.634 864.511 865.296 864.070 864.968 863.482 864.621 863.101 864.283 862.715 863.976 862.340 863.736 861.947 863.563 861.411 863.458 861.073 863.419 860.420 863.369 859.911 863.239 859.588 863.030 859.351 862.742 859.265 862.375 859.239 861.929 859.176 861.439 859.102 860.951 858.964 860.518 858.890 860.158 858.831 859.872 858.717 859.659 858.545 859.510 858.454 859.371 858.358 859.231 858.167 859.091 857.879 858.951 857.810 858.812 857.686 858.672 857.642 858.532 857.602 858.392 857.532 858.253 857.344 858.146 857.209 858.100 857.302 858.115 857.308 858.192 857.020 858.330 857.037 858.530 857.310 858.758 857.220 858.986 857.109 859.214 856.877 859.442 857.156 859.670 857.551 859.872 857.568 860.030 857.641 860.143 857.709 860.213 857.816 860.239 857.882 860.220 857.276 860.183 856.650 860.147 857.586 860.110 857.888 860.073 857.970 860.036 858.024 859.999 858.018 859.962 858.483 859.959 858.456 859.987 858.491 860.035 858.432 860.105 858.592 860.194 859.154 860.305 859.544 860.505 859.484 860.781 859.290 860.436 859.836 860.543 860.079 860.703 860.273 860.879
| GROUND LEVEL RIGHT SERVICE ROAD | |
|---|---|
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | G: -3.4% L: 168.895 — R: 1487.1 K: 14.9 L: 47.866 — G: 0.2% L: 13.338 — R: 1264.1 K: 12.6 L: 60.000 — G: -4.9% L: 16.341 — R: 1361.5 K: 13.6 L: 47.766 — G: -1.4% L: 94.720 — R: 1631.5 K: 16.3 L: 60.000 — G: 2.3% L: 49.474 — R: 2265.5 K: 22.7 L: 60.000 — G: -0.4% L: 64.736 — R: 4824.4 K: 48.2 L: 189.091 |
| PROJECT CHAINAGE (m) | 2+100 2+110 2+120 2+130 2+140 2+150 2+160 2+170 2+180 2+190 2+200 2+210 2+220 2+230 2+240 2+250 2+260 2+270 2+280 2+290 2+300 2+310 2+320 2+330 2+340 2+350 2+360 2+370 2+380 2+390 2+400 2+410 2+420 2+430 2+440 2+450 2+460 2+470 2+480 2+490 2+500 2+510 2+520 2+530 2+540 2+550 2+560 2+570 2+580 2+590 2+600 2+610 2+620 2+630 2+640 2+650 2+660 2+670 2+680 2+690 2+700 2+710 2+720 2+730 2+740 2+750 2+760 2+770 2+780 2+790 2+800 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | |
|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | | | | |
| ☐ INFORMATION | ☐ TENDER | | | | |
| ☐ DRAFT | ☐ PRELIMINARY | | | | |

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
UNIT OFFICE
Unit No.2105, 27th Floor, Rajapushpa Atlantis, Tower-2A & B-2001, Aluvagar, MDC TC Industrial Area, Sahibabad, Ghaziabad, Uttar Pradesh, India, Pincode-201010
Tel: +91 (0)22 68047777,
E-mail: mumbai@stupgroup.com
ARCHIVE OF ORIGINAL
#66, 4th & 6th Cross, 4th Phase, 4th Block, Bangalore - 560 092
Tel.: 080 - 40 36 79 79
Email : bangalore@stupgroup.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 2100.000 TO CH: 2800.000

DRG.NO.: NO533/E/HWY/RD-324(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED:
ADJ:
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

| PROPOSED | 4/1 |
|---|---|
| Proposal | New construction |
| Chainage | 3+130 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |




PLAN

THE CLOUDED PORTION OF THE STRUCTURE IN THE ABOVE PLAN & PROFILE TO BE IGNORED/ DISREGARDED.
NORMAL CROSS SECTION 1 OF THE ROAD, AT GRADE HAS TO BE CONSIDERED FROM CHAINAGE 2+100 TO 2+980.

| PROPOSED | 4/1 |
|---|---|
| Proposal | New construction |
| Chainage | 3+130 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |


APPROACH PORTION LENGTH = 212
APPROACH PORTION LENGTH = 245
CH: 2+834.55 LVL: 867.52
CH: 2+877.59 LVL: 867.06
CH: 3+026.73 LVL: 868.04
CH: 3+189.30 LVL: 874.46
CH: 3+410.70 LVL: 874.81
CH: 3+440.70 LVL: 873.85
Road-1 Profile CHAINAGE=0.000 ELEVATION= 865.408
RD-324
RD-326
DATUM
Main Road @ FINISHED ROAD LEVEL
Main Road @ EXISTING GROUND LEVEL
HORIZONTAL GEOMETRY AT ROAD CENTER (m)
L:150.58
PI STA: 3+087.81 D: 7°29'44.42" R: 1200.00 L: 156.99
L:219.29
SUPERELEVATION
e:2.0% e:-2.0%
e:2.0% e:-2.0%
e:-4.86% e:4.86%
Main Road @ VERTICAL SCHEMATIC
G: -1.1% L: 43.048
R: 3453.3 K: 34.5 L: 159.135
G: 3.6% L: 152.575
R: 3260.0 K: 32.6 L: 221.393
G: -3.2% L: 29.500
R: 2700.2 K: 27.0 L: 87.490
FORMATION LEVEL LEFT SERVICE ROAD
GROUND LEVEL LEFT SERVICE ROAD
VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m)
G: 3.6% L: 311.818
R: 2704.4 K: 27.0 L: 80.000
G: 0.6% L: 15.219
R: 1133.2 K: 11.3 L: 20.000
G: 2.4% L: 230.183
FORMATION LEVEL RIGHT SERVICE ROAD
GROUND LEVEL RIGHT SERVICE ROAD
VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m)
G: 3.6% L: 315.306
R: 2565.3 K: 25.7 L: 80.000
G: 0.4% L: 50.491
R: 1319.4 K: 13.2 L: 20.000
G: 1.9% L: 191.508
PROJECT CHAINAGE (m)

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | |
|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | RELEASED FOR | | | |
| ☐ INFORMATION | ☐ TENDER | GIS | | MAJOR STRUCTURES | |
| ☐ DRAFT | ☐ PRELIMINARY | HIGHWAYS | | IRRIGATION/ WATER RESOURCES | |
| | | ELECTRICAL | | PHE / PLUMBING/ FIREFIGHTING | |
| | | BUILDINGS | | MECHANICAL / HVAC | |
| | | ARCHITECTURE | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |
| FOR INTERNAL OFFICE ONLY | | | | | |

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : 1048, No.2755, 27th Floor, Alpha Tech, 1000.15, Phase-3 & 3-201, Alpha Tech, 1000.15, Phase-3 & 3-201, Rajiv Gandhi Infotech Park, Hinjawadi, Pune, Taluka, Mulshi, Maharashtra, Pune, Tal: 020 - 67777777, Fax: (020) 66067777, E-mail: mumbai@stuptech.com
OFFICE OF DESIGN : 8th, 9th, 8th & 2nd Jambulaiwar Arcade 4th Floor, Millers Road Bangalore – 560 052 Tel.: 080 – 40 38 79 79 Email : bangalore@stuptech.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 2800.000 TO CH: 3500.000

DRG.NO.: NO533/E/HWY/RD–325(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

| PROPOSED | 4/2 |
|---|---|
| Proposal | New construction |
| Chainage | 3+560 |
| Type of Str | Underpass |
| Nos/Span | 1 X 30 |

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

CH:3500 CH:3600 CH:3700 CH:3800 CH:3900 CH:4000 CH:4100 CH:4200

VOP APPROACH PORTION END CH: 3820

MAJOR JUNCTION FLYOVER WITH ROB APPROACH PORTION START CH: 3860

MATCH LINE

MATCH LINE

PLAN

30

APPROACH PORTION LENGTH = 245

APPROACH PORTION LENGTH = 300

| PROPOSED | 5/1 |
|---|---|
| Proposal | New construction |
| Chainage | 4+215 |
| Type of Str | ROB 01 Tumkur Line |
| Nos/Span | 1X37.28+1X46.00+1X23 |

CH: 3+527.69 LVL: 872.43

CH: 3+580.00 LVL: 872.43

CH: 3+649.00 LVL: 872.52

CH: 4+075.35 LVL: 873.83

CH: 4+135.35 LVL: 873.92

Road-1 Profile CHAINAGE=0.000 ELEVATION= 865.408

DATUM

RD-325

RD-327

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 879.409 879.719 879.575 880.221 879.491 880.054 879.444 880.433 879.433 880.879 879.433 881.039 879.433 881.243 879.433 881.119 879.433 881.171 879.435 881.231 879.443 881.332 879.455 881.304 879.473 881.245 879.495 881.343 879.523 881.690 879.553 881.880 879.583 881.596 879.613 881.122 879.643 880.626 879.673 880.145 879.703 879.602 879.733 878.984 879.763 878.426 879.793 877.993 879.823 877.641 879.853 877.238 879.883 876.566 879.913 876.138 879.943 875.925 879.973 875.351 874.003 874.463 874.033 873.456 874.063 872.832 874.093 872.744 874.123 872.204 874.153 871.290 874.183 870.627 874.213 870.388 874.243 870.115 874.273 869.826 874.303 869.597 874.333 869.351 874.363 869.145 874.393 869.022 874.423 868.980 874.453 869.169 874.483 869.286 874.513 869.388 874.543 869.408 874.573 869.318 874.603 869.367 874.633 869.243 874.663 868.849 874.693 868.303 874.723 868.191 874.753 868.234 874.783 868.069 874.813 867.899 874.842 867.709 874.868 867.407 874.888 866.883 874.903 866.678 874.918 865.902 874.919 865.399 874.919 865.849 874.919 864.239 874.919 863.808 874.919 865.124 874.919 865.366 874.919 |
| Main Road @ EXISTING GROUND LEVEL | 879.409 879.719 879.575 880.221 879.491 880.054 879.444 880.433 879.433 880.879 879.433 881.039 879.433 881.243 879.433 881.119 879.433 881.171 879.435 881.231 879.443 881.332 879.455 881.304 879.473 881.245 879.495 881.343 879.523 881.690 879.553 881.880 879.583 881.596 879.613 881.122 879.643 880.626 879.673 880.145 879.703 879.602 879.733 878.984 879.763 878.426 879.793 877.993 879.823 877.641 879.853 877.238 879.883 876.566 879.913 876.138 879.943 875.925 879.973 875.351 874.003 874.463 874.033 873.456 874.063 872.832 874.093 872.744 874.123 872.204 874.153 871.290 874.183 870.627 874.213 870.388 874.243 870.115 874.273 869.826 874.303 869.597 874.333 869.351 874.363 869.145 874.393 869.022 874.423 868.980 874.453 869.169 874.483 869.286 874.513 869.388 874.543 869.408 874.573 869.318 874.603 869.367 874.633 869.243 874.663 868.849 874.693 868.303 874.723 868.191 874.753 868.234 874.783 868.069 874.813 867.899 874.842 867.709 874.868 867.407 874.888 866.883 874.903 866.678 874.918 865.902 874.919 865.399 874.919 865.849 874.919 864.239 874.919 863.808 874.919 865.124 874.919 865.366 874.919 |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | PI STA: 3+526.76 D: 25°59'35.78" R: 612.00 L: 277.04 L:587.10 |
| SUPERELEVATION | e:-4.86% e:4.86% |
| Main Road @ VERTICAL SCHEMATIC | G: 0.0% L: 52.313 R: 20000.0 K: 200.0 L: 60.000 G: 0.3% L: 435.352 R: 20000.0 K: 200.0 L: 60.000 G: 0.0% L: 120.814 |
| FORMATION LEVEL LEFT SERVICE ROAD | 880.719 880.955 881.145 881.191 881.287 881.425 881.570 881.652 881.659 881.824 881.831 881.833 881.747 881.630 881.539 881.393 881.907 881.017 881.911 880.641 881.943 880.265 881.948 879.889 881.925 879.513 881.934 879.137 882.143 878.761 881.572 878.385 881.514 878.009 881.334 877.633 880.734 877.257 880.054 876.881 879.444 876.505 878.902 876.129 878.349 875.753 878.004 875.377 877.627 875.001 877.109 874.625 876.510 874.249 876.183 873.873 875.856 873.497 875.194 873.199 874.400 873.052 873.084 873.057 873.089 872.735 872.112 871.037 870.169 869.653 869.494 869.299 869.111 868.888 868.445 867.736 867.639 867.485 867.371 867.259 867.169 866.990 866.628 866.792 866.604 866.683 866.681 866.747 866.894 866.578 866.381 866.233 866.151 865.623 865.386 864.868 873.459 864.477 863.819 863.865 863.485 863.984 864.249 |
| GROUND LEVEL LEFT SERVICE ROAD | 880.991 881.059 880.955 881.145 881.191 881.287 881.425 881.570 881.652 881.659 881.824 881.831 881.833 881.747 881.630 881.539 881.393 881.907 881.017 881.911 880.641 881.943 880.265 881.948 879.889 881.925 879.513 881.934 879.137 882.143 878.761 881.572 878.385 881.514 878.009 881.334 877.633 880.734 877.257 880.054 876.881 879.444 876.505 878.902 876.129 878.349 875.753 878.004 875.377 877.627 875.001 877.109 874.625 876.510 874.249 876.183 873.873 875.856 873.497 875.194 873.199 874.400 873.052 873.084 873.057 873.089 872.735 872.112 871.037 870.169 869.653 869.494 869.299 869.111 868.888 868.445 867.736 867.639 867.485 867.371 867.259 867.169 866.990 866.628 866.792 866.604 866.683 866.681 866.747 866.894 866.578 866.381 866.233 866.151 865.623 865.386 864.868 873.459 864.477 863.819 863.865 863.485 863.984 864.249 |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | R: 653.9 K: 6.5 L: 40.000 G: -3.8% L: 209.693 R: 660.0 K: 6.6 L: 34.855 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 879.187 879.382 879.576 879.771 879.966 880.101 880.111 879.994 879.751 880.442 880.133 880.824 880.515 880.789 881.205 880.841 877.896 880.995 877.587 881.075 877.278 881.057 876.969 880.720 876.660 880.278 876.351 879.914 876.041 879.806 875.732 879.428 875.423 878.655 875.114 878.677 874.805 878.386 874.496 877.591 874.187 877.004 873.878 876.520 873.568 876.186 873.259 876.038 872.995 875.161 872.879 874.329 872.914 873.645 873.279 873.101 872.826 872.490 872.263 872.114 871.752 871.585 871.495 871.610 871.445 871.388 871.592 871.997 871.519 871.388 871.196 870.911 870.693 870.614 870.244 870.073 869.887 869.715 869.564 869.318 869.115 869.046 870.774 870.152 869.386 868.193 869.616 869.202 866.041 866.284 864.747 |
| GROUND LEVEL RIGHT SERVICE ROAD | 878.070 878.345 878.534 878.677 879.426 879.801 879.865 880.164 880.553 880.657 880.643 880.643 880.792 880.789 880.841 880.995 881.075 881.057 880.720 880.278 879.914 879.806 879.428 878.655 878.677 878.386 877.591 877.004 876.520 876.186 876.038 875.161 874.329 873.645 873.279 873.101 872.826 872.490 872.263 872.114 871.752 871.585 871.495 871.610 871.445 871.388 871.592 871.997 871.519 871.388 871.196 870.911 870.693 870.614 870.244 870.073 869.887 869.715 869.564 869.318 869.115 869.046 870.774 870.152 869.386 868.193 869.616 869.202 866.041 866.284 864.747 |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | R: 793.7 K: 7.9 L: 40.000 G: -3.1% L: 212.009 R: 660.0 K: 6.6 L: 30.443 |
| PROJECT CHAINAGE (m) | 3+500 3+510 3+520 3+530 3+540 3+550 3+560 3+570 3+580 3+590 3+600 3+610 3+620 3+630 3+640 3+650 3+660 3+670 3+680 3+690 3+700 3+710 3+720 3+730 3+740 3+750 3+760 3+770 3+780 3+790 3+800 3+810 3+820 3+830 3+840 3+850 3+860 3+870 3+880 3+890 3+900 3+910 3+920 3+930 3+940 3+950 3+960 3+970 3+980 3+990 4+000 4+010 4+020 4+030 4+040 4+050 4+060 4+070 4+080 4+090 4+100 4+110 4+120 4+130 4+140 4+150 4+160 4+170 4+180 4+190 4+200 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL –1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | |
|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | | | | |
| ☐ INFORMATION | ☐ TENDER | | | | |
| ☐ DRAFT | ☐ PRELIMINARY | | | | |
| RELEASED FOR | | | | | |
| GIS | | | | | |
| HIGHWAYS | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |
| FOR INTERNAL OFFICE ONLY | | | | | |

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rajvi Renaissance, Plot-3-3 & 3-207, Thane Belapur Road, Airoli Navi Mumbai, Turbhe, Navi Mumbai, Thane, Maharashtra–400705. Tel.: (022) 68667777, E-mail: mumbai@stuptech.com
OFFICE OF ORIGIN : 8th, 9th & 2nd Jambusaheer Roads 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@stuptech.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

DATE: 13–01–2026

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 3500.000 TO CH: 4200.000

DRG.NO.: NO533/E/HWY/RD–326(R0)

DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD




| PROPOSED 5/1 | |
|---|---|
| Proposal | New construction |
| Chainage | 4+215 |
| Type of Str | ROB 01 Tumkur Line |
| Nos/Span | 1X37.28+1X46.00+1X23 |

| PROPOSED 5/2 | |
|---|---|
| Proposal | New construction |
| Chainage | 4+265 TO 4+995 |
| Type of Str | VIADUCT |
| Nos/Span | 4x30+1x20+6x30+1x35+9x30+3+35 |

| PROPOSED 5/3 | |
|---|---|
| Proposal | New construction |
| Chainage | 4+601 |
| Type of Str | MINOR BRIDGE |
| Nos/Span | 2X10 |

| PROPOSED 5/4 | |
|---|---|
| Proposal | New construction |
| Chainage | 4+825 |
| Type of Str | BOX CULVERT |
| Nos/Span | 2X3 |


RD-326
RD-328
DATUM
CH: 4+256.17 LVL: 873.92
CH: 4+426.46 LVL: 871.06
CH: 4+543.05 LVL: 865.11
CH: 4+743.22 LVL: 865.08
CH: 4+786.99 LVL: 866.77
Road-1 Profile CHAINAGE=0.000 ELEVATION= 865.408
Main Road @ FINISHED ROAD LEVEL
Main Road @ EXISTING GROUND LEVEL
HORIZONTAL GEOMETRY AT ROAD CENTER (m)
SUPERELEVATION
Main Road @ VERTICAL SCHEMATIC
FORMATION LEVEL LEFT SERVICE ROAD
GROUND LEVEL LEFT SERVICE ROAD
VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m)
FORMATION LEVEL RIGHT SERVICE ROAD
GROUND LEVEL RIGHT SERVICE ROAD
VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m)
PROJECT CHAINAGE (m)
LONGITUDINAL SECTION

## NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

## LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |
|---|---|---|---|---|---|
| FOR INTERNAL OFFICE ONLY | | | | | |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY
RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.1701, 17th Floor, Rajat Renaissance, P.No.B–33 & B–207, Rajat Vihar, Phase III, Industrial Area, Turbhe, Navi Mumbai, Maharashtra–400705. Tel: +91 (022) 68047777, E–mail: mumbai@stuptem.com
OFFICE OF ORIGIN : #16, 8th & 2nd Jeevanbeemanagar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@stuptem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 4200.000 TO CH: 4900.000

DRG.NO.: NO533/E/HWY/RD–327(RO)

DATE: 13–01–2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ←

HOSUR ROAD →




## PLAN




| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | FORMATION LEVEL LEFT SERVICE ROAD | GROUND LEVEL LEFT SERVICE ROAD | FORMATION LEVEL RIGHT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|---|---|
| 4+900 | 869.275 | 858.404 | 858.856 | 859.034 | 858.856 | 858.670 |
| 4+910 | 869.304 | 858.673 | 859.020 | 860.053 | 859.020 | 858.920 |
| 4+920 | 869.307 | 859.026 | 859.183 | 860.133 | 859.183 | 859.184 |
| 4+930 | 869.307 | 859.834 | 859.347 | 859.509 | 859.347 | 859.464 |
| 4+940 | 869.307 | 859.993 | 859.510 | 859.242 | 859.510 | 859.673 |
| 4+950 | 869.307 | 859.771 | 859.673 | 859.553 | 859.673 | 859.830 |
| 4+960 | 869.307 | 859.968 | 859.837 | 859.636 | 859.837 | 860.239 |
| 4+970 | 869.307 | 860.041 | 860.000 | 859.757 | 860.000 | 860.502 |
| 4+980 | 869.307 | 860.172 | 860.163 | 859.923 | 860.163 | 860.861 |
| 4+990 | 869.307 | 860.303 | 860.327 | 860.115 | 860.327 | 860.952 |
| 5+000 | 869.307 | 860.707 | 860.490 | 860.336 | 860.490 | 860.973 |
| 5+010 | 869.307 | 861.240 | 860.659 | 860.543 | 860.659 | 861.146 |
| 5+020 | 869.307 | 861.555 | 860.857 | 860.751 | 860.857 | 861.381 |
| 5+030 | 869.307 | 861.508 | 861.087 | 861.267 | 861.087 | 861.615 |
| 5+040 | 869.307 | 861.516 | 861.349 | 861.943 | 861.349 | 861.865 |
| 5+050 | 869.307 | 861.747 | 861.644 | 861.979 | 861.644 | 862.123 |
| 5+060 | 869.307 | 861.977 | 861.970 | 861.979 | 861.970 | 862.210 |
| 5+070 | 869.304 | 862.190 | 862.322 | 862.046 | 862.322 | 861.598 |
| 5+080 | 869.293 | 862.394 | 862.678 | 862.312 | 862.678 | 861.179 |
| 5+090 | 869.274 | 861.811 | 863.033 | 862.240 | 863.033 | 861.442 |
| 5+100 | 869.248 | 861.606 | 863.388 | 862.403 | 863.388 | 861.374 |
| 5+110 | 869.214 | 861.405 | 863.744 | 862.570 | 863.744 | 861.521 |
| 5+120 | 869.172 | 861.638 | 864.099 | 862.594 | 864.099 | 862.553 |
| 5+130 | 869.122 | 862.055 | 864.454 | 861.768 | 864.454 | 863.584 |
| 5+140 | 869.064 | 863.313 | 864.810 | 862.171 | 864.810 | 864.827 |
| 5+150 | 869.004 | 863.707 | 865.165 | 863.768 | 865.165 | 864.975 |
| 5+160 | 868.943 | 864.125 | 865.520 | 863.898 | 865.520 | 865.033 |
| 5+170 | 868.883 | 864.426 | 865.876 | 863.971 | 865.876 | 865.116 |
| 5+180 | 868.822 | 864.692 | 866.231 | 864.373 | 866.231 | 865.287 |
| 5+190 | 868.761 | 865.153 | 866.586 | 864.729 | 866.586 | 865.431 |
| 5+200 | 868.701 | 865.796 | 866.942 | 864.754 | 866.942 | 865.570 |
| 5+210 | 868.640 | 865.896 | 867.264 | 864.852 | 867.264 | 865.723 |
| 5+220 | 868.579 | 865.498 | 867.519 | 865.037 | 867.519 | 865.881 |
| 5+230 | 868.519 | 865.374 | 867.708 | 865.064 | 867.708 | 866.082 |
| 5+240 | 868.458 | 865.474 | 867.831 | 864.950 | 867.831 | 866.229 |
| 5+250 | 868.398 | 865.594 | 867.886 | 865.020 | 867.886 | 866.329 |
| 5+260 | 868.337 | 865.901 | 867.875 | 864.992 | 867.875 | 866.527 |
| 5+270 | 868.276 | 865.989 | 867.817 | 864.981 | 867.687 | 866.765 |
| 5+280 | 868.216 | 866.161 | 867.756 | 865.231 | 867.626 | 866.850 |
| 5+290 | 868.155 | 866.390 | 867.695 | 865.463 | 867.565 | 867.362 |
| 5+300 | 868.094 | 866.354 | 867.635 | 865.579 | 867.505 | 867.716 |
| 5+310 | 868.034 | 866.314 | 867.574 | 865.663 | 867.444 | 867.619 |
| 5+320 | 867.973 | 866.501 | 867.513 | 865.813 | 867.383 | 867.769 |
| 5+330 | 867.913 | 866.725 | 867.453 | 865.812 | 867.323 | 867.828 |
| 5+340 | 867.852 | 866.802 | 867.392 | 865.869 | 867.262 | 867.773 |
| 5+350 | 867.791 | 866.740 | 867.332 | 865.933 | 867.202 | 867.636 |
| 5+360 | 867.731 | 866.553 | 867.271 | 865.774 | 867.141 | 867.514 |
| 5+370 | 867.670 | 866.359 | 867.210 | 865.616 | 867.080 | 867.586 |
| 5+380 | 867.609 | 866.210 | 867.150 | 865.515 | 867.020 | 867.597 |
| 5+390 | 867.549 | 866.124 | 867.089 | 865.505 | 866.959 | 867.490 |
| 5+400 | 867.488 | 866.141 | 867.028 | 865.437 | 866.898 | 867.159 |
| 5+410 | 867.428 | 866.219 | 866.968 | 865.623 | 866.838 | 867.079 |
| 5+420 | 867.367 | 866.290 | 866.907 | 865.626 | 866.777 | 866.845 |
| 5+430 | 867.306 | 866.266 | 866.846 | 865.731 | 866.716 | 866.789 |
| 5+440 | 867.246 | 866.204 | 866.786 | 865.788 | 866.656 | 866.635 |
| 5+450 | 867.185 | 866.147 | 866.725 | 865.842 | 866.595 | 866.642 |
| 5+460 | 867.124 | 865.973 | 866.665 | 865.201 | 866.535 | 866.653 |
| 5+470 | 867.064 | 865.663 | 866.604 | 864.185 | 866.474 | 866.658 |
| 5+480 | 867.003 | 865.226 | 866.543 | 863.933 | 866.413 | 866.592 |
| 5+490 | 866.943 | 864.694 | 866.483 | 864.375 | 866.353 | 866.472 |
| 5+500 | 866.882 | 864.566 | 866.422 | 863.971 | 866.292 | 866.028 |
| 5+510 | 866.821 | 864.509 | 866.361 | 863.550 | 866.231 | 865.833 |
| 5+520 | 866.761 | 864.409 | 866.301 | 863.543 | 866.171 | 865.387 |
| 5+530 | 866.700 | 864.136 | 866.240 | 864.020 | 866.110 | 864.808 |
| 5+540 | 866.641 | 863.918 | 866.178 | 864.068 | 866.048 | 863.942 |
| 5+550 | 866.596 | 863.858 | 866.105 | 864.117 | 865.975 | 864.021 |
| 5+560 | 866.564 | 864.035 | 866.021 | 864.155 | 865.891 | 864.390 |
| 5+570 | 866.547 | 864.459 | 865.925 | 864.115 | 865.795 | 864.282 |
| 5+580 | 866.545 | 864.217 | 865.817 | 863.957 | 865.687 | 864.079 |
| 5+590 | 866.557 | 863.350 | 865.698 | 863.498 | 865.568 | 863.825 |
| 5+600 | 866.584 | 862.853 | 865.566 | 862.662 | 865.436 | 863.657 |

HORIZONTAL GEOMETRY AT ROAD CENTER (m): L:935.21; Ls: 50.000, LT: 33.334, ST: 16.667, K: 25.000; PI STA: 5+468.37, D: 1°02'31.38", R: 2000.00, L: 36.37; Ls: 50.000, LT: 33.334, ST: 16.667, K: 25.000; L:13

SUPERELEVATION: e:-2.22%, e:2.22%; e:-2.22%, e:2.22%

Main Road @ VERTICAL SCHEMATIC: G: 0.0%, L: 146.413; R: 12882.7, K: 128.8, L: 78.099; G: -0.6%, L: 395.781; R: 6894.0, K: 68.9, L: 70.340

VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m): R: 3125.7, K: 31.3, L: 60.000; G: 3.6%, L: 135.918; R: 1500.0, K: 15.0, L: 62.391; G: -0.6%, L: 283.712; R: 8516.0, K: 85.2, L: 70.340

VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m): R: 3125.7, K: 31.3, L: 60.000; G: 3.6%, L: 135.918; R: 1500.0, K: 15.0, L: 62.391; G: -0.6%, L: 282.038; R: 8516.0, K: 85.2, L: 70.340

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL -1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY


CONSULTANT: STUP Consultants Pvt. Ltd. (assystem stup)

REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com

OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@assystem.com


OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 4900.000 TO CH: 5600.000

DRG.NO.: NO533/E/HWY/RD-328(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ←

HOSUR ROAD →




| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | FORMATION LEVEL LEFT SERVICE ROAD | GROUND LEVEL LEFT SERVICE ROAD | FORMATION LEVEL RIGHT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|---|---|
| 5+600 | 866.584 | 862.853 | 865.566 | 862.662 | 865.436 | 863.657 |
| 5+610 | 866.623 | 862.762 | 865.425 | 861.946 | 865.295 | 863.462 |
| 5+620 | 866.665 | 862.667 | 865.281 | 861.832 | 865.151 | 863.178 |
| 5+630 | 866.706 | 862.571 | 865.138 | 861.867 | 865.008 | 863.028 |
| 5+640 | 866.747 | 862.517 | 864.995 | 861.925 | 864.865 | 863.030 |
| 5+650 | 866.789 | 862.405 | 864.852 | 861.959 | 864.722 | 863.028 |
| 5+660 | 866.830 | 862.053 | 864.709 | 861.646 | 864.579 | 862.821 |
| 5+670 | 866.872 | 862.205 | 864.565 | 862.065 | 864.435 | 862.671 |
| 5+680 | 866.913 | 862.392 | 864.422 | 861.852 | 864.292 | 862.358 |
| 5+690 | 866.955 | 862.332 | 864.279 | 861.211 | 864.149 | 862.078 |
| 5+700 | 866.996 | 862.271 | 864.136 | 860.571 | 864.006 | 861.976 |
| 5+710 | 867.037 | 862.184 | 863.992 | 860.854 | 863.862 | 861.904 |
| 5+720 | 867.079 | 862.026 | 863.850 | 861.540 | 863.720 | 861.796 |
| 5+730 | 867.122 | 861.834 | 863.724 | 861.511 | 863.594 | 861.689 |
| 5+740 | 867.169 | 861.611 | 863.622 | 861.303 | 863.492 | 861.757 |
| 5+750 | 867.219 | 861.374 | 863.544 | 860.920 | 863.414 | 861.827 |
| 5+760 | 867.272 | 861.137 | 863.490 | 860.330 | 863.360 | 861.811 |
| 5+770 | 867.328 | 860.901 | 863.460 | 860.105 | 863.330 | 861.425 |
| 5+780 | 867.387 | 860.652 | 863.455 | 860.068 | 863.325 | 860.995 |
| 5+790 | 867.449 | 860.673 | 863.473 | 860.210 | 863.343 | 860.995 |
| 5+800 | 867.515 | 860.718 | 863.516 | 860.513 | 863.386 | 861.115 |
| 5+810 | 867.583 | 860.520 | 863.583 | 860.635 | 863.453 | 861.311 |
| 5+820 | 867.655 | 860.102 | 863.673 | 860.597 | 863.543 | 861.561 |
| 5+830 | 867.729 | 860.254 | 863.788 | 860.084 | 863.658 | 861.963 |
| 5+840 | 867.807 | 861.388 | 863.927 | 860.444 | 863.797 | 862.549 |
| 5+850 | 867.888 | 862.231 | 864.090 | 861.664 | 863.960 | 863.134 |
| 5+860 | 867.972 | 862.542 | 864.278 | 862.129 | 864.148 | 863.469 |
| 5+870 | 868.059 | 862.820 | 864.489 | 862.497 | 864.359 | 863.740 |
| 5+880 | 868.149 | 863.351 | 864.724 | 862.957 | 864.594 | 864.014 |
| 5+890 | 868.243 | 863.812 | 864.984 | 863.432 | 864.854 | 864.369 |
| 5+900 | 868.339 | 864.259 | 865.267 | 863.887 | 865.137 | 864.756 |
| 5+910 | 868.437 | 864.706 | 865.567 | 864.332 | 865.437 | 865.106 |
| 5+920 | 868.536 | 865.048 | 865.868 | 864.697 | 865.738 | 865.454 |
| 5+930 | 868.635 | 865.378 | 866.169 | 865.050 | 866.039 | 865.832 |
| 5+940 | 868.733 | 865.708 | 866.470 | 865.371 | 866.340 | 866.208 |
| 5+950 | 868.832 | 866.018 | 866.770 | 865.667 | 866.640 | 866.541 |
| 5+960 | 868.930 | 866.378 | 867.071 | 865.987 | 866.941 | 866.863 |
| 5+970 | 869.029 | 866.731 | 867.372 | 866.273 | 867.242 | 867.253 |
| 5+980 | 869.128 | 867.034 | 867.673 | 866.656 | 867.543 | 867.640 |
| 5+990 | 869.226 | 867.208 | 867.973 | 867.018 | 867.843 | 867.883 |
| 6+000 | 869.342 | 867.285 | 868.273 | 867.130 | 868.143 | 868.003 |
| 6+010 | 869.495 | 867.363 | 868.570 | 867.209 | 868.441 | 868.092 |
| 6+020 | 869.686 | 867.440 | 868.864 | 867.282 | 868.736 | 868.090 |
| 6+030 | 869.916 | 867.517 | 869.156 | 867.354 | 869.029 | 867.852 |
| 6+040 | 870.183 | 867.595 | 869.445 | 868.020 | 869.319 | 867.886 |
| 6+050 | 870.489 | 867.750 | 869.731 | 868.467 | 869.608 | 868.105 |
| 6+060 | 870.833 | 868.157 | 870.015 | 868.786 | 869.894 | 868.304 |
| 6+070 | 871.214 | 868.591 | 870.296 | 869.105 | 870.178 | 868.587 |
| 6+080 | 871.606 | 869.025 | 870.576 | 869.427 | 870.461 | 868.946 |
| 6+090 | 871.999 | 868.938 | 870.857 | 869.736 | 870.745 | 869.306 |
| 6+100 | 872.391 | 869.868 | 871.137 | 870.000 | 871.028 | 869.586 |
| 6+110 | 872.784 | 870.084 | 871.417 | 870.241 | 871.311 | 869.663 |
| 6+120 | 873.176 | 870.114 | 871.698 | 870.395 | 871.595 | 869.739 |
| 6+130 | 873.569 | 869.965 | 871.978 | 870.261 | 871.878 | 869.780 |
| 6+140 | 873.962 | 869.903 | 872.258 | 870.446 | 872.161 | 870.083 |
| 6+150 | 874.354 | 870.269 | 872.539 | 870.706 | 872.445 | 870.450 |
| 6+160 | 874.747 | 870.635 | 872.819 | 870.825 | 872.728 | 870.834 |
| 6+170 | 875.139 | 871.008 | 873.099 | 870.931 | 873.011 | 871.222 |
| 6+180 | 875.532 | 871.114 | 873.380 | 871.020 | 873.295 | 871.610 |
| 6+190 | 875.924 | 871.289 | 873.660 | 871.195 | 873.578 | 871.794 |
| 6+200 | 876.317 | 871.620 | 873.940 | 871.423 | 873.861 | 871.871 |
| 6+210 | 876.710 | 871.951 | 874.221 | 871.695 | 874.144 | 872.194 |
| 6+220 | 877.102 | 872.264 | 874.501 | 871.944 | 874.428 | 872.471 |
| 6+230 | 877.495 | 872.444 | 874.781 | 872.127 | 874.711 | 872.678 |
| 6+240 | 877.887 | 872.793 | 875.062 | 872.317 | 874.994 | 872.931 |
| 6+250 | 878.280 | 873.403 | 875.342 | 872.760 | 875.278 | 873.205 |
| 6+260 | 878.672 | 873.986 | 875.622 | 873.495 | 875.561 | 873.614 |
| 6+270 | 879.065 | 874.491 | 875.903 | 873.990 | 875.844 | 874.246 |
| 6+280 | 879.458 | 874.730 | 876.183 | 874.254 | 876.128 | 874.880 |
| 6+290 | 879.850 | 874.934 | 876.463 | 874.468 | 876.411 | 875.198 |
| 6+300 | 880.243 | 875.142 | 876.744 | 874.644 | 876.694 | 875.469 |

| Row | Segments (left to right) | | | | |
|---|---|---|---|---|---|
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | L:131.88 | Ls: 50.000 LT: 33.334 ST: 16.667 K: 25.000 | PI STA: 5+746.30 D: 1°16'37.06" R: 2500.00 L: 55.72 | Ls: 50.000 LT: 33.334 ST: 16.667 K: 25.000 | L:668.87 |
| SUPERELEVATION | | | | | |
| Main Road @ VERTICAL SCHEMATIC | G: 0.4% L: 112.708 | R: 32211.0 K: 322.1 L: 184.245 | G: 1.0% L: 88.525 | R: 2625.2 K: 26.3 L: 77.173 | G: 3.9% L: 304.284 |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | G: -1.4% L: 112.708 | R: 4150.0 K: 41.5 L: 184.245 | G: 3.0% L: 88.525 | R: 37840.9 K: 378.4 L: 77.173 | G: 2.8% L: 368.277 |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | G: -1.4% L: 112.708 | R: 4150.0 K: 41.5 L: 184.245 | G: 3.0% L: 88.525 | R: 44298.7 K: 443.0 L: 77.173 | G: 2.8% L: 368.277 |

# LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | CHECKED BY | SIGN | DATE | | CHECKED BY | SIGN | DATE |
|---|---|---|---|---|---|---|---|
| GIS | | | | | | | |
| HIGHWAYS | | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | | MECHANICAL / HVAC | | | |

FOR INTERNAL OFFICE ONLY


CONSULTANT
STUP Consultants Pvt. Ltd.
assystem stup
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com
OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@assystem.com


OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 5600.000 TO CH: 6300.000

DRG.NO.: NO533/E/HWY/RD-329(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD




## PLAN




RD-329

RD-331

DATUM

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 875.142 880.243 / 875.341 880.635 / 875.545 881.028 / 875.742 881.420 / 875.976 881.813 / 876.232 882.206 / 876.503 882.598 / 876.704 882.991 / 876.975 883.379 / 877.264 883.756 / 877.512 884.119 / 877.654 884.470 / 877.700 884.809 / 877.799 885.134 / 877.911 885.447 / 878.081 885.748 / 878.251 886.035 / 878.394 886.310 / 878.522 886.573 / 878.621 886.823 / 878.777 887.060 / 878.940 887.284 / 879.098 887.496 / 879.230 887.695 / 879.299 887.882 / 879.323 888.056 / 879.332 888.217 / 879.347 888.366 / 879.394 888.502 / 879.444 888.625 / 878.904 888.736 / 877.570 888.834 / 877.389 888.919 / 877.325 888.992 / 877.877 889.052 / 877.552 889.099 / 877.429 889.134 / 877.408 889.156 / 877.755 889.166 / 878.062 889.170 / 878.475 889.175 / 879.118 889.179 / 879.152 889.184 / 879.164 889.188 / 879.142 889.193 / 880.175 889.197 / 881.230 889.202 / 881.173 889.206 / 880.859 889.211 / 880.736 889.215 / 880.653 889.220 / 880.642 889.224 / 880.630 889.229 / 880.671 889.233 / 880.716 889.238 / 880.831 889.242 / 880.734 889.247 / 880.608 889.250 / 880.910 889.241 / 881.175 889.218 / 881.434 889.182 / 881.099 889.132 / 880.988 889.069 / 880.808 888.992 / 880.698 888.901 / 880.592 888.797 / 880.556 888.679 / 880.556 888.548 / 880.423 888.403 / 880.315 888.245 / 880.417 888.073 |
| Main Road @ EXISTING GROUND LEVEL | 875.142 880.243 / 875.341 880.635 / 875.545 881.028 / 875.742 881.420 / 875.976 881.813 / 876.232 882.206 / 876.503 882.598 / 876.704 882.991 / 876.975 883.379 / 877.264 883.756 / 877.512 884.119 / 877.654 884.470 / 877.700 884.809 / 877.799 885.134 / 877.911 885.447 / 878.081 885.748 / 878.251 886.035 / 878.394 886.310 / 878.522 886.573 / 878.621 886.823 / 878.777 887.060 / 878.940 887.284 / 879.098 887.496 / 879.230 887.695 / 879.299 887.882 / 879.323 888.056 / 879.332 888.217 / 879.347 888.366 / 879.394 888.502 / 879.444 888.625 / 878.904 888.736 / 877.570 888.834 / 877.389 888.919 / 877.325 888.992 / 877.877 889.052 / 877.552 889.099 / 877.429 889.134 / 877.408 889.156 / 877.755 889.166 / 878.062 889.170 / 878.475 889.175 / 879.118 889.179 / 879.152 889.184 / 879.164 889.188 / 879.142 889.193 / 880.175 889.197 / 881.230 889.202 / 881.173 889.206 / 880.859 889.211 / 880.736 889.215 / 880.653 889.220 / 880.642 889.224 / 880.630 889.229 / 880.671 889.233 / 880.716 889.238 / 880.831 889.242 / 880.734 889.247 / 880.608 889.250 / 880.910 889.241 / 881.175 889.218 / 881.434 889.182 / 881.099 889.132 / 880.988 889.069 / 880.808 888.992 / 880.698 888.901 / 880.592 888.797 / 880.556 888.679 / 880.556 888.548 / 880.423 888.403 / 880.315 888.245 / 880.417 888.073 |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | Ls: 110.000 LT: 73.344 ST: 36.676 K: 54.995 / PI STA: 6+925.35 D: 2°26'11.75" R: 1050.00 L: 44.65 / Ls: 110.000 LT: 73.344 ST: 36.676 K: 54.995 |
| SUPERELEVATION | e:4.23% e:4.23% / e:4.23% e:4.23% |
| Main Road @ VERTICAL SCHEMATIC | R: 7906.9 K: 79.1 L: 306.841 / G: 0.0% L: 186.085 / R: 736 K: 73 L: 270 |
| FORMATION LEVEL LEFT SERVICE ROAD | 874.644 876.744 / 875.040 877.024 / 875.241 877.305 / 875.437 877.865 / 875.642 878.145 / 875.895 878.426 / 876.134 878.706 / 876.387 878.987 / 876.675 879.267 / 876.917 879.547 / 877.140 879.828 / 877.352 880.108 / 877.493 880.388 / 877.729 880.664 / 877.872 880.891 / 877.935 881.057 / 877.972 881.163 / 877.909 881.210 / 878.017 881.195 / 878.331 881.126 / 878.422 881.045 / 878.513 880.964 / 878.608 880.883 / 878.712 880.802 / 878.803 880.721 / 878.848 880.640 / 878.774 880.640 / 878.635 880.559 / 878.537 880.478 / 878.696 880.397 / 878.679 880.316 / 878.350 880.235 / 877.338 880.154 / 877.247 880.073 / 877.286 880.073 / 877.340 879.992 / 877.264 879.911 / 877.299 879.830 / 877.362 879.753 / 877.468 879.719 / 877.572 879.739 / 877.598 879.793 / 879.005 879.847 / 879.387 879.901 / 879.754 879.955 / 880.437 880.009 / 880.735 880.063 / 880.839 880.117 / 880.639 880.171 / 880.456 880.226 / 880.295 880.280 / 880.252 880.334 / 880.209 880.389 / 880.199 880.442 / 880.327 880.496 / 880.394 880.550 / 880.355 880.605 / 880.237 880.659 / 880.775 880.713 / 881.351 880.767 / 881.743 880.820 / 881.439 880.846 / 881.991 880.845 / 881.544 880.844 / 881.126 880.842 / 880.951 880.840 / 880.962 880.838 / 880.865 880.837 / 880.859 880.835 / 880.753 880.833 / 880.731 880.831 / 880.713 880.829 |
| GROUND LEVEL LEFT SERVICE ROAD | 874.644 876.744 / 875.040 877.024 / 875.241 877.305 / 875.437 877.865 / 875.642 878.145 / 875.895 878.426 / 876.134 878.706 / 876.387 878.987 / 876.675 879.267 / 876.917 879.547 / 877.140 879.828 / 877.352 880.108 / 877.493 880.388 / 877.729 880.664 / 877.872 880.891 / 877.935 881.057 / 877.972 881.163 / 877.909 881.210 / 878.017 881.195 / 878.331 881.126 / 878.422 881.045 / 878.513 880.964 / 878.608 880.883 / 878.712 880.802 / 878.803 880.721 / 878.848 880.640 / 878.774 880.640 / 878.635 880.559 / 878.537 880.478 / 878.696 880.397 / 878.679 880.316 / 878.350 880.235 / 877.338 880.154 / 877.247 880.073 / 877.286 880.073 / 877.340 879.992 / 877.264 879.911 / 877.299 879.830 / 877.362 879.753 / 877.468 879.719 / 877.572 879.739 / 877.598 879.793 / 879.005 879.847 / 879.387 879.901 / 879.754 879.955 / 880.437 880.009 / 880.735 880.063 / 880.839 880.117 / 880.639 880.171 / 880.456 880.226 / 880.295 880.280 / 880.252 880.334 / 880.209 880.389 / 880.199 880.442 / 880.327 880.496 / 880.394 880.550 / 880.355 880.605 / 880.237 880.659 / 880.775 880.713 / 881.351 880.767 / 881.743 880.820 / 881.439 880.846 / 881.991 880.845 / 881.544 880.844 / 881.126 880.842 / 880.951 880.840 / 880.962 880.838 / 880.865 880.837 / 880.859 880.835 / 880.753 880.833 / 880.731 880.831 / 880.713 880.829 |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | R: 1660.7 K: 16.6 L: 60.000 / G: -0.8% L: 170.108 / R: 1868.7 K: 18.7 L: 25.242 / G: 0.5% L: 196.299 / R: 2594.9 K: 25.9 L: 14.507 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 875.469 876.694 / 875.770 876.978 / 876.086 877.261 / 876.403 877.544 / 876.684 877.828 / 877.021 878.111 / 877.416 878.394 / 877.653 878.677 / 877.684 878.961 / 877.921 879.244 / 878.151 879.527 / 878.317 879.811 / 878.431 880.094 / 878.597 880.377 / 878.751 880.656 / 878.879 880.885 / 879.006 881.054 / 879.132 881.162 / 879.262 881.209 / 879.397 881.195 / 879.519 881.125 / 879.630 881.045 / 879.721 880.964 / 879.817 880.883 / 879.926 880.802 / 880.046 880.721 / 880.160 880.640 / 880.212 880.559 / 880.271 880.478 / 880.349 880.397 / 880.153 880.316 / 876.852 880.235 / 877.808 880.154 / 877.969 880.073 / 878.223 879.992 / 878.608 879.911 / 878.824 879.830 / 879.256 879.753 / 879.247 879.719 / 879.250 879.739 / 879.184 879.792 / 879.184 879.846 / 879.194 879.901 / 879.197 879.955 / 880.071 880.009 / 880.931 880.063 / 881.436 880.117 / 881.793 880.171 / 881.557 880.225 / 881.424 880.280 / 881.443 880.334 / 881.462 880.389 / 881.389 880.442 / 881.260 880.496 / 880.857 880.550 / 880.454 880.604 / 880.050 880.659 / 879.871 880.713 / 880.174 880.767 / 880.477 880.814 / 880.872 880.830 / 881.278 880.834 / 881.076 880.825 / 881.256 880.816 / 881.387 880.807 / 881.330 880.798 / 881.295 880.788 / 881.277 880.779 / 881.241 880.770 / 881.163 880.761 / 881.227 880.752 |
| GROUND LEVEL RIGHT SERVICE ROAD | 875.469 876.694 / 875.770 876.978 / 876.086 877.261 / 876.403 877.544 / 876.684 877.828 / 877.021 878.111 / 877.416 878.394 / 877.653 878.677 / 877.684 878.961 / 877.921 879.244 / 878.151 879.527 / 878.317 879.811 / 878.431 880.094 / 878.597 880.377 / 878.751 880.656 / 878.879 880.885 / 879.006 881.054 / 879.132 881.162 / 879.262 881.209 / 879.397 881.195 / 879.519 881.125 / 879.630 881.045 / 879.721 880.964 / 879.817 880.883 / 879.926 880.802 / 880.046 880.721 / 880.160 880.640 / 880.212 880.559 / 880.271 880.478 / 880.349 880.397 / 880.153 880.316 / 876.852 880.235 / 877.808 880.154 / 877.969 880.073 / 878.223 879.992 / 878.608 879.911 / 878.824 879.830 / 879.256 879.753 / 879.247 879.719 / 879.250 879.739 / 879.184 879.792 / 879.184 879.846 / 879.194 879.901 / 879.197 879.955 / 880.071 880.009 / 880.931 880.063 / 881.436 880.117 / 881.793 880.171 / 881.557 880.225 / 881.424 880.280 / 881.443 880.334 / 881.462 880.389 / 881.389 880.442 / 881.260 880.496 / 880.857 880.550 / 880.454 880.604 / 880.050 880.659 / 879.871 880.713 / 880.174 880.767 / 880.477 880.814 / 880.872 880.830 / 881.278 880.834 / 881.076 880.825 / 881.256 880.816 / 881.387 880.807 / 881.330 880.798 / 881.295 880.788 / 881.277 880.779 / 881.241 880.770 / 881.163 880.761 / 881.227 880.752 |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | R: 1647.1 K: 16.5 L: 60.000 / G: -0.8% L: 170.108 / R: 1868.4 K: 18.7 L: 25.244 / G: 0.5% L: 190.794 / R: 4029.1 K: 40.3 L: 25.516 |
| PROJECT CHAINAGE (m) | 6+300 6+310 6+320 6+330 6+340 6+350 6+360 6+370 6+380 6+390 6+400 6+410 6+420 6+430 6+440 6+450 6+460 6+470 6+480 6+490 6+500 6+510 6+520 6+530 6+540 6+550 6+560 6+570 6+580 6+590 6+600 6+610 6+620 6+630 6+640 6+650 6+660 6+670 6+680 6+690 6+700 6+710 6+720 6+730 6+740 6+750 6+760 6+770 6+780 6+790 6+800 6+810 6+820 6+830 6+840 6+850 6+860 6+870 6+880 6+890 6+900 6+910 6+920 6+930 6+940 6+950 6+960 6+970 6+980 6+990 7+000 |

# LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :
Unit No.2702, 27th Floor, Rajvi Renaissance, Plot-3-33 & D-207, Thane Belapur Road, Airoli Navi Mumbai, Turbhe, Navi Mumbai, Thane, Maharashtra-400705
Tel. +91 (022) 66967777,
E-mail: mumbai@stuptech.com
OFFICE OF ORIGIN :
RS, JP & Smt Jeshasheher Arcade 4th Floor, Millers Road Bengaluru – 560 052
Tel.: 080 – 40 38 79 79
Email : bangalore@stuptech.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 6300.000 TO CH: 7000.000

DRG.NO.: NO533/E/HWY/RD-330(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:1000

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD




PLAN


PROPOSED 8/1
Proposal | New construction
Chainage | 7+250
Type of Str | UTILITY CROSSING
Nos/Span | 1m DIA NP4 Pipe
PROPOSED 8/2
Proposal | New construction
Chainage | 7+412
Type of Str | BOX CULVERT
Nos/Span | 1X2
CH: 7+135.72 LVL: 884.39
CH: 7+138.85 LVL: 884.28
CH: 7+521.18 LVL: 881.64
RD-330
RD-332
DATUM
Main Road @ FINISHED ROAD LEVEL
Main Road @ EXISTING GROUND LEVEL
HORIZONTAL GEOMETRY AT ROAD CENTER (m)
L:1837.73
SUPERELEVATION
Main Road @ VERTICAL SCHEMATIC
R: 7360.0 K: 73.6 L: 270.686
G: 0.6% L: 3.035
R: 6500.0 K: 65.0 L: 382.328
G: 2.2% L: 297.531
FORMATION LEVEL LEFT SERVICE ROAD
GROUND LEVEL LEFT SERVICE ROAD
VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m)
G: -0.0% L: 297.746
R: 2502.4 K: 23.9 L: 60.000
G: -2.5% L: 9.062
R: 3769.6 K: 37.7 L: 180.000
G: 2.2% L: 366.365
FORMATION LEVEL RIGHT SERVICE ROAD
GROUND LEVEL RIGHT SERVICE ROAD
VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m)
G: -0.1% L: 307.242
R: 1280.8 K: 12.8 L: 30.000
G: -2.4% L: 24.089
R: 3843.3 K: 38.4 L: 180.000
G: 2.2% L: 370.776
PROJECT CHAINAGE (m)

LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.1703, 17th Floor, Rupa Renaissance, P.No.2–13 & 2–207, Ganapur, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra, 400705.
Tel. +91 22622 60047777,
E-mail: mumbai@stuptem.com
OFFICE OF ORIGIN : #16, 4th & 5th Floor, Jambusaheer Arcade, 4th Floor, Millers Road Bengaluru – 560 052
Tel.: 080 – 40 38 79 79
Email : bangalore@stuptem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

DATE: 13–01–2026

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 7000.000 TO CH: 7700.000

DRG.NO.: NO533/E/HWY/RD–331(R0)

DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC

SCALE: HOR= 1:1000 VER= 1:100

A1

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ←

HOSUR ROAD →




## PLAN




| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | FORMATION LEVEL LEFT SERVICE ROAD | GROUND LEVEL LEFT SERVICE ROAD | FORMATION LEVEL RIGHT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|---|---|
| 7+700 | 885.657 | 882.707 | 885.197 | 882.851 | 885.067 | 883.661 |
| 7+710 | 885.882 | 882.766 | 885.422 | 883.069 | 885.292 | 883.967 |
| 7+720 | 886.107 | 882.493 | 885.647 | 883.437 | 885.517 | 884.241 |
| 7+730 | 886.332 | 882.745 | 885.872 | 883.870 | 885.742 | 884.113 |
| 7+740 | 886.557 | 883.460 | 886.097 | 884.588 | 885.967 | 883.985 |
| 7+750 | 886.782 | 884.163 | 886.322 | 884.962 | 886.192 | 884.136 |
| 7+760 | 887.007 | 884.785 | 886.547 | 885.272 | 886.417 | 885.038 |
| 7+770 | 887.232 | 885.304 | 886.772 | 885.742 | 886.642 | 886.146 |
| 7+780 | 887.457 | 885.664 | 886.997 | 886.212 | 886.867 | 886.622 |
| 7+790 | 887.681 | 886.606 | 887.221 | 886.692 | 887.091 | 886.800 |
| 7+800 | 887.906 | 886.008 | 887.446 | 887.104 | 887.316 | 886.920 |
| 7+810 | 888.131 | 885.692 | 887.671 | 887.056 | 887.541 | 886.865 |
| 7+820 | 888.356 | 886.637 | 887.895 | 887.313 | 887.766 | 887.482 |
| 7+830 | 888.576 | 887.724 | 888.113 | 887.800 | 887.986 | 887.886 |
| 7+840 | 888.789 | 887.909 | 888.322 | 888.071 | 888.197 | 888.112 |
| 7+850 | 888.995 | 888.100 | 888.522 | 888.747 | 888.397 | 888.329 |
| 7+860 | 889.193 | 888.347 | 888.715 | 889.750 | 888.589 | 888.410 |
| 7+870 | 889.383 | 888.828 | 888.900 | 890.747 | 888.770 | 888.500 |
| 7+880 | 889.567 | 889.342 | 889.076 | 890.808 | 888.942 | 888.866 |
| 7+890 | 889.743 | 889.968 | 889.245 | 890.843 | 889.105 | 889.594 |
| 7+900 | 889.911 | 891.057 | 889.405 | 890.757 | 889.258 | 890.334 |
| 7+910 | 890.072 | 891.318 | 889.569 | 891.060 | 889.469 | 891.044 |
| 7+920 | 890.226 | 891.508 | 889.848 | 891.368 | 889.807 | 891.684 |
| 7+930 | 890.372 | 891.803 | 890.261 | 891.668 | 890.207 | 892.109 |
| 7+940 | 890.510 | 892.196 | 890.701 | 891.899 | 890.607 | 892.556 |
| 7+950 | 890.642 | 892.609 | 891.141 | 892.355 | 891.007 | 892.998 |
| 7+960 | 890.766 | 893.047 | 891.581 | 892.811 | 891.407 | 893.740 |
| 7+970 | 890.882 | 893.750 | 892.021 | 893.292 | 891.807 | 893.410 |
| 7+980 | 890.992 | 894.479 | 892.461 | 893.613 | 892.207 | 893.303 |
| 7+990 | 891.093 | 894.896 | 892.902 | 893.947 | 892.607 | 894.740 |
| 8+000 | 891.188 | 895.306 | 893.342 | 894.602 | 893.007 | 896.029 |
| 8+010 | 891.275 | 895.671 | 893.782 | 895.261 | 893.407 | 896.307 |
| 8+020 | 891.354 | 896.043 | 894.222 | 895.582 | 893.807 | 896.567 |
| 8+030 | 891.426 | 896.438 | 894.662 | 895.910 | 894.207 | 896.814 |
| 8+040 | 891.491 | 896.813 | 895.102 | 896.296 | 894.607 | 897.068 |
| 8+050 | 891.548 | 896.948 | 895.543 | 896.556 | 895.007 | 897.406 |
| 8+060 | 891.598 | 897.147 | 895.983 | 896.833 | 895.407 | 897.766 |
| 8+070 | 891.641 | 897.433 | 896.423 | 896.996 | 895.807 | 898.113 |
| 8+080 | 891.676 | 897.834 | 896.863 | 897.316 | 896.207 | 898.701 |
| 8+090 | 891.703 | 898.223 | 897.303 | 897.643 | 896.607 | 899.280 |
| 8+100 | 891.724 | 898.629 | 897.743 | 898.024 | 897.007 | 899.720 |
| 8+110 | 891.736 | 899.109 | 898.184 | 898.334 | 897.407 | 900.160 |
| 8+120 | 891.742 | 899.554 | 898.624 | 898.653 | 897.807 | 900.576 |
| 8+130 | 891.742 | 899.690 | 899.064 | 898.809 | 898.207 | 900.717 |
| 8+140 | 891.742 | 899.826 | 899.504 | 898.937 | 898.607 | 900.760 |
| 8+150 | 891.742 | 899.963 | 899.944 | 899.064 | 899.007 | 900.712 |
| 8+160 | 891.742 | 900.034 | 900.359 | 899.321 | 899.384 | 900.658 |
| 8+170 | 891.742 | 900.069 | 900.595 | 899.586 | 899.599 | 900.627 |
| 8+180 | 891.742 | 900.019 | 900.627 | 899.631 | 899.628 | 900.611 |
| 8+190 | 891.742 | 900.031 | 900.456 | 899.651 | 899.472 | 900.625 |
| 8+200 | 891.742 | 899.914 | 900.106 | 899.764 | 899.153 | 900.406 |
| 8+210 | 891.742 | 899.834 | 899.730 | 899.819 | 898.812 | 900.092 |
| 8+220 | 891.739 | 899.858 | 899.354 | 899.792 | 898.470 | 899.631 |
| 8+230 | 891.734 | 899.710 | 898.979 | 899.792 | 898.128 | 899.148 |
| 8+240 | 891.727 | 899.508 | 898.603 | 899.578 | 897.786 | 898.767 |
| 8+250 | 891.717 | 899.135 | 898.227 | 899.364 | 897.445 | 898.452 |
| 8+260 | 891.704 | 898.745 | 897.852 | 899.146 | 897.103 | 898.094 |
| 8+270 | 891.689 | 898.371 | 897.476 | 898.636 | 896.761 | 897.773 |
| 8+280 | 891.671 | 897.929 | 897.101 | 898.122 | 896.420 | 897.623 |
| 8+290 | 891.651 | 897.364 | 896.725 | 897.609 | 896.078 | 897.233 |
| 8+300 | 891.628 | 896.785 | 896.349 | 897.234 | 895.736 | 896.571 |
| 8+310 | 891.602 | 896.653 | 895.974 | 897.206 | 895.395 | 895.933 |
| 8+320 | 891.574 | 896.473 | 895.598 | 897.230 | 895.053 | 895.731 |
| 8+330 | 891.544 | 895.913 | 895.222 | 897.075 | 894.711 | 895.375 |
| 8+340 | 891.510 | 895.368 | 894.847 | 896.803 | 894.370 | 894.915 |
| 8+350 | 891.475 | 894.968 | 894.471 | 896.234 | 894.028 | 894.468 |
| 8+360 | 891.437 | 894.574 | 894.096 | 895.535 | 893.686 | 894.022 |
| 8+370 | 891.397 | 894.192 | 893.720 | 894.680 | 893.345 | 893.614 |
| 8+380 | 891.357 | 893.933 | 893.344 | 894.031 | 893.003 | 893.326 |
| 8+390 | 891.317 | 893.651 | 892.969 | 893.784 | 892.661 | 893.038 |
| 8+400 | 891.278 | 893.402 | 892.593 | 893.580 | 892.319 | 892.675 |

HORIZONTAL GEOMETRY AT ROAD CENTER (m)

SUPERELEVATION

Main Road @ VERTICAL SCHEMATIC: R: 13500.0 K: 135.0 L: 303.648; G: 0.0% L: 83.082; R: 39080.9 K: 390.8 L: 155.342

VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m): R: 12306.3 K: 123.1 L: 90.000; G: 1.5% L: 0.736; R: 693.6 K: 6.9 L: 20.000; G: 4.4% L: 228.838; R: 490.3 K: 4.9 L: 40.000; G: -3.8% L: 275.588

VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m): R: 10426.5 K: 104.3 L: 80.000; G: 1.5% L: 0.104; R: 794.2 K: 7.9 L: 20.000; G: 4.0% L: 235.058; R: 539.3 K: 5.4 L: 40.000; G: -3.4% L: 275.588

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL –1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION ☐ INFORMATION ☐ TENDER ☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT: STUP Consultants Pvt. Ltd. (assystem stup)

REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com

OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 7700.000 TO CH: 8400.000

DRG.NO.: N0533/E/HWY/RD–332(R0)

DATE 13–01–2026 | DRAWN NRG | PREPARED ADJ | CHECKED SP | APPROVED AC

SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD




PLAN




LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |

| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |
|---|---|---|---|---|---|

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Flory, Raja Ramchandra, F.No.3-23 & D-207, Juinagar, MIDC ITC Industrial Area, Sector-1, Kopar Khairane, Navi Mumbai - 400709. Tel: +91 (022) 68067777, E-mail: mumbai@stupform.com
OFFICE OF ORIGIN : #85, JP & Devi Jambulashwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@stupform.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 8400.000 TO CH: 9100.000

DRG.NO.: NO533/E/HWY/RD-333(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

| PROPOSED | 10/1 |
|---|---|
| Proposal | New construction |
| Chainage | 9+151 |
| Type of Str | BOX CULVERT |
| Nos/Span | 1X2 |

| PROPOSED | 10/2 |
|---|---|
| Proposal | New construction |
| Chainage | 9+386 |
| Type of Str | BOX CULVERT |
| Nos/Span | 1X3 |

| PROPOSED | 10/3 |
|---|---|
| Proposal | New construction |
| Chainage | 9+690 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |




PLAN

APPROACH PORTION
LENGTH = 505




RD-333

RD-335

DATUM

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 877.267 888.789 / 877.086 888.614 / 877.110 888.427 / 877.423 888.226 / 877.596 888.013 / 877.707 887.795 / 877.662 887.576 / 877.713 887.357 / 877.792 887.138 / 877.943 886.919 / 878.130 886.700 / 878.472 886.481 / 878.781 886.276 / 879.002 886.094 / 879.339 885.936 / 879.356 885.803 / 879.584 885.693 / 880.063 885.608 / 880.442 885.546 / 880.531 885.509 / 880.878 885.496 / 881.113 885.507 / 881.342 885.531 / 881.545 885.555 / 881.692 885.579 / 881.938 885.603 / 882.193 885.627 / 882.501 885.651 / 882.716 885.675 / 882.880 885.699 / 883.213 885.723 / 883.550 885.747 / 883.747 885.771 / 883.873 885.795 / 884.137 885.819 / 884.255 885.843 / 884.439 885.867 / 884.754 885.891 / 885.147 885.915 / 885.188 885.943 / 885.291 885.962 / 885.429 886.032 / 885.607 886.091 / 886.016 886.162 / 886.233 886.243 / 886.375 886.334 / 886.548 886.436 / 886.806 886.548 / 886.867 886.671 / 886.805 886.805 / 886.931 886.945 / 886.290 887.086 / 886.502 887.227 / 886.632 887.365 / 886.809 887.496 / 887.026 887.621 / 887.252 887.738 / 887.486 887.848 / 887.656 887.951 / 888.142 888.047 / 888.400 888.136 / 888.621 888.218 / 888.875 888.293 / 888.365 888.360 / 888.529 888.421 / 888.830 888.475 / 889.091 888.522 / 889.367 888.561 / 889.329 888.594 / 889.095 888.620 / 889.424 888.638 |
| Main Road @ EXISTING GROUND LEVEL | |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | PI STA: 9+444.98 D: 2°53'29.22" R: 4485.00 L: 226.34 / L:205.04 |
| SUPERELEVATION | |
| Main Road @ VERTICAL SCHEMATIC | G: -2.2% L: 70.025 / R: 4150.0 K: 41.5 L: 100.789 / G: 0.2% L: 170.560 / R: 9505.4 K: 95.1 L: 111.059 / G: 1.4% L: 29.264 / R: 14210.9 K: 142.1 L: 280.436 |
| FORMATION LEVEL LEFT SERVICE ROAD | 876.205 878.802 / 876.334 879.031 / 876.696 879.349 / 877.229 879.676 / 877.723 880.005 / 877.673 880.334 / 877.687 880.663 / 877.710 880.991 / 877.746 881.320 / 877.975 881.649 / 878.307 881.978 / 878.766 882.307 / 878.838 882.635 / 878.857 882.964 / 878.879 883.293 / 879.087 883.611 / 880.095 883.909 / 880.382 884.158 / 880.517 884.386 / 880.742 884.583 / 880.997 884.751 / 881.214 884.889 / 881.406 884.995 / 881.598 885.072 / 881.789 885.118 / 881.977 885.143 / 882.160 885.167 / 882.344 885.191 / 882.566 885.215 / 882.795 885.239 / 883.056 885.263 / 883.312 885.287 / 883.545 885.311 / 883.772 885.335 / 883.988 885.359 / 884.191 885.383 / 884.349 885.407 / 884.569 885.431 / 884.822 885.455 / 885.039 885.483 / 885.245 885.522 / 885.419 885.572 / 885.587 885.631 / 885.727 885.702 / 885.864 885.783 / 885.990 885.874 / 886.115 885.976 / 886.063 886.088 / 885.889 886.211 / 885.421 886.345 / 886.049 886.485 / 886.419 886.625 / 886.933 886.767 / 887.248 886.905 / 887.310 887.036 / 887.354 887.161 / 887.405 887.279 / 887.448 887.388 / 887.664 887.491 / 887.890 887.587 / 888.111 887.676 / 888.335 887.759 / 888.315 887.833 / 888.333 887.900 / 888.167 887.961 / 888.350 888.015 / 889.052 888.062 / 889.200 888.102 / 889.175 888.134 / 889.433 888.160 / 889.705 888.179 |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | G: 3.3% L: 126.691 / R: 3307.0 K: 33.1 L: 100.789 / G: 0.2% L: 138.516 / R: 9505.0 K: 95.1 L: 111.059 / G: 1.4% L: 29.264 / R: 14210.0 K: 142.1 L: 280.436 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 877.409 878.795 / 877.447 879.019 / 877.469 879.330 / 877.549 879.652 / 877.617 879.974 / 877.716 880.296 / 877.831 880.619 / 877.902 880.941 / 877.959 881.263 / 877.967 881.585 / 877.862 881.908 / 878.311 882.230 / 878.647 882.552 / 878.937 882.875 / 878.948 883.197 / 878.774 883.509 / 878.603 883.791 / 879.118 884.045 / 879.624 884.269 / 880.274 884.402 / 880.820 884.627 / 881.024 884.761 / 881.245 884.867 / 881.524 884.942 / 881.787 884.988 / 882.042 885.013 / 882.245 885.037 / 882.446 885.061 / 882.674 885.085 / 882.896 885.109 / 883.089 885.133 / 883.303 885.157 / 883.569 885.181 / 883.854 885.205 / 884.168 885.229 / 884.443 885.253 / 884.691 885.277 / 884.906 885.301 / 885.121 885.325 / 885.414 885.353 / 885.735 885.392 / 886.000 885.442 / 886.255 885.501 / 886.096 885.572 / 885.936 885.653 / 885.990 885.744 / 886.007 885.846 / 886.189 885.958 / 886.156 886.081 / 886.210 886.215 / 886.414 886.355 / 886.649 886.498 / 886.854 886.637 / 886.949 886.775 / 887.110 886.906 / 887.275 887.031 / 887.449 887.149 / 887.872 887.258 / 888.282 887.361 / 888.653 887.457 / 889.016 887.546 / 889.123 887.628 / 889.241 887.703 / 889.556 887.770 / 889.789 887.831 / 889.829 887.885 / 889.784 887.932 / 890.299 887.972 / 890.510 888.004 / 890.705 888.030 / 890.720 888.048 |
| GROUND LEVEL RIGHT SERVICE ROAD | |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | G: 3.2% L: 126.691 / R: 3379.2 K: 33.8 L: 100.789 / G: 0.2% L: 138.516 / R: 9505.0 K: 95.1 L: 111.059 / G: 1.4% L: 29.264 / R: 14210.0 K: 142.1 L: 280.436 |
| PROJECT CHAINAGE (m) | 9+100 / 9+110 / 9+120 / 9+130 / 9+140 / 9+150 / 9+160 / 9+170 / 9+180 / 9+190 / 9+200 / 9+210 / 9+220 / 9+230 / 9+240 / 9+250 / 9+260 / 9+270 / 9+280 / 9+290 / 9+300 / 9+310 / 9+320 / 9+330 / 9+340 / 9+350 / 9+360 / 9+370 / 9+380 / 9+390 / 9+400 / 9+410 / 9+420 / 9+430 / 9+440 / 9+450 / 9+460 / 9+470 / 9+480 / 9+490 / 9+500 / 9+510 / 9+520 / 9+530 / 9+540 / 9+550 / 9+560 / 9+570 / 9+580 / 9+590 / 9+600 / 9+610 / 9+620 / 9+630 / 9+640 / 9+650 / 9+660 / 9+670 / 9+680 / 9+690 / 9+700 / 9+710 / 9+720 / 9+730 / 9+740 / 9+750 / 9+760 / 9+770 / 9+780 / 9+790 / 9+800 |

# LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | MAJOR STRUCTURES | | | |
| HIGHWAYS | | | | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :
Unit No.2702, 27th Floor, Rajvi Renaissance, Plot-3-33 & D-207, Thane Belapur Road, Airoli Navi Mumbai, Turbhe, Navi Mumbai, Thane, Maharashtra-400708.
Tel: +91 (022) 40407777,
E-mail: mumbai@stuptech.com
OFFICE OF ORIGIN :
RS, JP & Smt Jambulatchmi Arcade 4th Floor, Millers Road Bengaluru – 560 052
Tel.: 080 – 40 38 79 79
Email : bangalore@stuptech.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 9100.000 TO CH: 9800.000

DRG.NO.: NO533/E/HWY/RD–334(R0)

DATE: 13–01–2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT




| PROPOSED | 11/1 |
|---|---|
| Proposal | New construction |
| Chainage | 10+234 |
| Type of Str | BOX CULVERT |
| Nos/Span | 1X2 |

## PLAN

APPROACH PORTION
LENGTH = 515




| PROPOSED | 11/1 |
|---|---|
| Proposal | New construction |
| Chainage | 10+234 |
| Type of Str | BOX CULVERT |
| Nos/Span | 1X2 |

RD-334

RD-336

DATUM

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 889.424 888.838 / 890.051 888.650 / 890.172 888.654 / 890.055 888.652 / 889.954 888.942 / 889.718 888.826 / 889.395 888.602 / 889.170 888.572 / 888.892 888.534 / 888.797 888.489 / 888.439 888.437 / 888.069 888.381 / 887.601 888.324 / 887.114 888.268 / 886.882 888.211 / 886.891 888.155 / 886.566 888.099 / 886.281 888.042 / 886.056 887.985 / 885.958 887.929 / 885.892 887.872 / 885.664 887.816 / 885.529 887.759 / 885.889 887.703 / 885.874 887.646 / 885.650 887.590 / 885.961 887.533 / 885.881 887.477 / 885.740 887.420 / 885.705 887.372 / 885.590 887.340 / 885.189 887.325 / 884.744 887.326 / 884.531 887.343 / 884.357 887.376 / 884.288 887.426 / 884.219 887.492 / 884.365 887.574 / 884.394 887.673 / 883.727 887.788 / 883.054 887.919 / 883.255 888.066 / 883.997 888.230 / 884.694 888.410 / 885.465 888.607 / 885.687 888.819 / 886.841 889.048 / 885.408 889.294 / 884.830 889.555 / 885.842 889.833 / 886.594 890.127 / 887.337 890.438 / 887.935 890.765 / 888.224 891.108 / 888.523 891.467 / 889.020 892.235 / 889.216 892.635 / 889.464 893.035 / 889.650 893.435 / 889.808 893.835 / 889.970 894.235 / 890.028 894.635 / 889.842 895.035 / 889.899 895.435 / 889.765 895.835 / 889.648 896.235 / 889.447 896.635 / 889.120 897.035 / 888.893 897.435 / 888.599 897.835 |
| Main Road @ EXISTING GROUND LEVEL | |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | Ls: 130.000 LT: 86.689 ST: 43.353 K: 64.990 / PI STA: 9+961.12 D: 7°05'37.66" R: 935.00 L: 115.76 / Ls: 130.000 LT: 86.689 ST: 43.353 K: 64.990 / L:205.94 / PI STA: 10+185.65 D: 8°03'09.58" R: 2000.00 L: 281.09 |
| SUPERELEVATION | e:4.78% e:-4.78% / e:4.78% e:-4.78% / e:2.22% e:-2.22% |
| Main Road @ VERTICAL SCHEMATIC | G: -0.6% L: 178.160 / R: 6133.7 K: 61.3 L: 280.000 / G: 4.0% L: 154.925 |
| FORMATION LEVEL LEFT SERVICE ROAD | 889.705 888.178 / 889.822 888.190 / 889.851 888.194 / 889.896 888.192 / 889.723 888.182 / 889.610 888.166 / 889.501 888.142 / 889.205 888.112 / 888.882 888.074 / 888.536 888.029 / 888.290 887.977 / 887.915 887.921 / 887.515 887.864 / 887.136 887.808 / 886.651 887.751 / 886.590 887.695 / 886.291 887.638 / 885.989 887.582 / 885.743 887.525 / 885.606 887.469 / 885.501 887.412 / 885.432 887.356 / 885.628 887.299 / 885.569 887.243 / 885.489 887.186 / 885.372 887.130 / 885.313 887.073 / 885.154 887.017 / 885.151 886.960 / 885.123 886.909 / 884.872 886.865 / 884.620 886.830 / 884.206 886.803 / 884.178 886.786 / 884.282 886.777 / 884.566 886.776 / 884.751 886.784 / 884.827 886.801 / 884.730 886.825 / 884.610 886.860 / 884.263 886.902 / 884.299 886.953 / 884.592 887.013 / 885.711 887.081 / 886.599 887.156 / 887.284 887.243 / 887.317 887.337 / 887.454 887.439 / 885.513 887.550 / 888.223 887.670 / 887.094 887.798 / 887.632 887.935 / 888.259 888.081 / 888.637 888.235 / 888.887 888.397 / 889.090 888.569 / 889.271 888.748 / 889.465 888.932 / 889.650 889.116 / 889.819 889.301 / 889.964 889.485 / 890.073 889.669 / 890.118 889.853 / 890.036 890.037 / 889.912 890.221 / 889.767 890.405 / 889.561 890.589 / 889.274 890.773 / 888.927 890.957 / 888.624 891.141 / 888.439 891.325 |
| GROUND LEVEL LEFT SERVICE ROAD | |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | G: -0.6% L: 178.161 / R: 11641.7 K: 116.4 L: 280.000 / G: 1.8% L: 152.413 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 888.048 / 888.060 / 888.064 / 888.062 / 888.037 / 888.052 / 888.036 / 888.012 / 887.982 / 887.944 / 887.899 / 887.847 / 887.791 / 887.734 / 887.679 / 887.621 / 887.565 / 887.508 / 887.452 / 887.395 / 887.339 / 887.282 / 887.226 / 887.169 / 887.113 / 887.056 / 886.943 / 886.887 / 886.830 / 886.778 / 886.735 / 886.701 / 886.675 / 886.658 / 886.649 / 886.650 / 886.659 / 886.677 / 886.704 / 886.739 / 886.783 / 886.836 / 886.899 / 886.968 / 887.047 / 887.135 / 887.232 / 887.337 / 887.451 / 887.574 / 887.706 / 887.846 / 887.995 / 888.153 / 888.319 / 888.495 / 888.679 / 888.867 / 889.063 / 889.266 / 889.475 / 889.689 / 889.907 / 890.126 / 890.345 / 890.562 / 890.750 / 890.919 / 891.127 / 891.315 |
| GROUND LEVEL RIGHT SERVICE ROAD | |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | G: -0.6% L: 178.161 / R: 11436.9 K: 114.4 L: 280.000 / G: 1.9% L: 152.413 |
| PROJECT CHAINAGE (m) | 9+800 / 9+810 / 9+820 / 9+830 / 9+840 / 9+850 / 9+860 / 9+870 / 9+880 / 9+890 / 9+900 / 9+910 / 9+920 / 9+930 / 9+940 / 9+950 / 9+960 / 9+970 / 9+980 / 9+990 / 10+000 / 10+010 / 10+020 / 10+030 / 10+040 / 10+050 / 10+060 / 10+070 / 10+080 / 10+090 / 10+100 / 10+110 / 10+120 / 10+130 / 10+140 / 10+150 / 10+160 / 10+170 / 10+180 / 10+190 / 10+200 / 10+210 / 10+220 / 10+230 / 10+240 / 10+250 / 10+260 / 10+270 / 10+280 / 10+290 / 10+300 / 10+310 / 10+320 / 10+330 / 10+340 / 10+350 / 10+360 / 10+370 / 10+380 / 10+390 / 10+400 / 10+410 / 10+420 / 10+430 / 10+440 / 10+450 / 10+460 / 10+470 / 10+480 / 10+490 / 10+500 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD–07 : TYPICAL CROSS SECTION SCHEDULE
   * RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | MAJOR STRUCTURES | | | |
| HIGHWAYS | | | | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rajvi Renaissance, Plot-3-33 & D-207, Thane Belapur Road, Airoli Navi Mumbai, Turbhe, Navi Mumbai, Thane, Maharashtra-400708. Tel.: (022) 68667777, E-mail: mumbai@stupinc.com
OFFICE OF ORIGIN : 8th, 9th, 8th & 2nd Jambusheer Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 38 79 79 Email : bangalore@stupinc.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

DATE: 13-01-2026

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 9800.000 TO CH: 10500.000

DRG.NO.: NO533/E/HWY/RD–335(R0)

DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:1000

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

| PROPOSED | |
|---|---|
| Proposal | New construction 11/2 |
| Chainage | 10+700 |
| Type of Str | VUP |
| Nos/Span | 2X35 |

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

CH:10500 CH:10600 CH:10700 CH:10800 CH:10900 VUP APPROACH PORTION END CH: 10930 CH:11000 CH:11100 CH:11200

MUD ROAD

50.00 MEDIAN TAPER FROM 4M TO 3M

EUCALYPTUS TREE PLANTATION

PLANTATION

35.00 35.00 14.00 14.00

MATCH LINE MATCH LINE

PROW RCC SHED ACS

## PLAN

| PROPOSED 11/2 | |
|---|---|
| Proposal | New construction |
| Chainage | 10+700 |
| Type of Str | VUP |
| Nos/Span | 2X35 |

APPROACH PORTION LENGTH = 195

CH: 10+514.80 GL LVL: 898.43

CH: 10+645.20 GL LVL: 901.04

CH: 10+815.83 GL LVL: 901.64

CH: 10+940.83 GL LVL: 902.50

RD-335 RD-337

DATUM

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 888.599 897.835 888.356 898.235 888.139 898.631 887.922 899.000 887.754 899.338 887.379 899.845 886.828 899.922 886.260 900.168 885.667 900.383 885.390 900.569 885.710 900.722 886.055 900.845 886.481 900.938 886.481 901.000 886.782 901.031 887.250 901.035 887.722 901.035 888.286 901.035 888.957 901.035 889.772 901.035 890.447 901.035 891.174 901.035 891.659 901.035 892.437 901.035 892.436 901.035 893.664 901.035 894.627 901.035 895.198 901.035 895.873 901.035 896.539 901.035 897.715 901.035 898.273 901.035 898.400 901.037 898.528 901.054 898.692 901.090 898.638 901.145 898.494 901.219 896.350 901.311 896.210 901.422 896.453 901.553 899.348 901.701 899.387 901.869 898.953 902.096 899.719 902.261 900.909 902.485 901.370 902.720 901.299 902.955 901.679 903.190 901.891 903.425 901.695 903.660 901.290 903.895 901.751 904.130 902.564 904.365 903.338 904.600 903.876 904.835 904.310 905.071 905.497 905.306 906.353 905.541 907.262 905.776 908.116 906.011 909.237 906.246 910.458 906.481 911.618 906.716 913.313 906.951 914.390 907.186 915.269 907.421 914.660 907.656 913.568 907.891 913.125 908.126 912.150 908.361 910.661 908.596 |
| Main Road @ EXISTING GROUND LEVEL | |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | L:665.48 |
| SUPERELEVATION | e:2.22% e:-2.22% |
| Main Road @ VERTICAL SCHEMATIC | R: 3260.0 K: 32.6 L: 130.400 G: 0.0% L: 170.625 R: 5317.9 K: 53.2 L: 125.000 |
| FORMATION LEVEL LEFT SERVICE ROAD | 888.439 891.325 888.244 891.509 888.026 891.670 887.797 891.750 887.532 891.780 887.083 891.816 886.371 891.848 885.745 891.879 885.335 891.908 885.077 891.938 885.313 891.969 885.712 891.998 886.519 892.029 887.185 892.059 887.290 892.089 886.921 892.119 887.391 892.148 887.985 892.178 888.761 892.208 889.576 892.238 890.136 892.268 890.872 892.298 891.614 892.328 892.325 892.358 892.893 892.389 893.576 892.465 894.438 892.696 895.374 893.063 896.024 893.456 896.597 893.850 897.189 894.243 897.419 894.635 897.523 895.029 897.621 895.422 897.735 895.815 897.716 896.208 897.676 896.601 897.616 896.994 897.237 897.387 897.175 897.780 897.284 898.173 897.747 898.567 898.211 898.960 898.626 899.353 898.734 899.746 898.429 900.139 898.656 900.532 899.169 900.925 899.489 901.318 899.294 901.711 899.415 902.104 899.957 902.497 900.678 902.891 901.356 903.284 901.653 903.677 901.976 904.070 903.164 904.463 904.594 904.856 905.639 905.250 906.479 905.644 907.320 906.037 908.551 908.680 910.613 911.465 912.250 912.598 911.283 910.408 909.419 908.207 |
| GROUND LEVEL LEFT SERVICE ROAD | |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | R: 1298.7 K: 13.0 L: 20.000 G: 0.3% L: 209.611 R: 660.0 K: 6.6 L: 23.953 G: 3.9% L: 308.357 R: 1265.8 K: 12.7 L: 20.000 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 888.907 891.315 888.603 891.504 888.303 891.668 888.037 891.756 887.709 891.788 887.728 891.818 887.547 891.848 887.229 891.878 886.823 891.908 886.604 891.938 886.664 891.968 886.816 891.998 886.862 892.028 886.823 892.058 886.760 892.088 886.894 892.118 887.291 892.148 887.581 892.178 888.538 892.208 889.801 892.238 890.559 892.268 890.934 892.298 891.658 892.328 892.515 892.358 893.149 892.388 894.177 892.465 895.020 892.693 895.060 893.057 895.759 893.449 896.830 893.836 897.869 894.225 898.387 894.614 899.025 895.003 899.629 895.392 899.811 895.781 899.738 896.170 899.637 896.560 899.782 896.949 900.738 897.338 901.237 897.727 901.237 898.116 901.489 898.505 902.062 898.894 902.062 899.284 903.167 899.284 903.823 899.673 904.171 900.062 904.199 900.451 904.225 900.840 904.252 901.229 904.335 901.618 904.596 902.008 904.960 902.397 905.434 902.786 905.916 903.175 906.370 903.564 906.789 903.953 907.215 904.342 907.990 904.732 908.894 905.108 909.778 905.414 910.941 905.656 912.287 913.020 915.322 916.152 916.802 916.769 916.217 914.796 913.243 911.786 |
| FORMATION LEVEL RIGHT SERVICE ROAD | |
| GROUND LEVEL RIGHT SERVICE ROAD | |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | R: 1263.4 K: 12.6 L: 20.000 G: 0.3% L: 209.742 R: 660.0 K: 6.6 L: 23.703 G: 3.9% L: 308.487 R: 1298.0 K: 13.0 L: 20.000 |
| PROJECT CHAINAGE (m) | 10+500 10+510 10+520 10+530 10+540 10+550 10+560 10+570 10+580 10+590 10+600 10+610 10+620 10+630 10+640 10+650 10+660 10+670 10+680 10+690 10+700 10+710 10+720 10+730 10+740 10+750 10+760 10+770 10+780 10+790 10+800 10+810 10+820 10+830 10+840 10+850 10+860 10+870 10+880 10+890 10+900 10+910 10+920 10+930 10+940 10+950 10+960 10+970 10+980 10+990 11+000 11+010 11+020 11+030 11+040 11+050 11+060 11+070 11+080 11+090 11+100 11+110 11+120 11+130 11+140 11+150 11+160 11+170 11+180 11+190 11+200 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   - RD–01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   - RD–02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   - RD–03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   - RD–04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   - RD–05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   - RD–06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   - RD–07 : TYPICAL CROSS SECTION SCHEDULE
   - RD–08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   - RD–09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13–01–26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | MAJOR STRUCTURES | | |
| HIGHWAYS | | | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :
Unit No.2702, 27th Floor, Raja Ramjinarula, F.No.3–13 & D–207, Junagar, MIDC FTC Industrial Area, Off. Saki Vihar Road, Powai, Mumbai–400 072.
Tel: +91 (022) 68067777,
E–mail: mumbai@stupdom.com

OFFICE OF ORIGIN :
#85, JF & Def Jambodathey Arcade 4th Floor, Millers Road Bengaluru – 560 052
Tel: 080 – 40 39 79 79
Email : bangalore@stupdom.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 10500.000 TO CH: 11200.000

DRG.NO.: N0533/E/HWY/RD–336(R0)

DATE: 13–01–2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ←

HOSUR ROAD →




| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | GROUND LEVEL LEFT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|
| 11+200 | 908.596 | 910.661 | 908.207 | 911.786 |
| 11+210 | 908.831 | 909.197 | 906.925 | 910.391 |
| 11+220 | 909.066 | 907.823 | 905.649 | 908.968 |
| 11+230 | 909.302 | 906.596 | 904.813 | 907.294 |
| 11+240 | 909.537 | 905.387 | 903.817 | 905.831 |
| 11+250 | 909.772 | 904.472 | 903.030 | 905.964 |
| 11+260 | 910.007 | 904.051 | 902.251 | 906.086 |
| 11+270 | 910.242 | 903.843 | 902.095 | 905.909 |
| 11+280 | 910.477 | 903.721 | 902.024 | 905.723 |
| 11+290 | 910.712 | 903.341 | 901.705 | 905.179 |
| 11+300 | 910.947 | 903.143 | 901.841 | 904.610 |
| 11+310 | 911.182 | 902.524 | 901.931 | 903.936 |
| 11+320 | 911.417 | 902.222 | 901.514 | 902.927 |
| 11+330 | 911.652 | 902.030 | 901.243 | 903.105 |
| 11+340 | 911.887 | 901.880 | 901.064 | 903.202 |
| 11+350 | 912.122 | 901.698 | 900.892 | 902.783 |
| 11+360 | 912.357 | 901.424 | 900.596 | 902.243 |
| 11+370 | 912.592 | 901.086 | 900.181 | 901.998 |
| 11+380 | 912.827 | 900.480 | 899.506 | 901.143 |
| 11+390 | 913.062 | 899.770 | 899.208 | 900.478 |
| 11+400 | 913.297 | 899.399 | 899.058 | 900.481 |
| 11+410 | 913.532 | 899.183 | 899.222 | 900.631 |
| 11+420 | 913.768 | 899.413 | 899.514 | 900.871 |
| 11+430 | 914.003 | 899.563 | 899.921 | 901.061 |
| 11+440 | 914.238 | 899.710 | 900.349 | 901.028 |
| 11+450 | 914.473 | 900.020 | 900.689 | 900.905 |
| 11+460 | 914.708 | 900.586 | 900.915 | 901.128 |
| 11+470 | 914.943 | 901.130 | 901.164 | 901.596 |
| 11+480 | 915.178 | 901.403 | 901.655 | 901.960 |
| 11+490 | 915.413 | 901.633 | 902.385 | 902.024 |
| 11+500 | 915.648 | 902.530 | 903.310 | 902.265 |
| 11+510 | 915.883 | 903.152 | 904.000 | 902.617 |
| 11+520 | 916.118 | 903.602 | 904.790 | 902.969 |
| 11+530 | 916.353 | 904.333 | 905.568 | 903.206 |
| 11+540 | 916.588 | 905.077 | 906.192 | 903.904 |
| 11+550 | 916.823 | 905.860 | 906.776 | 904.660 |
| 11+560 | 917.058 | 906.550 | 907.763 | 905.416 |
| 11+570 | 917.293 | 907.195 | 908.410 | 905.876 |
| 11+580 | 917.528 | 907.975 | 908.997 | 906.300 |
| 11+590 | 917.763 | 908.710 | 909.887 | 907.220 |
| 11+600 | 917.999 | 909.248 | 910.716 | 907.727 |
| 11+610 | 918.234 | 909.879 | 911.462 | 908.109 |
| 11+620 | 918.469 | 910.379 | 911.923 | 908.816 |
| 11+630 | 918.704 | 911.132 | 912.272 | 909.640 |
| 11+640 | 918.939 | 911.549 | 912.609 | 910.249 |
| 11+650 | 919.174 | 911.790 | 912.901 | 910.450 |
| 11+660 | 919.409 | 912.116 | 913.142 | 910.842 |
| 11+670 | 919.644 | 912.506 | 913.397 | 911.385 |
| 11+680 | 919.879 | 912.999 | 913.879 | 911.894 |
| 11+690 | 920.114 | 913.494 | 914.367 | 912.437 |
| 11+700 | 920.356 | 914.032 | 914.940 | 913.050 |
| 11+710 | 920.609 | 914.555 | 915.346 | 913.549 |
| 11+720 | 920.871 | 915.033 | 915.765 | 914.015 |
| 11+730 | 921.143 | 915.509 | 916.380 | 914.481 |
| 11+740 | 921.425 | 916.194 | 917.055 | 915.240 |
| 11+750 | 921.718 | 916.861 | 917.751 | 916.024 |
| 11+760 | 922.020 | 917.500 | 918.175 | 916.605 |
| 11+770 | 922.332 | 917.878 | 918.545 | 917.109 |
| 11+780 | 922.654 | 918.214 | 918.915 | 917.401 |
| 11+790 | 922.987 | 918.490 | 919.159 | 917.613 |
| 11+800 | 923.329 | 918.668 | 919.355 | 917.820 |
| 11+810 | 923.681 | 918.889 | 919.555 | 918.017 |
| 11+820 | 924.036 | 919.141 | 919.779 | 918.256 |
| 11+830 | 924.391 | 919.344 | 919.941 | 918.544 |
| 11+840 | 924.746 | 919.433 | 920.088 | 918.803 |
| 11+850 | 925.101 | 919.676 | 920.257 | 919.044 |
| 11+860 | 925.456 | 920.031 | 920.437 | 919.286 |
| 11+870 | 925.811 | 920.386 | 920.740 | 919.454 |
| 11+880 | 926.166 | 920.669 | 921.031 | 919.593 |
| 11+890 | 926.521 | 920.759 | 921.305 | 919.738 |
| 11+900 | 926.876 | 920.777 | 921.337 | 919.831 |

HORIZONTAL GEOMETRY AT ROAD CENTER (m): Ls: 85.000, LT: 56.669, ST: 28.336, K: 42.499 — PI STA: 11+432.79, D: 4°27'03.19", R: 1450.00, L: 112.64 — Ls: 85.000, LT: 56.669, ST: 28.336, K: 42.499

SUPERELEVATION: e:3.06% e:-3.06% — e:3.06% e:-3.06%

Main Road @ VERTICAL SCHEMATIC: G: 2.4%, L: 746.982 — R: 9999.8, K: 100.0, L: 120.000

FORMATION LEVEL LEFT SERVICE ROAD

VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m)

FORMATION LEVEL RIGHT SERVICE ROAD

VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m)

# LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL -1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT: STUP Consultants Pvt. Ltd. (assystem stup)

REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com

OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 11200.000 TO CH: 11900.000

DRG.NO.: NO533/E/HWY/RD-337(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ← | HOSUR ROAD →




PLAN




| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | GROUND LEVEL LEFT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|
| 11+900 | 926.876 | 920.777 | 921.337 | 919.831 |
| 11+910 | 927.232 | 920.791 | 921.280 | 919.892 |
| 11+920 | 927.587 | 920.868 | 921.221 | 919.957 |
| 11+930 | 927.942 | 920.787 | 921.172 | 920.039 |
| 11+940 | 928.297 | 920.735 | 921.180 | 920.000 |
| 11+950 | 928.652 | 920.708 | 921.190 | 919.913 |
| 11+960 | 929.007 | 920.668 | 921.270 | 919.834 |
| 11+970 | 929.362 | 920.717 | 921.337 | 919.876 |
| 11+980 | 929.717 | 920.935 | 921.649 | 920.047 |
| 11+990 | 930.072 | 921.105 | 921.869 | 920.197 |
| 12+000 | 930.427 | 921.254 | 921.888 | 920.347 |
| 12+010 | 930.781 | 921.313 | 921.948 | 920.428 |
| 12+020 | 931.126 | 921.372 | 922.056 | 920.585 |
| 12+030 | 931.459 | 921.536 | 922.162 | 920.860 |
| 12+040 | 931.782 | 921.782 | 922.148 | 921.112 |
| 12+050 | 932.094 | 922.033 | 922.366 | 921.366 |
| 12+060 | 932.396 | 922.399 | 922.747 | 921.525 |
| 12+070 | 932.686 | 922.443 | 922.897 | 921.709 |
| 12+080 | 932.966 | 922.393 | 923.077 | 921.901 |
| 12+090 | 933.235 | 922.642 | 923.247 | 922.050 |
| 12+100 | 933.493 | 922.929 | 923.343 | 922.304 |
| 12+110 | 933.740 | 923.229 | 923.727 | 922.543 |
| 12+120 | 933.976 | 923.568 | 924.033 | 922.754 |
| 12+130 | 934.202 | 923.775 | 924.273 | 922.984 |
| 12+140 | 934.417 | 923.824 | 924.509 | 923.208 |
| 12+150 | 934.621 | 923.965 | 924.680 | 923.519 |
| 12+160 | 934.814 | 924.163 | 924.848 | 923.699 |
| 12+170 | 934.996 | 924.392 | 924.959 | 923.789 |
| 12+180 | 935.168 | 924.586 | 925.157 | 923.935 |
| 12+190 | 935.328 | 924.842 | 925.682 | 924.131 |
| 12+200 | 935.478 | 925.219 | 926.081 | 924.456 |
| 12+210 | 935.617 | 925.606 | 926.392 | 924.832 |
| 12+220 | 935.745 | 925.821 | 926.529 | 925.219 |
| 12+230 | 935.862 | 926.044 | 926.657 | 925.612 |
| 12+240 | 935.969 | 926.268 | 926.785 | 925.895 |
| 12+250 | 936.065 | 926.410 | 927.003 | 926.132 |
| 12+260 | 936.150 | 926.758 | 927.366 | 926.347 |
| 12+270 | 936.224 | 927.204 | 927.750 | 926.592 |
| 12+280 | 936.287 | 927.650 | 928.012 | 926.875 |
| 12+290 | 936.339 | 927.852 | 928.288 | 927.023 |
| 12+300 | 936.381 | 927.911 | 928.448 | 927.114 |
| 12+310 | 936.412 | 927.845 | 928.333 | 927.204 |
| 12+320 | 936.432 | 927.836 | 928.546 | 927.771 |
| 12+330 | 936.441 | 927.911 | 928.925 | 928.547 |
| 12+340 | 936.439 | 928.167 | 928.980 | 929.324 |
| 12+350 | 936.427 | 928.729 | 928.922 | 929.832 |
| 12+360 | 936.403 | 929.122 | 929.055 | 930.024 |
| 12+370 | 936.369 | 928.621 | 929.232 | 929.900 |
| 12+380 | 936.324 | 928.804 | 929.377 | 929.447 |
| 12+390 | 936.268 | 929.022 | 929.521 | 929.213 |
| 12+400 | 936.202 | 929.169 | 929.573 | 928.955 |
| 12+410 | 936.124 | 929.284 | 929.468 | 928.766 |
| 12+420 | 936.036 | 929.208 | 929.579 | 928.655 |
| 12+430 | 935.937 | 929.094 | 929.324 | 928.459 |
| 12+440 | 935.827 | 929.112 | 929.238 | 928.577 |
| 12+450 | 935.706 | 929.014 | 929.230 | 928.523 |
| 12+460 | 935.575 | 928.752 | 928.989 | 928.308 |
| 12+470 | 935.432 | 928.490 | 928.707 | 928.015 |
| 12+480 | 935.279 | 928.176 | 928.415 | 927.726 |
| 12+490 | 935.115 | 927.859 | 928.133 | 927.445 |
| 12+500 | 934.940 | 927.605 | 927.835 | 927.265 |
| 12+510 | 934.754 | 927.285 | 927.538 | 927.013 |
| 12+520 | 934.558 | 926.969 | 927.230 | 926.698 |
| 12+530 | 934.351 | 926.708 | 926.915 | 926.383 |
| 12+540 | 934.132 | 926.435 | 926.647 | 926.094 |
| 12+550 | 933.903 | 926.134 | 926.325 | 925.831 |
| 12+560 | 933.664 | 925.845 | 925.982 | 925.508 |
| 12+570 | 933.413 | 925.553 | 925.583 | 925.178 |
| 12+580 | 933.152 | 925.235 | 925.205 | 924.844 |
| 12+590 | 932.879 | 924.875 | 924.827 | 924.465 |
| 12+600 | 932.596 | 924.494 | 924.489 | 924.108 |

HORIZONTAL GEOMETRY AT ROAD CENTER (m): L:1732.49

SUPERELEVATION

Main Road @ VERTICAL SCHEMATIC: G: 3.6%, L: 197.543; R: 9240.3, K: 92.4, L: 635.000

FORMATION LEVEL LEFT SERVICE ROAD

VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m)

FORMATION LEVEL RIGHT SERVICE ROAD

VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m)

LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION ☐ INFORMATION ☐ TENDER ☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT: STUP Consultants Pvt. Ltd. (assystem stup)

REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com

OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 11900.000 TO CH: 12600.000

DRG.NO.: NO533/E/HWY/RD-338(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC

SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD




PLAN


PROPOSED 13/1
Proposal: New construction
Chainage: 12+804
Type of Str: BOX CULVERT
Nos/Span: 1X3
PROPOSED 13/2
Proposal: New construction
Chainage: 12+920
Type of Str: UTILITY CROSSING
Nos/Span: 1m DIA NP4 Pipe
30 30 30 30
= 9 (SPAN) X 30 = 270
CH: 12+640.35 LVL: 931.34
CH: 12+811.34 LVL: 925.66
CH: 13+027.98 LVL: 924.12
CH: 13+141.76 LVL: 926.28
RD-338
RD-340
DATUM
Main Road @ FINISHED ROAD LEVEL
Main Road @ EXISTING GROUND LEVEL
HORIZONTAL GEOMETRY AT ROAD CENTER (m)
SUPERELEVATION
Main Road @ VERTICAL SCHEMATIC
G: -3.3% L: 170.992
R: 4150.0 K: 41.5 L: 216.641
G: 1.9% L: 113.780
R: 7360.0 K: 73.6 L: 175.724
FORMATION LEVEL LEFT SERVICE ROAD
GROUND LEVEL LEFT SERVICE ROAD
VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m)
G: -3.3% L: 170.992
R: 4150.1 K: 41.5 L: 216.641
G: 1.9% L: 113.781
R: 7360.5 K: 73.6 L: 175.724
FORMATION LEVEL RIGHT SERVICE ROAD
GROUND LEVEL RIGHT SERVICE ROAD
VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m)
G: -3.3% L: 170.990
R: 4150.0 K: 41.5 L: 216.645
G: 1.9% L: 113.768
R: 7360.0 K: 73.6 L: 175.745
PROJECT CHAINAGE (m)

LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE USE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Raja Rajeshwaris, P.No.2-13 & 2-207, Junction, MDC ITC Industrial Area, Off Mysore Road, Bylkere Village, Bangalore - 560 026. Tel: +91 (022) 68067777, E-mail: mumbai@stupdom.com
OFFICE OF ORIGIN : #85, JF & Dnd Jobbadenhar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@stupdom.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 12600.000 TO CH: 13300.000

DRG.NO.: NO533/E/HWY/RD-339(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

TOWN END LAYOUT




| PROPOSED | 14/1 |
|---|---|
| Proposal | New construction |
| Chainage | 13+840 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |

PLAN




| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 927.414 927.587 927.459 927.556 927.460 927.510 927.231 927.462 926.993 927.413 926.889 927.364 927.005 927.315 926.994 927.266 926.947 927.217 926.929 927.169 926.963 927.119 926.964 927.071 926.947 927.022 926.917 926.973 926.876 926.824 926.838 926.875 926.801 926.826 926.763 926.777 926.728 926.728 926.690 926.679 926.641 926.631 926.596 926.582 926.542 926.533 926.455 926.484 926.432 926.435 926.368 926.386 926.312 926.337 926.277 926.288 926.133 926.240 925.920 926.191 925.852 926.142 925.849 926.093 925.631 926.044 925.434 925.995 925.137 925.946 924.902 925.897 924.759 925.849 924.589 925.800 924.451 925.751 924.335 925.702 924.255 925.653 924.132 925.604 924.010 925.555 923.915 925.506 923.819 925.457 923.776 925.409 923.751 925.380 923.738 925.311 923.773 925.262 923.811 925.213 923.829 925.164 923.889 925.115 923.642 925.066 923.649 925.018 923.704 924.969 923.717 924.920 924.064 924.871 924.112 924.822 923.910 924.773 923.803 924.724 923.946 924.675 924.019 924.627 924.092 924.579 924.165 924.555 924.239 924.562 924.338 924.602 924.299 924.674 924.212 924.778 924.082 924.914 924.417 925.052 924.793 925.282
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | R: 2000.00 L: 289.82 L:601.69 |
|---|---|
| SUPERELEVATION | e:2.22% e:-2.22% e:2.22% e:-2.22% |
| Main Road @ VERTICAL SCHEMATIC | G: -0.5% L: 599.813 R: 3123.1 K: 31.2 L: 120.495 |
| FORMATION LEVEL LEFT SERVICE ROAD | 927.512 927.127 927.530 927.095 927.480 927.050 927.267 927.051 927.159 926.953 927.003 926.904 926.960 926.855 927.047 926.806 927.063 926.757 926.959 926.709 926.940 926.659 926.868 926.610 926.762 926.561 926.708 926.513 926.769 926.464 926.682 926.415 926.668 926.366 926.632 926.317 926.529 926.268 926.405 926.219 926.430 926.170 926.309 926.122 926.193 926.073 926.130 926.024 926.073 925.975 925.985 925.926 925.937 925.877 925.893 925.828 925.771 925.779 925.669 925.731 925.576 925.682 924.493 925.633 925.321 925.584 925.108 925.535 924.861 925.486 924.699 925.437 924.526 925.388 924.428 925.340 924.359 925.291 924.269 925.242 924.143 925.193 923.986 923.867 923.645 923.556 923.397 923.551 923.513 923.519 923.569 923.691 923.650 923.460 923.394 923.447 923.451 923.609 923.799 923.599 923.338 923.530 923.550 923.642 923.761 923.795 923.735 923.677 923.787 924.016 924.343 924.667
| GROUND LEVEL LEFT SERVICE ROAD | |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | G: -0.5% L: 579.684 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 927.279 926.998 927.279 926.966 927.177 926.921 927.075 926.872 927.029 926.823 927.009 926.774 927.016 926.726 927.042 926.677 927.032 926.628 926.997 926.579 926.964 926.530 926.957 926.481 926.995 926.432 926.963 926.383 926.949 926.334 926.931 926.286 926.909 926.237 926.881 926.188 926.857 926.139 926.804 926.090 926.740 926.041 926.703 925.992 926.766 925.943 926.719 925.894 926.703 925.846 926.730 925.797 926.659 925.748 926.532 925.699 926.462 925.650 926.395 925.601 926.292 925.552 926.129 925.503 925.932 925.454 925.735 925.406 925.476 925.357 925.238 925.308 925.079 925.259 924.929 925.210 924.769 925.161 924.647 925.112 924.501 925.063 924.373 924.255 924.135 924.046 924.004 924.022 924.085 924.126 924.152 924.514 924.551 924.405 924.208 924.222 924.382 924.375 924.202 924.240 924.221 924.291 924.386 924.519 924.669 924.819 924.904 925.019 925.172 925.078 925.293 925.377
| GROUND LEVEL RIGHT SERVICE ROAD | |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | G: -0.5% L: 581.593 |
| PROJECT CHAINAGE (m) | 13+300 13+310 13+320 13+330 13+340 13+350 13+360 13+370 13+380 13+390 13+400 13+410 13+420 13+430 13+440 13+450 13+460 13+470 13+480 13+490 13+500 13+510 13+520 13+530 13+540 13+550 13+560 13+570 13+580 13+590 13+600 13+610 13+620 13+630 13+640 13+650 13+660 13+670 13+680 13+690 13+700 13+710 13+720 13+730 13+740 13+750 13+760 13+770 13+780 13+790 13+800 13+810 13+820 13+830 13+840 13+850 13+860 13+870 13+880 13+890 13+900 13+910 13+920 13+930 13+940 13+950 13+960 13+970 13+980 13+990 14+000 |

LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | NRG | ADJ | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | | | | | |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.3702, 37th Floor, Tower-3, Wing-A & B-207, Kanakia Zillion, Sector-81, Manpada Road, Dombivali (East), Thane, Maharashtra - 421 204. Tel: +91 (022) 40047777, E-mail: mumbai@stupitem.com
OFFICE OF ORIGIN : #85, JF & Dnd Jambulaeshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel: +91 80 79 79 79 79 Email : bangalore@stupitem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 13300.000 TO CH: 14000.000

DRG.NO.: NO533/E/HWY/RD-340(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

HOSUR ROAD




| PROPOSED | 15/1 |
|---|---|
| Proposal | New construction |
| Chainage | 14+454 |
| Type of Str | JUNCTION -03 Doddaballapur Jn |
| Nos/Span | -- |

PLAN


FLYOVER FROM 14+115 TO 15+020
CH: 14+043.80 LVL: 926.53
CH: 14+055.21 LVL: 926.94
CH: 14+405.2 LVL: 933.17
CH: 14+475.5 LVL: 933.17
30 30 30 30 30 30 30 30 30 27 24 35 25 14 30 30 30 30 30 30
936 935 934 933 932 931 930 929 928 927 926 925 924 923 922 921 920 919 918 917
RD-340
RD-342
DATUM
Main Road @ FINISHED ROAD LEVEL
Main Road @ EXISTING GROUND LEVEL
HORIZONTAL GEOMETRY AT ROAD CENTER (m)
Ls: 130.000 LT: 86.690 ST: 43.354 K: 64.989
PI STA: 14+281.12 D: 6°40'21.46" R: 910.00 L: 105.98
Ls: 130.000 LT: 86.690 ST: 43.354 K: 64.989
SUPERELEVATION
e:4.88% e:-4.88%
e:4.88% e:-4.88%
Main Road @ VERTICAL SCHEMATIC
G: 3.8% L: 11.417
R: 9827.1 K: 98.3 L: 350.000
G: -0.0% L: 70.298
FORMATION LEVEL LEFT SERVICE ROAD
GROUND LEVEL LEFT SERVICE ROAD
VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m)
FORMATION LEVEL RIGHT SERVICE ROAD
GROUND LEVEL RIGHT SERVICE ROAD
VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m)
PROJECT CHAINAGE (m)

| PROPOSED | 15/1 |
|---|---|
| Proposal | New construction |
| Chainage | 14+454 |
| Type of Str | JUNCTION -03 Doddaballapur Jn |
| Nos/Span | -- |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | MAJOR STRUCTURES | | |
| HIGHWAYS | | | IRRIGATION/ WATER RESOURCES | | |
| ELECTRICAL | | | PHE / PLUMBING/ FIREFIGHTING | | |
| BUILDINGS | | | MECHANICAL / HVAC | | |
| ARCHITECTURE | | | | | |

CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Alpha Tower, Plot No.16, Pocket-3 & 3-201, Sector-16, Kharghar, Navi Mumbai, Raigarh, Navi Mumbai, Thane, Maharashtra, 410210. Email : mumbai@stupgroup.com
OFFICE OF DESIGN : 8th, 9th & 2nd Jambusheshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 38 79 79 Email : bangalore@stupgroup.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 14000.000 TO CH: 14700.000

DRG.NO.: N0533/E/HWY/RD-341 (R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ←

HOSUR ROAD →




# LONGITUDINAL SECTION

HORIZONTAL GEOMETRY AT ROAD CENTER (m): L:783.78

SUPERELEVATION: e:2.23% / e:-2.23%

Main Road @ VERTICAL SCHEMATIC: R: 13663.5, K: 136.6, L: 530.911; G: -3.9%, L: 12.701; R: 2560.6, K: 25.6, L: 99.498; G: 0.0%, L: 176.205

FORMATION LEVEL LEFT SERVICE ROAD; VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m); FORMATION LEVEL RIGHT SERVICE ROAD; VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m): no values printed

| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | GROUND LEVEL LEFT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|
| 14+700 | 931.329 | 917.273 | 917.249 | 917.577 |
| 14+710 | 931.161 | 916.968 | 916.778 | 917.241 |
| 14+720 | 930.986 | 916.680 | 916.381 | 916.953 |
| 14+730 | 930.803 | 916.385 | 916.233 | 916.668 |
| 14+740 | 930.613 | 916.094 | 916.320 | 916.382 |
| 14+750 | 930.416 | 915.855 | 916.286 | 916.111 |
| 14+760 | 930.212 | 915.618 | 915.465 | 915.903 |
| 14+770 | 930.000 | 915.418 | 915.133 | 915.744 |
| 14+780 | 929.781 | 915.300 | 915.052 | 915.600 |
| 14+790 | 929.554 | 915.183 | 914.945 | 915.469 |
| 14+800 | 929.320 | 915.089 | 914.832 | 915.339 |
| 14+810 | 929.079 | 915.026 | 914.692 | 915.281 |
| 14+820 | 928.831 | 914.825 | 914.612 | 915.181 |
| 14+830 | 928.575 | 914.624 | 914.449 | 915.000 |
| 14+840 | 928.312 | 914.530 | 914.285 | 914.850 |
| 14+850 | 928.041 | 914.366 | 914.164 | 914.774 |
| 14+860 | 927.764 | 914.208 | 913.941 | 914.733 |
| 14+870 | 927.478 | 914.130 | 913.760 | 914.690 |
| 14+880 | 927.186 | 913.973 | 913.622 | 914.592 |
| 14+890 | 926.886 | 913.860 | 913.529 | 914.419 |
| 14+900 | 926.579 | 913.781 | 913.410 | 914.171 |
| 14+910 | 926.265 | 913.527 | 913.250 | 913.867 |
| 14+920 | 925.943 | 913.497 | 913.127 | 913.783 |
| 14+930 | 925.614 | 913.385 | 913.050 | 913.663 |
| 14+940 | 925.278 | 913.171 | 913.016 | 913.509 |
| 14+950 | 924.934 | 912.944 | 913.016 | 913.359 |
| 14+960 | 924.584 | 912.744 | 912.725 | 913.150 |
| 14+970 | 924.225 | 912.538 | 912.314 | 912.947 |
| 14+980 | 923.860 | 912.383 | 912.163 | 912.752 |
| 14+990 | 923.487 | 912.229 | 912.013 | 912.670 |
| 15+000 | 923.107 | 912.077 | 911.896 | 912.575 |
| 15+010 | 922.720 | 911.976 | 911.790 | 912.419 |
| 15+020 | 922.331 | 911.891 | 911.676 | 912.267 |
| 15+030 | 921.966 | 911.795 | 911.551 | 912.217 |
| 15+040 | 921.639 | 911.773 | 911.426 | 912.133 |
| 15+050 | 921.351 | 911.791 | 911.344 | 912.050 |
| 15+060 | 921.103 | 911.681 | 911.284 | 911.935 |
| 15+070 | 920.894 | 911.427 | 911.253 | 911.803 |
| 15+080 | 920.723 | 911.260 | 911.053 | 911.670 |
| 15+090 | 920.592 | 911.149 | 910.950 | 911.687 |
| 15+100 | 920.500 | 911.108 | 910.836 | 911.594 |
| 15+110 | 920.447 | 911.061 | 910.753 | 911.318 |
| 15+120 | 920.432 | 910.994 | 910.735 | 911.122 |
| 15+130 | 920.432 | 910.784 | 910.776 | 910.874 |
| 15+140 | 920.432 | 910.651 | 910.795 | 910.679 |
| 15+150 | 920.432 | 910.741 | 911.080 | 910.582 |
| 15+160 | 920.432 | 910.958 | 910.879 | 910.681 |
| 15+170 | 920.432 | 911.224 | 909.783 | 910.935 |
| 15+180 | 920.432 | 911.133 | 909.203 | 911.211 |
| 15+190 | 920.432 | 910.626 | 908.937 | 911.135 |
| 15+200 | 920.432 | 910.671 | 908.509 | 911.522 |
| 15+210 | 920.432 | 910.352 | 909.906 | 911.392 |
| 15+220 | 920.432 | 910.170 | 909.931 | 910.851 |
| 15+230 | 920.432 | 910.089 | 909.926 | 910.562 |
| 15+240 | 920.432 | 910.031 | 909.846 | 910.637 |
| 15+250 | 920.432 | 909.978 | 909.804 | 910.526 |
| 15+260 | 920.432 | 909.937 | 909.758 | 910.275 |
| 15+270 | 920.432 | 909.752 | 909.595 | 910.058 |
| 15+280 | 920.432 | 909.659 | 909.435 | 910.009 |
| 15+290 | 920.432 | 909.574 | 909.342 | 910.021 |
| 15+300 | 920.430 | 909.414 | 909.200 | 910.033 |
| 15+310 | 920.416 | 909.265 | 909.011 | 909.866 |
| 15+320 | 920.389 | 909.127 | 908.822 | 909.614 |
| 15+330 | 920.348 | 909.043 | 908.682 | 909.555 |
| 15+340 | 920.293 | 908.993 | 908.575 | 909.554 |
| 15+350 | 920.225 | 908.937 | 908.491 | 909.526 |
| 15+360 | 920.143 | 908.794 | 908.400 | 909.410 |
| 15+370 | 920.048 | 908.668 | 908.458 | 909.224 |
| 15+380 | 919.939 | 908.668 | 908.521 | 909.046 |
| 15+390 | 919.817 | 908.648 | 908.476 | 908.921 |
| 15+400 | 919.681 | 908.570 | 908.330 | 908.841 |

## NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

## LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

RELEASED FOR: ☑ APPROVAL ☐ CONSTRUCTION ☐ INFORMATION ☐ TENDER ☐ DRAFT ☐ PRELIMNARY

| | CHECKED BY | SIGN | DATE | | CHECKED BY | SIGN | DATE |
|---|---|---|---|---|---|---|---|
| GIS | | | | | | | |
| HIGHWAYS | | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | | MECHANICAL / HVAC | | | |

FOR INTERNAL OFFICE ONLY

CONSULTANT: STUP Consultants Pvt. Ltd. (assystem stup)

REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com

OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 14700.000 TO CH: 15400.000

DRG.NO.: N0533/E/HWY/RD-342(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT




PLAN

LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :- Unit No.2703, 27th Floor, Rahe Renaissance, Plot-J-33 & D-207, 4th Floor, Millers Road Bangalore – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@stupdam.com
OFFICE OF ORIGIN :- 8th, 9th & 2nd Jambusheer Arcade 4th Floor, Millers Road Bangalore – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@stupdam.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 15400.000 TO CH: 16100.000

DRG.NO.: NO533/E/HWY/RD-343(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ← | → HOSUR ROAD




PLAN




HORIZONTAL GEOMETRY AT ROAD CENTER (m): L:1262.62

SUPERELEVATION

Main Road @ VERTICAL SCHEMATIC: R: 12621.9 K: 126.2 L: 318.930 — G: -2.5% L: 5.818 — R: 4150.0 K: 41.5 L: 158.622 — G: 1.3% L: 261.687

VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m): R: 4150.0 K: 41.5 L: 158.622 — G: 1.3% L: 261.687

VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m): R: 4150.0 K: 41.5 L: 158.622 — G: 1.3% L: 261.687

| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | FORMATION LEVEL LEFT SERVICE ROAD | GROUND LEVEL LEFT SERVICE ROAD | FORMATION LEVEL RIGHT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|---|---|
| 16+100 | 905.873 | 895.512 | | 895.419 | | 895.993 |
| 16+110 | 905.867 | 895.378 | | 895.186 | | 895.425 |
| 16+120 | 905.853 | 895.428 | | 895.163 | | 895.353 |
| 16+130 | 905.831 | 895.415 | | 895.129 | | 895.327 |
| 16+140 | 905.802 | 895.179 | | 895.120 | | 895.306 |
| 16+150 | 905.764 | 895.108 | | 895.045 | | 895.221 |
| 16+160 | 905.719 | 895.124 | | 894.985 | | 895.186 |
| 16+170 | 905.665 | 895.090 | | 894.962 | | 895.190 |
| 16+180 | 905.604 | 895.014 | | 894.998 | | 895.199 |
| 16+190 | 905.535 | 894.962 | | 895.106 | | 895.207 |
| 16+200 | 905.457 | 895.029 | | 895.214 | | 895.200 |
| 16+210 | 905.372 | 895.174 | | 895.311 | | 895.126 |
| 16+220 | 905.279 | 895.211 | | 895.367 | | 895.089 |
| 16+230 | 905.178 | 895.237 | | 895.423 | | 895.154 |
| 16+240 | 905.069 | 895.344 | | 895.479 | | 895.218 |
| 16+250 | 904.952 | 895.450 | | 895.595 | | 895.313 |
| 16+260 | 904.828 | 895.557 | | 895.789 | | 895.456 |
| 16+270 | 904.695 | 895.694 | | 895.905 | | 895.541 |
| 16+280 | 904.555 | 895.839 | | 896.009 | | 895.537 |
| 16+290 | 904.406 | 895.981 | | 896.133 | | 895.674 |
| 16+300 | 904.250 | 896.128 | | 896.268 | | 895.932 |
| 16+310 | 904.085 | 896.234 | | 896.381 | | 896.092 |
| 16+320 | 903.913 | 896.346 | | 896.576 | | 896.134 |
| 16+330 | 903.733 | 896.460 | | 896.794 | | 896.176 |
| 16+340 | 903.545 | 896.639 | | 897.004 | | 896.267 |
| 16+350 | 903.349 | 896.935 | | 897.195 | | 896.429 |
| 16+360 | 903.145 | 897.199 | | 897.384 | | 896.745 |
| 16+370 | 902.933 | 897.397 | | 897.596 | | 897.081 |
| 16+380 | 902.713 | 897.595 | | 897.809 | | 897.324 |
| 16+390 | 902.485 | 897.787 | | 898.012 | | 897.504 |
| 16+400 | 902.249 | 897.978 | | 898.194 | | 897.672 |
| 16+410 | 902.006 | 898.219 | | 898.446 | | 897.824 |
| 16+420 | 901.755 | 898.514 | | 898.810 | | 898.014 |
| 16+430 | 901.509 | 898.685 | | 899.061 | | 898.397 |
| 16+440 | 901.287 | 898.881 | | 899.173 | | 898.652 |
| 16+450 | 901.089 | 899.060 | | 899.351 | | 898.736 |
| 16+460 | 900.915 | 899.240 | | 899.529 | | 898.901 |
| 16+470 | 900.766 | 899.428 | | 899.722 | | 899.089 |
| 16+480 | 900.640 | 899.671 | | 899.895 | | 899.277 |
| 16+490 | 900.538 | 899.917 | | 900.095 | | 899.483 |
| 16+500 | 900.461 | 900.018 | 900.001 | 900.129 | 899.871 | 899.671 |
| 16+510 | 900.407 | 900.052 | 899.947 | 900.163 | 899.817 | 899.693 |
| 16+520 | 900.378 | 900.260 | 899.918 | 900.197 | 899.788 | 899.754 |
| 16+530 | 900.373 | 900.330 | 899.913 | 900.310 | 899.783 | 899.890 |
| 16+540 | 900.392 | 900.246 | 899.932 | 900.640 | 899.802 | 900.018 |
| 16+550 | 900.435 | 900.534 | 899.975 | 900.971 | 899.845 | 900.221 |
| 16+560 | 900.502 | 900.786 | 900.042 | 901.267 | 899.912 | 900.427 |
| 16+570 | 900.593 | 901.005 | 900.133 | 901.486 | 900.003 | 900.599 |
| 16+580 | 900.708 | 901.084 | 900.248 | 901.439 | 900.118 | 900.724 |
| 16+590 | 900.838 | 901.096 | 900.378 | 901.366 | 900.248 | 900.753 |
| 16+600 | 900.967 | 901.142 | 900.507 | 901.456 | 900.377 | 900.916 |
| 16+610 | 901.097 | 901.240 | 900.637 | 901.552 | 900.507 | 901.032 |
| 16+620 | 901.226 | 901.405 | 900.766 | 901.648 | 900.636 | 901.148 |
| 16+630 | 901.356 | 901.558 | 900.896 | 901.775 | 900.766 | 901.280 |
| 16+640 | 901.485 | 901.686 | 901.025 | 901.894 | 900.895 | 901.390 |
| 16+650 | 901.615 | 901.805 | 901.155 | 902.015 | 901.025 | 901.507 |
| 16+660 | 901.745 | 901.932 | 901.285 | 902.147 | 901.155 | 901.629 |
| 16+670 | 901.874 | 902.086 | 901.414 | 902.334 | 901.284 | 901.751 |
| 16+680 | 902.004 | 902.240 | 901.544 | 902.526 | 901.414 | 901.877 |
| 16+690 | 902.133 | 902.394 | 901.673 | 902.676 | 901.543 | 901.943 |
| 16+700 | 902.263 | 902.444 | 901.803 | 902.797 | 901.673 | 901.972 |
| 16+710 | 902.392 | 902.535 | 901.932 | 902.915 | 901.802 | 902.103 |
| 16+720 | 902.522 | 902.661 | 902.062 | 903.034 | 901.932 | 902.235 |
| 16+730 | 902.651 | 902.791 | 902.191 | 903.096 | 902.061 | 902.353 |
| 16+740 | 902.781 | 902.920 | 902.321 | 903.238 | 902.191 | 902.428 |
| 16+750 | 902.910 | 902.982 | 902.450 | 903.472 | 902.320 | 902.570 |
| 16+760 | 903.040 | 903.196 | 902.580 | 903.528 | 902.450 | 902.714 |
| 16+770 | 903.169 | 903.376 | 902.709 | 903.616 | 902.579 | 902.765 |
| 16+780 | 903.299 | 903.556 | 902.839 | 903.799 | 902.709 | 902.896 |
| 16+790 | 903.429 | 903.654 | 902.969 | 903.913 | 902.839 | 903.139 |
| 16+800 | 903.558 | 903.715 | 903.098 | 904.007 | 902.968 | 903.163 |

# LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL -1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY


CONSULTANT: STUP Consultants Pvt. Ltd. (assystem stup)

REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com

OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru - 560 052 Tel.: 080 - 40 39 79 79 Email : bangalore@assystem.com


OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 16100.000 TO CH: 16800.000

DRG.NO.: NO533/E/HWY/RD-344(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD




## PLAN




## LONGITUDINAL SECTION

### NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

### LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMINARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :
Unit No.2702, 27th Floor,
Alpha Tech Corporate Park,
Block-A, Plot No. 15&15-3 & 3-201,
Ashoka Nagar, Kolshet Road Area,
Tunkie, Nad Naka, Thane,
Maharashtra - 400 607.
Tel.: (022) 40067777,
E-mail : mumbai@stupdam.com
OFFICE OF DESIGN :
RS, JP & Smt Jambulashwar Arade
4th Floor, Millers Road
Bangalore - 560 052
Tel.: 080 - 40 38 79 79
Email : bangalore@stupdam.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 16800.000 TO CH: 17500.000

DRG.NO.: NO533/E/HWY/RD-345(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ← → HOSUR ROAD




PLAN




| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | FORMATION LEVEL LEFT SERVICE ROAD | GROUND LEVEL LEFT SERVICE ROAD | FORMATION LEVEL RIGHT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|---|---|
| 17+500 | 901.719 | 902.125 | 901.259 | 902.526 | 901.129 | 901.599 |
| 17+510 | 901.597 | 902.033 | 901.137 | 902.353 | 901.007 | 901.507 |
| 17+520 | 901.474 | 901.834 | 901.014 | 902.124 | 900.884 | 901.427 |
| 17+530 | 901.351 | 901.605 | 900.891 | 901.896 | 900.761 | 901.271 |
| 17+540 | 901.228 | 901.424 | 900.768 | 901.667 | 900.638 | 901.074 |
| 17+550 | 901.106 | 901.310 | 900.646 | 901.555 | 900.516 | 900.893 |
| 17+560 | 900.983 | 901.143 | 900.523 | 901.451 | 900.393 | 900.740 |
| 17+570 | 900.860 | 901.025 | 900.400 | 901.388 | 900.270 | 900.573 |
| 17+580 | 900.738 | 900.979 | 900.278 | 901.342 | 900.148 | 900.388 |
| 17+590 | 900.615 | 900.853 | 900.155 | 901.295 | 900.025 | 900.254 |
| 17+600 | 900.492 | 900.683 | 900.032 | 901.100 | 899.902 | 900.273 |
| 17+610 | 900.370 | 900.532 | 899.909 | 900.891 | 899.779 | 900.229 |
| 17+620 | 900.247 | 900.332 | 899.787 | 900.682 | 899.657 | 900.023 |
| 17+630 | 900.124 | 899.885 | 899.664 | 900.397 | 899.534 | 899.802 |
| 17+640 | 900.001 | 899.470 | 899.541 | 900.166 | 899.411 | 899.435 |
| 17+650 | 899.879 | 899.663 | 899.419 | 899.969 | 899.289 | 899.465 |
| 17+660 | 899.756 | 899.776 | 899.296 | 899.844 | 899.166 | 899.374 |
| 17+670 | 899.633 | 899.588 | 899.173 | 899.718 | 899.043 | 899.284 |
| 17+680 | 899.511 | 899.364 | 899.051 | 899.615 | 898.921 | 899.007 |
| 17+690 | 899.388 | 899.166 | 898.928 | 899.499 | 898.798 | 898.831 |
| 17+700 | 899.265 | 899.078 | 898.805 | 899.420 | 898.675 | 898.730 |
| 17+710 | 899.142 | 899.047 | 898.682 | 899.358 | 898.552 | 898.673 |
| 17+720 | 899.020 | 898.997 | 898.560 | 899.267 | 898.430 | 898.599 |
| 17+730 | 898.897 | 898.834 | 898.437 | 899.046 | 898.307 | 898.532 |
| 17+740 | 898.774 | 898.651 | 898.314 | 898.888 | 898.184 | 898.476 |
| 17+750 | 898.652 | 898.547 | 898.192 | 898.700 | 898.062 | 898.454 |
| 17+760 | 898.529 | 898.409 | 898.069 | 898.552 | 897.939 | 898.540 |
| 17+770 | 898.406 | 898.305 | 897.946 | 898.447 | 897.816 | 898.367 |
| 17+780 | 898.284 | 898.187 | 897.824 | 898.219 | 897.694 | 898.143 |
| 17+790 | 898.170 | 897.896 | 897.710 | 897.695 | 897.580 | 898.029 |
| 17+800 | 898.080 | 897.481 | 897.620 | 897.132 | 897.490 | 897.921 |
| 17+810 | 898.014 | 897.306 | | 897.811 | | 897.862 |
| 17+820 | 897.972 | 897.677 | | 898.163 | | 897.778 |
| 17+830 | 897.955 | 897.769 | | 897.868 | | 897.819 |
| 17+840 | 897.961 | 897.934 | | 897.998 | | 897.861 |
| 17+850 | 897.992 | 898.077 | | 898.059 | | 897.966 |
| 17+860 | 898.046 | 898.216 | | 898.110 | | 898.069 |
| 17+870 | 898.125 | 898.354 | | 898.182 | | 898.161 |
| 17+880 | 898.228 | 898.424 | | 898.343 | | 898.288 |
| 17+890 | 898.355 | 898.483 | | 898.529 | | 898.450 |
| 17+900 | 898.506 | 898.551 | | 898.706 | | 898.605 |
| 17+910 | 898.681 | 898.740 | | 898.758 | | 898.706 |
| 17+920 | 898.880 | 898.892 | | 898.878 | | 898.783 |
| 17+930 | 899.103 | 899.138 | | 899.437 | | 898.891 |
| 17+940 | 899.347 | 899.345 | | 899.647 | | 899.121 |
| 17+950 | 899.593 | 899.491 | | 899.793 | | 899.438 |
| 17+960 | 899.839 | 899.676 | | 899.868 | | 899.706 |
| 17+970 | 900.086 | 899.858 | | 899.946 | | 899.928 |
| 17+980 | 900.332 | 899.954 | | 900.102 | | 900.116 |
| 17+990 | 900.578 | 900.155 | | 900.456 | | 900.330 |
| 18+000 | 900.824 | 900.520 | | 900.851 | | 900.658 |
| 18+010 | 901.071 | 900.878 | | 901.108 | | 900.934 |
| 18+020 | 901.317 | 901.203 | | 901.233 | | 901.211 |
| 18+030 | 901.563 | 901.507 | | 901.445 | | 901.469 |
| 18+040 | 901.809 | 901.772 | | 901.798 | | 901.708 |
| 18+050 | 902.055 | 902.038 | | 902.143 | | 901.946 |
| 18+060 | 902.302 | 901.937 | | 902.272 | | 902.163 |
| 18+070 | 902.548 | 902.238 | | 902.436 | | 902.640 |
| 18+080 | 902.794 | 902.692 | | 902.821 | | 903.164 |
| 18+090 | 903.040 | 903.108 | | 903.179 | | 903.522 |
| 18+100 | 903.284 | 903.371 | | 903.377 | | 903.680 |
| 18+110 | 903.521 | 903.502 | | 903.559 | | 903.802 |
| 18+120 | 903.750 | 903.757 | | 903.648 | | 904.019 |
| 18+130 | 903.972 | 904.032 | | 903.807 | | 904.251 |
| 18+140 | 904.186 | 904.274 | | 904.034 | | 904.519 |
| 18+150 | 904.393 | 904.510 | | 904.414 | | 904.824 |
| 18+160 | 904.593 | 904.437 | | 904.858 | | 904.979 |
| 18+170 | 904.785 | 904.732 | | 905.161 | | 905.113 |
| 18+180 | 904.970 | 905.101 | | 905.460 | | 905.241 |
| 18+190 | 905.147 | 905.476 | | 905.854 | | 905.754 |
| 18+200 | 905.317 | 905.861 | | 906.133 | | 906.156 |

HORIZONTAL GEOMETRY AT ROAD CENTER (m): L:1038.98

SUPERELEVATION

Main Road @ VERTICAL SCHEMATIC: G: -1.2% L: 488.797 | R: 4150.0 K: 41.5 L: 153.103 | G: 2.5% L: 157.495

VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m): G: -1.2% L: 488.795 | R: 4150.0 K: 41.5 L: 153.106

VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m): G: -1.2% L: 488.795 | R: 4150.0 K: 41.5 L: 153.106

LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

RELEASED FOR: ☑ APPROVAL ☐ CONSTRUCTION ☐ INFORMATION ☐ TENDER ☐ DRAFT ☐ PRELIMNARY

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT: STUP Consultants Pvt. Ltd. (assystem stup)
REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com
OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 17500.000 TO CH: 18200.000

DRG.NO.: NO533/E/HWY/RD-346(R0)

DATE: 13-01-2026 | DRAWN: NRG | PREPARED: ADJ | CHECKED: SP | APPROVED: AC

SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

| PROPOSED | 20/2 |
|---|---|
| Proposal | New construction |
| Chainage | 19+989 |
| Type of Str | BOX CULVERT |
| Nos/Span | 2X3 |

| PROPOSED | 21/1 |
|---|---|
| Proposal | New construction |
| Chainage | 20+297 |
| Type of Str | VUP |
| Nos/Span | 2X35 |




PLAN

| PROPOSED | 21/1 |
|---|---|
| Proposal | New construction |
| Chainage | 20+297 |
| Type of Str | VUP |
| Nos/Span | 2X35 |

| PROPOSED | 20/2 |
|---|---|
| Proposal | New construction |
| Chainage | 19+989 |
| Type of Str | BOX CULVERT |
| Nos/Span | 2X3 |

APPROACH PORTION
LENGTH = 262

CH: 19+945.54
LVL: 894.37

CH: 19+972.70
LVL: 895.23

CH: 20+190.06
LVL: 902.17

RD-348

RD-350

DATUM

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 898.865 … 882.604 … 882.104 … 882.129 … 882.266 … 882.285 … 882.334 … 882.279 … 882.272 … 882.231 … 882.387 … 882.810 … 883.238 … 883.743 … 883.899 … 884.034 … 884.099 … 884.139 … 884.279 … 884.413 … 884.457 … 884.328 … 884.439 … 884.631 … 884.877 … 885.014 … 885.352 … 885.479 … 885.581 … 885.660 … 885.864 |
| Main Road @ EXISTING GROUND LEVEL | 898.847 … 882.604 … 882.114 … 882.129 … 882.266 … 882.285 … 882.334 … 882.279 … 882.272 … 882.231 … 882.387 … 882.810 … 883.238 … 883.743 … 883.899 … 884.034 … 884.099 … 884.139 … 884.279 … 884.413 … 884.457 … 884.328 … 884.439 … 884.631 … 884.877 … 885.014 … 885.352 … 885.479 … 885.581 … 885.660 … 885.864 |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | L:520.12 … L:520.12 … Lc 135.000 LT: 90.027 ST: 45.024 K: 67.497 … PI STA D: 36 R: L: |
| SUPERELEVATION | e:-4.04% … e:-4.04% |
| Main Road @ VERTICAL SCHEMATIC | R: 2530.0 K: 25.3 L: 127.164 … G: 3.2% L: 217.364 … R: 3708.1 K: 37.1 L: 216.479 |
| FORMATION LEVEL LEFT SERVICE ROAD | 898.659 … 882.604 … 882.076 … 882.396 … 882.756 … 883.644 … 883.917 … 884.093 … 883.487 … 884.172 … 883.447 … 884.153 … 883.351 … 884.037 … 883.131 … 883.879 … 883.340 … 883.721 … 883.258 … 883.563 … 883.382 … 883.405 … 883.716 … 883.247 … 883.869 … 883.089 … 883.929 … 883.931 … 883.917 … 883.773 … 883.900 … 884.615 … 883.866 … 884.457 … 883.869 … 884.299 … 883.720 … 884.153 … 883.510 … 884.042 … 883.343 … 883.967 … 883.470 … 883.928 … 883.597 … 883.925 … 883.747 … 883.958 … 883.962 … 884.027 … 884.137 … 884.129 … 884.199 … 884.237 … 884.290 … 884.346 … 884.356 … 884.454 … 884.355 … 884.583 … 884.344 … 884.671 … 884.507 … 884.770 … 884.609 … 884.888 … 884.739 … 884.996 … 884.981 … 885.105 … 885.311 … 885.213 … 885.616 … 885.323 … 885.709 … 885.469 … 885.896 … 885.664 … 886.029 … 885.896 |
| GROUND LEVEL LEFT SERVICE ROAD | 898.659 … 882.604 … 882.076 … 882.396 … 882.756 … 883.644 … 883.917 … 884.093 … 883.487 … 884.172 … 883.447 … 884.153 … 883.351 … 884.037 … 883.131 … 883.879 … 883.340 … 883.721 … 883.258 … 883.563 … 883.382 … 883.405 … 883.716 … 883.247 … 883.869 … 883.089 … 883.929 … 883.931 … 883.917 … 883.773 … 883.900 … 884.615 … 883.866 … 884.457 … 883.869 … 884.299 … 883.720 … 884.153 … 883.510 … 884.042 … 883.343 … 883.967 … 883.470 … 883.928 … 883.597 … 883.925 … 883.747 … 883.958 … 883.962 … 884.027 … 884.137 … 884.129 … 884.199 … 884.237 … 884.290 … 884.346 … 884.356 … 884.454 … 884.355 … 884.583 … 884.344 … 884.671 … 884.507 … 884.770 … 884.609 … 884.888 … 884.739 … 884.996 … 884.981 … 885.105 … 885.311 … 885.213 … 885.616 … 885.323 … 885.709 … 885.469 … 885.896 … 885.664 … 886.029 … 885.896 |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | G: 3.2% L: 27.593 … R: 1025.5 K: 10.3 L: 48.953 … G: -1.6% L: 112.686 … R: 2778.8 K: 27.8 L: 74.016 … G: 1.1% L: 111.628 … R: 1995.5 K: 20.0 L: 25.000 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 895.514 … 891.910 … 891.918 … 892.041 … 891.863 … 892.782 … 891.652 … 892.963 … 891.884 … 893.042 … 892.262 … 893.433 … 892.486 … 893.117 … 892.764 … 894.959 … 892.600 … 894.801 … 892.824 … 894.643 … 893.184 … 894.485 … 893.753 … 894.327 … 893.802 … 894.169 … 893.669 … 894.014 … 893.489 … 893.887 … 893.265 … 893.797 … 893.122 … 893.743 … 893.294 … 893.725 … 893.587 … 893.742 … 893.801 … 893.786 … 893.912 … 893.873 … 893.998 … 893.951 … 894.090 … 894.029 … 894.244 … 894.107 … 894.358 … 894.185 … 894.248 … 894.263 … 894.303 … 894.341 … 894.562 … 894.418 … 894.658 … 894.509 … 895.086 … 894.647 … 895.216 … 894.836 … 895.306 … 895.065 … 895.401 … 895.299 … 895.547 … 895.533 … 895.697 … 895.766 |
| GROUND LEVEL RIGHT SERVICE ROAD | 899.183 … 882.604 … 882.076 … 882.396 … 882.756 … 883.644 … 883.917 … 884.093 … 883.487 … 884.172 … 883.447 … 884.153 … 883.351 … 884.037 … 883.131 … 883.879 … 883.340 … 883.721 … 883.258 … 883.563 … 883.382 … 883.405 … 883.716 … 883.247 … 883.869 … 883.089 … 883.929 … 883.931 … 883.917 … 883.773 … 883.900 … 884.615 … 883.866 … 884.457 … 883.869 … 884.299 … 883.720 … 884.153 … 883.510 … 884.042 … 883.343 … 883.967 … 883.470 … 883.928 … 883.597 … 883.925 … 883.747 … 883.958 … 883.962 … 884.027 … 884.137 … 884.129 … 884.199 … 884.237 … 884.290 … 884.346 … 884.356 … 884.454 … 884.355 … 884.583 … 884.344 … 884.671 … 884.507 … 884.770 … 884.609 … 884.888 … 884.739 … 884.996 … 884.981 … 885.105 … 885.311 … 885.213 … 885.616 … 885.323 … 885.709 … 885.469 … 885.896 … 885.664 … 886.029 … 885.896 |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | G: 3.2% L: 27.593 … R: 1025.5 K: 10.3 L: 48.953 … G: -1.6% L: 116.933 … R: 2778.8 K: 27.8 L: 65.522 … G: 0.8% L: 81.221 … R: 1995.5 K: 20.0 L: 31.100 |
| PROJECT CHAINAGE (m) | 19+600 … 19+610 … 19+620 … 19+630 … 19+640 … 19+650 … 19+660 … 19+670 … 19+680 … 19+690 … 19+700 … 19+710 … 19+720 … 19+730 … 19+740 … 19+750 … 19+760 … 19+770 … 19+780 … 19+790 … 19+800 … 19+810 … 19+820 … 19+830 … 19+840 … 19+850 … 19+860 … 19+870 … 19+880 … 19+890 … 19+900 … 19+910 … 19+920 … 19+930 … 19+940 … 19+950 … 19+960 … 19+970 … 19+980 … 19+990 … 20+000 … 20+010 … 20+020 … 20+030 … 20+040 … 20+050 … 20+060 … 20+070 … 20+080 … 20+090 … 20+100 … 20+110 … 20+120 … 20+130 … 20+140 … 20+150 … 20+160 … 20+170 … 20+180 … 20+190 … 20+200 … 20+210 … 20+220 … 20+230 … 20+240 … 20+250 … 20+260 … 20+270 … 20+280 … 20+290 … 20+300 … 20+310 … 20+320 … 20+330 … 20+340 … 20+350 … 20+360 … 20+370 … 20+380 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   - RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   - RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   - RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   - RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   - RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   - RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   - RD-07 : TYPICAL CROSS SECTION SCHEDULE
   - RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   - RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE USE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.702, 7th Floor, Prestige Meridian-II, No.30, M.G.Road-33 & D-207, Jubilee Hills, Hi-Tech Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705
Tel: +91 (022) 66567777,
E-mail: mumbai@stupgroup.com
OFFICE OF ORIGIN : 205, JP & Suit Jambusaar Arcade 4th Floor, Millers Road Bangalore – 560 052 Tel.: 080 – 40 18 79 79 Email : bangalore@stupgroup.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 19600.000 TO CH: 20300.000

DRG.NO.: NO533/E/HWY/RD-349(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD ←

HOSUR ROAD →




PLAN




HORIZONTAL GEOMETRY AT ROAD CENTER (m): Ls: 135.000, LT: 90.034, ST: 45.031, K: 67.484

SUPERELEVATION: e:5.00%, e:-5.00%

Main Road @ VERTICAL SCHEMATIC: R: 13499.7, K: 135.0, L: 431.725 | G: -0.7%, L: 43.514 | R: 8154.0, K: 81.5, L: 60.000 | G: 0.0%, L: 91.276 | R: 2530.0, K: 25.3, L: 101.200 | G: 4.0%, L: 10.724

FORMATION LEVEL LEFT SERVICE ROAD; VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m); FORMATION LEVEL RIGHT SERVICE ROAD; VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m)

| PROJECT CHAINAGE (m) | Main Road @ FINISHED ROAD LEVEL | Main Road @ EXISTING GROUND LEVEL | GROUND LEVEL LEFT SERVICE ROAD | GROUND LEVEL RIGHT SERVICE ROAD |
|---|---|---|---|---|
| 18+200 | 905.317 | 905.861 | 906.133 | 906.156 |
| 18+210 | 905.479 | 906.050 | 906.356 | 906.338 |
| 18+220 | 905.634 | 906.170 | 906.537 | 906.518 |
| 18+230 | 905.782 | 906.351 | 906.710 | 906.661 |
| 18+240 | 905.922 | 906.615 | 906.744 | 906.812 |
| 18+250 | 906.055 | 906.881 | 906.828 | 906.984 |
| 18+260 | 906.181 | 907.072 | 907.115 | 907.186 |
| 18+270 | 906.299 | 907.270 | 907.279 | 907.405 |
| 18+280 | 906.410 | 907.745 | 907.523 | 907.892 |
| 18+290 | 906.513 | 908.078 | 907.788 | 908.433 |
| 18+300 | 906.609 | 908.258 | 908.020 | 908.704 |
| 18+310 | 906.697 | 908.446 | 908.285 | 908.949 |
| 18+320 | 906.778 | 908.679 | 908.552 | 909.066 |
| 18+330 | 906.852 | 908.900 | 908.839 | 909.249 |
| 18+340 | 906.918 | 909.120 | 908.946 | 909.432 |
| 18+350 | 906.977 | 909.347 | 909.165 | 909.589 |
| 18+360 | 907.028 | 909.586 | 909.405 | 910.493 |
| 18+370 | 907.072 | 910.321 | 909.615 | 911.379 |
| 18+380 | 907.109 | 910.931 | 909.987 | 912.264 |
| 18+390 | 907.138 | 911.290 | 910.287 | 911.776 |
| 18+400 | 907.160 | 911.437 | 910.716 | 911.337 |
| 18+410 | 907.174 | 911.224 | 910.871 | 911.537 |
| 18+420 | 907.181 | 911.151 | 910.949 | 911.497 |
| 18+430 | 907.181 | 911.219 | 911.046 | 911.807 |
| 18+440 | 907.173 | 911.287 | 911.194 | 912.469 |
| 18+450 | 907.157 | 911.308 | 911.311 | 913.131 |
| 18+460 | 907.135 | 911.478 | 911.428 | 913.728 |
| 18+470 | 907.105 | 911.806 | 911.557 | 914.014 |
| 18+480 | 907.067 | 912.052 | 911.821 | 914.239 |
| 18+490 | 907.022 | 912.282 | 912.044 | 914.288 |
| 18+500 | 906.970 | 912.157 | 912.171 | 913.962 |
| 18+510 | 906.910 | 912.354 | 912.378 | 913.535 |
| 18+520 | 906.843 | 912.612 | 912.653 | 912.690 |
| 18+530 | 906.770 | 912.776 | 912.809 | 912.766 |
| 18+540 | 906.697 | 912.834 | 912.838 | 912.843 |
| 18+550 | 906.623 | 912.905 | 912.888 | 913.034 |
| 18+560 | 906.549 | 913.054 | 912.972 | 913.280 |
| 18+570 | 906.476 | 913.215 | 913.062 | 913.551 |
| 18+580 | 906.412 | 913.399 | 913.133 | 913.863 |
| 18+590 | 906.360 | 913.568 | 913.246 | 914.198 |
| 18+600 | 906.321 | 913.654 | 913.372 | 915.070 |
| 18+610 | 906.294 | 913.688 | 913.466 | 916.015 |
| 18+620 | 906.279 | 913.723 | 913.696 | 915.691 |
| 18+630 | 906.275 | 914.059 | 914.048 | 914.922 |
| 18+640 | 906.275 | 914.318 | 914.302 | 914.328 |
| 18+650 | 906.275 | 914.289 | 914.192 | 914.299 |
| 18+660 | 906.275 | 914.420 | 914.371 | 914.561 |
| 18+670 | 906.275 | 914.494 | 914.436 | 914.549 |
| 18+680 | 906.275 | 914.271 | 914.160 | 914.259 |
| 18+690 | 906.275 | 914.295 | 914.165 | 914.297 |
| 18+700 | 906.275 | 914.440 | 914.356 | 914.547 |
| 18+710 | 906.275 | 914.422 | 914.150 | 914.496 |
| 18+720 | 906.276 | 914.218 | 913.909 | 914.350 |
| 18+730 | 906.301 | 914.165 | 913.902 | 914.161 |
| 18+740 | 906.367 | 913.978 | 913.887 | 913.921 |
| 18+750 | 906.471 | 913.791 | 913.745 | 913.755 |
| 18+760 | 906.615 | 913.535 | 913.538 | 913.740 |
| 18+770 | 906.799 | 913.385 | 913.380 | 913.761 |
| 18+780 | 907.022 | 913.319 | 913.276 | 913.763 |
| 18+790 | 907.285 | 913.321 | 913.138 | 913.651 |
| 18+800 | 907.587 | 913.238 | 912.985 | 913.528 |
| 18+810 | 907.929 | 913.102 | 912.817 | 913.389 |
| 18+820 | 908.311 | 912.989 | 912.706 | 913.315 |
| 18+830 | 908.711 | 912.878 | 912.614 | 913.207 |
| 18+840 | 909.097 | 912.854 | 912.490 | 913.032 |
| 18+850 | 909.452 | 912.775 | 912.414 | 912.855 |
| 18+860 | 909.777 | 912.691 | 912.297 | 912.746 |
| 18+870 | 910.071 | 912.560 | 912.138 | 912.620 |
| 18+880 | 910.334 | 912.350 | 911.924 | 912.503 |
| 18+890 | 910.567 | 911.989 | 911.755 | 912.371 |
| 18+900 | 910.769 | 911.839 | 911.629 | 912.148 |

LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   - * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   - * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   - * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   - * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   - * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   - * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   - * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   - * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   - * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13−01−26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |

FOR INTERNAL OFFICE ONLY

CONSULTANT: STUP Consultants Pvt. Ltd. (assystem stup)

REGISTERED OFFICE : Unit No.2702, 27th Floor, Rupa Renaissance, P.No.D-33 & D-207, Juinagar, MIDC TTC Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705 Tel: +91 (022) 68067777, E-mail: mumbai@assystem.com

OFFICE OF ORIGIN : #69, JP & Devi Jambukeshwar Arcade 4th Floor, Millers Road Bengaluru − 560 052 Tel.: 080 − 40 39 79 79 Email : bangalore@assystem.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR:

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 18200.000 TO CH: 18900.000

DRG.NO.: NO533/E/HWY/RD−347(R0)

DATE: 13−01−2026; DRAWN: NRG; PREPARED: ADJ; CHECKED: SP; APPROVED: AC

SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

| PROPOSED | 20/1 |
|---|---|
| Proposal | New construction |
| Chainage | 19+390 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |




PLAN




LONGITUDINAL SECTION

| PROPOSED | 20/1 |
|---|---|
| Proposal | New construction |
| Chainage | 19+390 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   * RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   * RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   * RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   * RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   * RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   * RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   * RD-07 : TYPICAL CROSS SECTION SCHEDULE
   * RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   * RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

| | | | | | |
|---|---|---|---|---|---|
| ☑ APPROVAL | ☐ CONSTRUCTION | | | | |
| ☐ INFORMATION | ☐ TENDER | | | | |
| ☐ DRAFT | ☐ PRELIMINARY | | | | |
| RELEASED FOR | | | | | |
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE |
| FOR INTERNAL OFFICE ONLY | | | | | |

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE :
Unit No.2702, 27th Floor, Rajvi Renaissance, Plot-3-33 & D-207, Thane Belapur Road, Airoli Navi Mumbai, Thane, Maharashtra—400708. Tel: +91 (022) 40647777, E-mail: mumbai@stuptech.com
OFFICE OF ORIGIN :
#55, 3rd & 2nd Jambusaheer Arcade 4th Floor, Millers Road Bengaluru – 560 052 Tel.: 080 – 40 38 79 79 Email : bangalore@stuptech.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 18900.000 TO CH: 19600.000

DRG.NO.: NO533/E/HWY/RD-348(R0)

| | |
|---|---|
| DATE | 13-01-2026 |
| DRAWN | NRG |
| PREPARED | ADJ |
| CHECKED | SP |
| APPROVED | AC |
| SCALE: | HOR= 1:1000 VER= 1:1000 |

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

| PROPOSED | 20/2 |
|---|---|
| Proposal | New construction |
| Chainage | 19+989 |
| Type of Str | BOX CULVERT |
| Nos/Span | 2X3 |

| PROPOSED | 21/1 |
|---|---|
| Proposal | New construction |
| Chainage | 20+297 |
| Type of Str | VUP |
| Nos/Span | 2X35 |




PLAN

| PROPOSED | 21/1 |
|---|---|
| Proposal | New construction |
| Chainage | 20+297 |
| Type of Str | VUP |
| Nos/Span | 2X35 |

| PROPOSED | 20/2 |
|---|---|
| Proposal | New construction |
| Chainage | 19+989 |
| Type of Str | BOX CULVERT |
| Nos/Span | 2X3 |

APPROACH PORTION
LENGTH = 262

CH: 19+945.54
LVL: 894.37

CH: 19+972.70
LVL: 895.23

CH: 20+190.06
LVL: 902.17

RD-348

RD-350

DATUM

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 898.865 … 882.604 … 882.104 … 882.129 … 882.266 … 882.285 … 882.334 … 882.279 … 882.272 … 882.231 … 882.387 … 882.810 … 883.238 … 883.743 … 883.899 … 884.034 … 884.099 … 884.139 … 884.279 … 884.413 … 884.457 … 884.328 … 884.439 … 884.631 … 884.877 … 885.014 … 885.352 … 885.479 … 885.581 … 885.660 … 885.864 |
| Main Road @ EXISTING GROUND LEVEL | 898.847 … 882.604 … 882.114 … 882.129 … 882.266 … 882.285 … 882.334 … 882.279 … 882.272 … 882.231 … 882.387 … 882.810 … 883.238 … 883.743 … 883.899 … 884.034 … 884.099 … 884.139 … 884.279 … 884.413 … 884.457 … 884.328 … 884.439 … 884.631 … 884.877 … 885.014 … 885.352 … 885.479 … 885.581 … 885.660 … 885.864 |
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | L:520.12 … L:520.12 … Lc 135.000 LT: 90.027 ST: 45.024 K: 67.497 … PI STA D: 36 R: L: |
| SUPERELEVATION | e:-4.04% … e:-4.04% |
| Main Road @ VERTICAL SCHEMATIC | R: 2530.0 K: 25.3 L: 127.164 … G: 3.2% L: 217.364 … R: 3708.1 K: 37.1 L: 216.479 |
| FORMATION LEVEL LEFT SERVICE ROAD | 898.659 … 882.604 … 882.076 … 882.396 … 882.756 … 883.644 … 883.917 … 884.093 … 883.487 … 884.172 … 883.447 … 884.153 … 883.351 … 884.037 … 883.131 … 883.879 … 883.340 … 883.721 … 883.258 … 883.563 … 883.382 … 883.405 … 883.716 … 883.247 … 883.869 … 883.089 … 883.929 … 883.931 … 883.917 … 883.773 … 883.900 … 884.615 … 883.866 … 884.457 … 883.869 … 884.299 … 883.720 … 884.153 … 883.510 … 884.042 … 883.343 … 883.967 … 883.470 … 883.928 … 883.597 … 883.925 … 883.747 … 883.958 … 883.962 … 884.027 … 884.137 … 884.129 … 884.199 … 884.237 … 884.290 … 884.346 … 884.356 … 884.454 … 884.355 … 884.583 … 884.344 … 884.671 … 884.507 … 884.770 … 884.609 … 884.888 … 884.739 … 884.996 … 884.981 … 885.105 … 885.311 … 885.213 … 885.616 … 885.323 … 885.709 … 885.469 … 885.896 … 885.664 … 886.029 … 885.896 |
| GROUND LEVEL LEFT SERVICE ROAD | 898.659 … 882.604 … 882.076 … 882.396 … 882.756 … 883.644 … 883.917 … 884.093 … 883.487 … 884.172 … 883.447 … 884.153 … 883.351 … 884.037 … 883.131 … 883.879 … 883.340 … 883.721 … 883.258 … 883.563 … 883.382 … 883.405 … 883.716 … 883.247 … 883.869 … 883.089 … 883.929 … 883.931 … 883.917 … 883.773 … 883.900 … 884.615 … 883.866 … 884.457 … 883.869 … 884.299 … 883.720 … 884.153 … 883.510 … 884.042 … 883.343 … 883.967 … 883.470 … 883.928 … 883.597 … 883.925 … 883.747 … 883.958 … 883.962 … 884.027 … 884.137 … 884.129 … 884.199 … 884.237 … 884.290 … 884.346 … 884.356 … 884.454 … 884.355 … 884.583 … 884.344 … 884.671 … 884.507 … 884.770 … 884.609 … 884.888 … 884.739 … 884.996 … 884.981 … 885.105 … 885.311 … 885.213 … 885.616 … 885.323 … 885.709 … 885.469 … 885.896 … 885.664 … 886.029 … 885.896 |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | G: 3.2% L: 27.593 … R: 1025.5 K: 10.3 L: 48.953 … G: -1.6% L: 112.686 … R: 2778.8 K: 27.8 L: 74.016 … G: 1.1% L: 111.628 … R: 1995.5 K: 20.0 L: 25.000 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 895.514 … 891.910 … 891.918 … 892.041 … 891.863 … 892.782 … 891.652 … 892.963 … 891.884 … 893.042 … 892.262 … 893.433 … 892.486 … 893.117 … 892.764 … 894.959 … 892.600 … 894.801 … 892.824 … 894.643 … 893.184 … 894.485 … 893.753 … 894.327 … 893.802 … 894.169 … 893.669 … 894.014 … 893.489 … 893.887 … 893.265 … 893.797 … 893.122 … 893.743 … 893.294 … 893.725 … 893.587 … 893.742 … 893.801 … 893.786 … 893.912 … 893.873 … 893.998 … 893.951 … 894.090 … 894.029 … 894.244 … 894.107 … 894.358 … 894.185 … 894.248 … 894.263 … 894.303 … 894.341 … 894.562 … 894.418 … 894.658 … 894.509 … 895.086 … 894.647 … 895.216 … 894.836 … 895.306 … 895.065 … 895.401 … 895.299 … 895.547 … 895.533 … 895.697 … 895.766 |
| GROUND LEVEL RIGHT SERVICE ROAD | 899.183 … 882.604 … 882.076 … 882.396 … 882.756 … 883.644 … 883.917 … 884.093 … 883.487 … 884.172 … 883.447 … 884.153 … 883.351 … 884.037 … 883.131 … 883.879 … 883.340 … 883.721 … 883.258 … 883.563 … 883.382 … 883.405 … 883.716 … 883.247 … 883.869 … 883.089 … 883.929 … 883.931 … 883.917 … 883.773 … 883.900 … 884.615 … 883.866 … 884.457 … 883.869 … 884.299 … 883.720 … 884.153 … 883.510 … 884.042 … 883.343 … 883.967 … 883.470 … 883.928 … 883.597 … 883.925 … 883.747 … 883.958 … 883.962 … 884.027 … 884.137 … 884.129 … 884.199 … 884.237 … 884.290 … 884.346 … 884.356 … 884.454 … 884.355 … 884.583 … 884.344 … 884.671 … 884.507 … 884.770 … 884.609 … 884.888 … 884.739 … 884.996 … 884.981 … 885.105 … 885.311 … 885.213 … 885.616 … 885.323 … 885.709 … 885.469 … 885.896 … 885.664 … 886.029 … 885.896 |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | G: 3.2% L: 27.593 … R: 1025.5 K: 10.3 L: 48.953 … G: -1.6% L: 116.933 … R: 2778.8 K: 27.8 L: 65.522 … G: 0.8% L: 81.221 … R: 1995.5 K: 20.0 L: 31.100 |
| PROJECT CHAINAGE (m) | 19+600 … 19+610 … 19+620 … 19+630 … 19+640 … 19+650 … 19+660 … 19+670 … 19+680 … 19+690 … 19+700 … 19+710 … 19+720 … 19+730 … 19+740 … 19+750 … 19+760 … 19+770 … 19+780 … 19+790 … 19+800 … 19+810 … 19+820 … 19+830 … 19+840 … 19+850 … 19+860 … 19+870 … 19+880 … 19+890 … 19+900 … 19+910 … 19+920 … 19+930 … 19+940 … 19+950 … 19+960 … 19+970 … 19+980 … 19+990 … 20+000 … 20+010 … 20+020 … 20+030 … 20+040 … 20+050 … 20+060 … 20+070 … 20+080 … 20+090 … 20+100 … 20+110 … 20+120 … 20+130 … 20+140 … 20+150 … 20+160 … 20+170 … 20+180 … 20+190 … 20+200 … 20+210 … 20+220 … 20+230 … 20+240 … 20+250 … 20+260 … 20+270 … 20+280 … 20+290 … 20+300 … 20+310 … 20+320 … 20+330 … 20+340 … 20+350 … 20+360 … 20+370 … 20+380 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   - RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   - RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   - RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   - RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   - RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   - RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   - RD-07 : TYPICAL CROSS SECTION SCHEDULE
   - RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   - RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | | |
|---|---|---|---|---|---|---|
| GIS | | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |

FOR INTERNAL OFFICE USE ONLY

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.702, 7th Floor, Prestige Meridian-II, No.30, M.G.Road-33 & D-207, Jubilee Hills, Hi-Tech Industrial Area, Turbhe, Navi Mumbai, Thane, Maharashtra-400705
Tel: +91 (022) 66567777,
E-mail: mumbai@stupgroup.com
OFFICE OF ORIGIN : 205, JP & Suit Jambusaar Arcade 4th Floor, Millers Road Bangalore – 560 052 Tel.: 080 – 40 18 79 79 Email : bangalore@stupgroup.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 19600.000 TO CH: 20300.000

DRG.NO.: NO533/E/HWY/RD-349(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF STUP CONSULTANTS Pvt. LTD. IT SHOULD NOT BE USED, COPIED, OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.

TUMKUR ROAD

HOSUR ROAD

REFERENCE LINE FOR HORIZONTAL & VERTICAL ALIGNMENT

| PROPOSED | 21/2 |
|---|---|
| Proposal | New construction |
| Chainage | 20+950 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |

CH:20300 CH:20400 CH:20500 CH:20600 CH:20700 CH:20800 CH:20900 CH:21000

VUP APPROACH PORTION CH:20600 END CH: 20600

MATCH LINE MATCH LINE

35.00 35.00

PROW

To KOGILU

To AGRAHARA

## PLAN

APPROACH PORTION LENGTH = 268

| PROPOSED | 21/2 |
|---|---|
| Proposal | New construction |
| Chainage | 20+950 |
| Type of Str | UTILITY CROSSING |
| Nos/Span | 1m DIA NP4 Pipe |

CH: 20+406.54 LVL: 902.77

CH: 20+453.79 LVL: 901.52

CH: 20+633.79 LVL: 901.33

CH: 20+844.04 LVL: 906.46

CH: 20+912.09 LVL: 907.94

RD-349 RD-351

DATUM

| | |
|---|---|
| Main Road @ FINISHED ROAD LEVEL | 894.439 894.057 894.631 894.666 894.877 894.048 895.014 894.004 895.352 893.932 895.479 893.834 895.581 893.709 895.669 893.556 895.844 893.377 896.221 893.171 896.563 892.837 896.709 892.679 896.853 892.414 896.998 892.150 897.116 891.886 897.193 891.621 897.334 891.362 897.494 891.130 897.027 890.925 898.189 890.749 898.627 890.601 898.855 890.481 898.876 890.389 899.056 890.326 899.155 890.291 899.270 890.284 899.554 890.305 899.852 890.354 900.105 890.432 900.285 890.538 900.405 890.672 900.683 890.835 900.993 891.025 901.302 891.244 901.449 891.486 901.836 891.730 902.070 891.973 902.238 892.217 902.409 892.461 902.652 892.704 902.869 892.948 903.059 893.192 903.252 893.435 903.449 893.679 903.573 893.823 903.843 894.166 904.249 894.410 904.561 894.654 904.784 894.897 905.071 895.141 905.299 895.385 905.497 895.629 905.663 895.872 905.949 896.116 906.216 896.360 906.487 896.602 906.731 896.837 906.894 897.066 907.071 897.286 907.292 897.500 907.545 897.706 907.766 897.904 907.951 898.089 908.204 898.291 908.454 898.484 908.662 898.677 908.875 898.871 909.056 899.064 909.240 899.257 909.431 899.451 909.594 899.644 909.785 899.837 909.967 900.030 910.159 900.224 910.369 900.417 910.601 900.610 910.791 900.803

| | |
|---|---|
| HORIZONTAL GEOMETRY AT ROAD CENTER (m) | PI STA: 20+400.22 D: 36°18'56.73" R: 900.00 L: 570.45 Lt: 135.000 LT: 90.027 ST: 45.024 K: 67.487 L:250.59 |
| SUPERELEVATION | e:-4.94% e:4.94% |
| Main Road @ VERTICAL SCHEMATIC | G: -2.6% L: 47.251 R: 3542.8 K: 35.4 L: 180.000 G: 2.4% L: 210.247 R: 13500.0 K: 135.0 L: 68.051 G: 1.9% L: 178.904 |
| FORMATION LEVEL LEFT SERVICE ROAD | 894.597 894.775 894.656 894.888 894.736 894.956 894.981 895.105 895.311 895.213 895.616 895.323 895.769 895.459 895.960 895.604 896.029 895.896 896.407 896.130 896.721 896.364 897.340 897.060 897.191 897.298 897.337 897.532 897.471 897.786 897.674 897.999 897.950 898.233 898.202 898.467 898.469 898.701 898.647 898.934 898.851 899.168 899.062 899.398 899.211 899.578 899.366 899.698 899.964 899.782 899.847 899.877 900.153 899.972 900.284 900.066 900.385 900.154 900.665 900.965 901.270 901.967 901.802 902.068 902.393 902.669 902.775 902.946 903.177 903.382 903.557 903.733 903.774 903.900 904.272 904.754 905.089 905.334 905.575 906.037 906.023 906.140 906.375 906.620 906.861 907.110 907.320 907.549 907.769 907.949 908.194 908.396 908.574 908.812 908.979 909.213 909.349 909.569 909.829 910.037 910.151 910.407 910.653 910.746 |
| GROUND LEVEL LEFT SERVICE ROAD | |
| VERTICAL GEOMETRY AT LEFT SERVICE ROAD (m) | R: 1995.5 K: 20.0 L: 25.003 G: 2.3% L: 153.954 R: 1500.0 K: 15.0 L: 20.846 G: 0.9% L: 49.592 R: 1399.5 K: 14.0 L: 20.849 |
| FORMATION LEVEL RIGHT SERVICE ROAD | 894.341 894.303 894.418 894.562 894.509 894.658 894.647 895.099 894.836 895.216 895.065 895.306 895.299 895.401 895.533 895.547 895.766 895.697 896.000 895.833 896.234 896.049 896.467 896.305 896.701 896.487 896.935 896.777 897.168 897.099 897.402 896.987 897.636 896.827 897.869 897.136 898.103 897.572 898.337 898.009 898.571 898.237 898.804 898.497 899.038 898.864 899.268 899.077 899.445 899.155 899.556 899.277 899.652 899.304 899.747 899.508 899.842 899.864 899.936 900.166 900.034 900.404 900.618 900.839 901.207 901.352 901.517 901.786 902.090 902.345 902.605 902.846 903.072 903.441 903.605 903.890 904.325 904.530 904.732 904.913 905.093 905.274 905.454 905.666 905.934 906.172 906.490 906.751 906.978 907.205 907.422 907.677 907.861 908.048 908.231 908.439 908.651 908.865 909.038 909.237 909.442 909.641 909.810 909.975 910.161 910.295 910.439 910.678 |
| VERTICAL GEOMETRY AT RIGHT SERVICE ROAD (m) | R: 1995.5 K: 20.0 L: 31.100 G: 2.3% L: 182.508 R: 1500.0 K: 15.0 L: 20.846 G: 0.9% L: 49.592 R: 1399.5 K: 14.0 L: 20.849 |
| PROJECT CHAINAGE (m) | 20+300 20+310 20+320 20+330 20+340 20+350 20+360 20+370 20+380 20+390 20+400 20+410 20+420 20+430 20+440 20+450 20+460 20+470 20+480 20+490 20+500 20+510 20+520 20+530 20+540 20+550 20+560 20+570 20+580 20+590 20+600 20+610 20+620 20+630 20+640 20+650 20+660 20+670 20+680 20+690 20+700 20+710 20+720 20+730 20+740 20+750 20+760 20+770 20+780 20+790 20+800 20+810 20+820 20+830 20+840 20+850 20+860 20+870 20+880 20+890 20+900 20+910 20+920 20+930 20+940 20+950 20+960 20+970 20+980 20+990 21+000 21+010 21+020 21+030 21+040 21+050 21+060 |

## LONGITUDINAL SECTION

NOTES:

1) ALL DIMENSIONS, CHAINAGES AND LEVELS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
2) HORIZONTAL DESIGN BASED ON THE CENTERLINE FURNISHED BY BDA.
3) FRL SHOWN IN THE DRAWING IS MEASURED ALONG RESPECTIVE C/W EDGES.
4) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH
   - RD-01 : TYPICAL CROSS SECTIONS TYPE 1, 2 & 3
   - RD-02 : TYPICAL CROSS SECTIONS TYPE 4, 5 & 6
   - RD-03 : TYPICAL CROSS SECTIONS TYPE 7, 8 & 9
   - RD-04 : TYPICAL CROSS SECTIONS TYPE 10, 11 & 12
   - RD-05 : TYPICAL CROSS SECTIONS TYPE 13, 14 & 15
   - RD-06 : TYPICAL CROSS SECTION AT TOLL PLAZA
   - RD-07 : TYPICAL CROSS SECTION SCHEDULE
   - RD-08 : GENERAL NOTES, LEGENDS & ABBREVIATION.
   - RD-09 : TYPICAL HORIZONTAL CURVE & ATTAINMENT OF SUPERELEVATION DETAILS.
5) THIS DRAWING IS PREPARED BASED ON THE TOPO SURVEY FURNISHED BY BDA 2015.
6) THE LOCATION OF VUP, UNDERPASS SHOWN IN THE DRAWING ARE TENTATIVE.

LEGEND:

- MAIN ROAD @ FINISHED ROAD LEVEL
- MAIN ROAD @ EXISTING GROUND LEVEL
- LEFT SERVICE ROAD @ FINISHED ROAD LEVEL
- LEFT SERVICE ROAD @ EXISTING GROUND LEVEL
- RIGHT SERVICE ROAD @ FINISHED ROAD LEVEL
- RIGHT SERVICE ROAD @ EXISTING GROUND LEVEL
- VUP APPROACH PORTION (PRR AT LEVEL +1)
- UNDERPASS APPROACH PORTION (PRR AT LEVEL −1)
- SPACE FOR INFRA DEVELOPMENT

| DATE | No. | REVISION | DRAWN | PREPARED | CHECKED | APPROVED |
|---|---|---|---|---|---|---|
| 13-01-26 | 0 | FIRST SUBMISSION | NRG | ADJ | SP | AC |

FOR INTERNAL OFFICE ONLY

☑ APPROVAL ☐ CONSTRUCTION
☐ INFORMATION ☐ TENDER
☐ DRAFT ☐ PRELIMNARY

RELEASED FOR

| | | | | | |
|---|---|---|---|---|---|
| GIS | | | | | |
| HIGHWAYS | | | MAJOR STRUCTURES | | |
| ELECTRICAL | | | IRRIGATION/ WATER RESOURCES | | |
| BUILDINGS | | | PHE / PLUMBING/ FIREFIGHTING | | |
| ARCHITECTURE | | | MECHANICAL / HVAC | | |

CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE

CONSULTANT
STUP Consultants Pvt. Ltd.
REGISTERED OFFICE : Unit No.2702, 27th Floor, Prestige Polygon, No.471-P, Block-33 & D-207, Jubilee Hills, TS, Industrial Area, Tuticin, Navi Mumbai, Thane, Maharashtra, 400614
Tel +91 (022) 66067777,
E-mail : mumbai@stupconsultants.com
OFFICE OF ORIGIN : 205, 2nd Floor, Prestige Polygon, No.471-P, Block-33 & D-207, 7th Floor, Millers Road Bangalore – 560 052 Tel: 080 – 40 18 79 79 Email : bangalore@stupcon.com

OWNER: BANGALORE DEVELOPMENT AUTHORITY

CONTRACTOR

PROJECT: CONSTRUCTION OF EIGHT LANE BENGALURU BUSINESS CORRIDOR (BBC)

TITLE: MAIN ROAD PLAN AND PROFILE CH: 20300.000 TO CH: 21000.000

DRG.NO.: NO533/E/HWY/RD-350(R0)

DATE: 13-01-2026
DRAWN: NRG
PREPARED: ADJ
CHECKED: SP
APPROVED: AC
SCALE: HOR= 1:1000 VER= 1:100

DISCLAIMER: ONLY APPROVED AND SIGNED HARD COPIES SHALL BE USED FOR CONSTRUCTION